




Transit X presents a preliminary proposal for a privately-financed, solar-powered micro-rail network — a fleet of automated electric vehicles (pods) for passengers and freight on a local and regional podway providing public transportation for

Hapeville, GA

This proposal is downloadable at transitx.com/proposals/Transitx X for Hapeville, GA.pdf

High capacity · High speed · Nonstop · 24/7 Solar powered · Zero Wait · Door-to-door · Resilient

A 24-page companion Transit X Handbook is available at transitx.com/transitxhandbook.pdf



Proposal Overview



Transit X proposes to build and operate a green, privately-financed micro-rail podway to carry passengers and freight for Hapeville that makes the Transit X service convenient to 95% of the population.

Transit X efficiently services both suburbs and cities and provides for a higher quality of life. See transitx.com for more details. This 3-minute video (transitx.com/video) describes our innovative solution.

Major benefits

- Reduce congestion
- · Provide parking relief
- Reduce pollution
- Improve safety

The Transit X Handbook (<u>transitx.com/</u> <u>transitxhandbook.pdf</u>) answers many questions about our service, the company, our technology, and the way we address: congestion, parking, road safety, pedestrian safety, ADA compliance, sustainability, fares,



solar+storage, construction, aesthetics, operations, economic development, quality of service, security, station footprint, equitability, carbon footprint, transit integration, resiliency, reliability, rights-of-way, and open space.

Congestion, parking, pollution, and safety

Most regions suffer from traffic congestion, limited parking, air pollution, and unsafe roads. Potential solutions are costly, but Transit X can solve these challenges without public funding. Transit X can integrate into the built environment, providing both short term relief and a long term solution.

High Capacity

A single track carries 12,000 pods per hour (20,000 to 50,000 passengers per hour). Two boarding areas fit in a single car space and provide 2,000 boardings per hour.

Zero Footprint and Minimal Disruption

Transit X features stops that don't interfere with pedestrians or other forms of transportation. We use easements alongside highway and roads and integrate utility lines and poles Non-stop interchanges fit above existing intersections. Factory-built tracks and posts enable fast installation with minimal disruption. There are options for long crossings using bridges or underground tunnels. Posts are typically spaced at 23 m (25 yds).

No public funding

Transit X does not require government funding because our revenue from fares, freight, and advertising is greater than our costs. We have reduced or eliminated many costs of transportation including the cost of materials, land, construction, fuel,

debt service, and labor. Our projects are financed by investment banks and private equity firms.

Proven technology

Our team and partners have built fully automated systems that are now in operation around the world. Transit X may look unique, but the underlying design is very similar to systems that have been operating for 40 years with an exemplary safety record. The rollout and maiden flight occurred on Oct 29, 2018 in Leominster, Massachusetts. The first Transit X system will be demonstrated by the end of 2019.

Service Quality

Transit X provides on-demand, last-mile service that is superior to cars or buses. An operating agreement will guarantee high levels of availability and reliability. Our use of small vehicles (pods) makes this possible. By reducing car use, Transit X creates walkable and bike-friendly neighborhoods.

Less pollution: Air, Sound, Light, Visual, Water

Transit X offers a much higher quality of life by eliminating many forms of pollution. Pods are quiet, efficient and have zero emissions. Pods offer less visual impact than the existing roads and vehicles, and utility lines can be hidden within the track. At night, there is no light pollution from headlights or taillights. Water pollution from road runoff is significantly reduced. Parking lots and roadways can be converted into green space and community paths as they become unnecessary.

Sustainable and Efficient

Pods weigh only 45 kg (100 lbs) and achieve over 20 times the efficiency of electric cars. Solar, wind, and storage installed on our tracks and posts can provide 100% of the clean energy needed to power the system.

More Transit & Fewer Cars

Transit X provides the convenience and privacy that people value in cars, yet without the negative impacts of personal cars. Transit X combines the best of mass transit and personal transportation modes which will lead to greater use of public transit and fewer cars.

De-risking Projects

Transit X partners with large, established firms to provide fixed-price contracts for the engineering, certification, construction, and operations of a Transit X system. Theses partnerships enable Transit X to de-risk all of the major elements of the project, and provide performance guarantees. We work with local construction firms.

Jobs and Workforce Development

Many regional jobs will be created to build a new transportation infrastructure, as well many new types of jobs will be created from economic growth. The majority of the construction jobs will be locally sourced and preferential hiring is given to those displaced by the transition.

Revenue Generator for Government

Not only does Transit X not require public financing, but the government and private easement owners receive 4-5% of gross revenue, which would be US\$0 million per year average over the first 10 years.


Short and Long Term Solution

A project could be operational within 24 months from the start of a project. Transit X offers a rapidly-deployable solution that provides long term benefits. We would form a local company to build, operate, and maintain the network. At least 75% of the profits would be invested back into the region.

Moving Forward

The diagram shows our process for a project. We submit a project proposal, then ask for a commitment for Transit X to build and operate a podway along rights-of-way easements. Example documents and a sample project schedule can be viewed at:

transitx.com/process



Evaluation

Please review our

preliminary proposal, and then ask us any questions. We would be happy to provide further information, address specific concerns, or meet with specific people or groups. Any routes or coverage areas shown on the map are only preliminary suggestions and actual routes would be determined based on needs, rights-of-ways, utility corridors, location of trees, and many other factors.

We expect this proposal to be reviewed by one or more committees or working groups. Familiar transportation options, such as buses, light rail, subways, and ridesharing services (including autonomous vehicles) may have already been considered. Very few options offer the convenience of cars with at least the capacity of buses, and most, if not all, require public funding and subsidies.

Private cars have a dominant mode share because people like the privacy and convenience of a car — despite the significant risks and negative impact associated with them. People won't give up their cars unless the alternative is both better and cheaper. That is what Transit X can provide.

We hope you agree that this proposal offers a way to address your challenges in both the short and long term, providing an option that is better and lower risk than any alternative — including continuing with the status quo.

We hope you will conclude that moving forward with Transit X is an excellent opportunity to meet your current and future challenges.

Once we agree to move forward, we look to receive a commitment for Transit X to build and operate a podway along rights-of-way easements.

In parallel, we could refine the routes and meet with project stakeholders.

Other Resources

The links below provide general information about Transit X:

- One minute video overview (transitx.com/video)
- Transit X Handbook (transitx.com/transitxhandbook.pdf)
- Letters of Project Financing, Due Diligence, Contracts (<u>transitx.com/letters.pdf</u>)
- Memorandum of Understanding template (transitx.com/process/mou.html)
- Example Right-of-Way agreement (<u>transitx.com/process/resolution.html</u>)
- Operating Agreement (<u>transitx.com/process/operating_agreement.html</u>)
- General Q & A (transitx.com/QandA.html)
- Other proposals (transitx.com/proposals)

Addendum

The remaining pages of this proposal provide project-specific details:

- Project Overview and Impact pages 6 and 7
- Taxes and Fees pages 8 and 9
- Fares page 10 and 11
- Financial Project Summary with Pro Forma pages 12 and 13

We look forward to working with you to improve the quality of life for Hapeville through better transportation.

Sincerely,



Email: rodneydixon@transitx.com or hello@transitx.com
Telephone: +1 818-855-4106 (WhatsApp connected)
Zoom e-room: https://zoom.us/j/8229009123

Website: transitx.com

Twitter: http://twitter.com/TransitXCorp

Mail: 1127 Commonwealth Ave #30, Boston, MA 02134 USA







11	di ISIUA.			
1	Transit X network length	5	km	3.0 miles
2	People (resident-equivalent) in region	6,627	resident-equivalent p	oopulation
3	Route density ratio (route length to service area)	1.16		
4	Number of stops	20		
5	Triple-speed route length	0	km	
6	Water crossing route length	0	km	
7	Cost of fixed infrastructure	\$17,720,486		
8	per person	\$2,674		
9	Mode share of travel on Transit X (27% after first year)		after 10 years	
10	Distance traveled by passengers on Transit X, per year	13,378,256		8,309,476 miles
11	per day	36,653		22,766 miles
12	Daily potential energy generation with standard panels on tracks		MWh	1.00/
13	Sustainable energy use per day		MWh	1.0% of max capacity
14	Energy storage capital cost for 1 day(s) of supply at \$250 per kWh	\$62,129		
15	Size (rated power) of solar installation		KW	
16	Cost to generate sustainable energy (at \$1,000 per kW)	\$57,776		10/ -f ODEY
17	Cost of buying sustainable energy at \$0.15 per kWh	•	per day	1% of OPEX
18	Daily passengers riding Transit X		customers	81% of the pop.
19	Distance per passenger per day		km	4.3 miles
20	Average distance per trip (assuming 3 trips per day)		km	1.4 miles
21	Single passenger fare for shared 2 km trip	\$0.63		4.550
22	Passenger distance traveled during peak hour	7,331		4,553 miles
23	Breakeven	3,117	of people convenien	58% of expected and 50% to Transit X)
24	Boarding capacity	7,200	passengers per hour	(135% of customers)
25	Number of pods for peak demand	58	pods at 81% m	ode share
26	Number of customers per pod		and 114 people pe	
27	Distance per pod per year	168,904		
28	Two-layer pod garage area (2% of route with side-parking)		m²	0.2% of car parking
29	Cost of pods	\$377,000	is \$44 per person	
30	Capital cost of energy generation and storage		is \$24 per person	
31 P	roject Finances			
32	Total Project Cost (privately financed)	\$18,253,361		
33	Project cost	\$3,736,068	per km	US\$6.0M per mi.
34	Equity	\$5,476,008		
35	Private debt financing	\$12,777,353		
36	•	. , ,		
37				
38				
39	Debt service (per year)	\$2,172,150		
40	Yearly fees and taxes (US\$72 per capita)	\$477,969		
41				
42 43				
44	Project costs — per person	\$2,754		
45	Number of motor vehicles displaced		motor vehicles	
46	Yearly cost of cars displaced — per person	\$1,817		
-	Operating costs per passenger-km	\$0.07		
47	Full costs per passenger-km	\$0.07 \$0.27		
48	Breakeven revenue distance per day	21,346	km	13,259 miles
49	Number of tracks in one direction needed to satisfy peak demand	0.00	•	*
49		0.00		



Impact of proposed network

1	Reduction in GHG emissions (metric tons CO2-eq)	1,321 MTCO2-eq annually
2	Estimated cost to maintain public roadways	\$865,543 annually
3	Reduced waste products	214 metric tons annually
4	Travel time saved (non-stop travel and congestion)	122 hrs/person annually
5	Cost savings from reduced car ownership	\$407 per person annually
6	Increase in household income (from time savings and car costs)	4%
7	Reported injuries avoided	8 annually
8	Lives saved (from safety)	0 annually
9	Land freed from parking (8 acres)	30,770 m ²
2	Temperature reduction (from heat island effect & GHG reductions)	0.5 to 2 °C
11	Health care savings (from pollution, injuries)	High

Model Inputs

	•			
15	Ratio of road length to track length	4		
16	Walking speed		km/h	3 mph
17	Width of convenient swath along track	0.82	km	1 mile
18	Fixed cost per km (track & posts)	\$2,790,000		
19	Water crossing: additional cost per km	\$8,370,000		
20	Triple-speed: additional cost per km	\$5,580,000		
21	Rate factor for water crossings or high-speed links.	2.2		
22	Average distance traveled per person per year	10,000	km	6,211 miles
	(for trips under 1600 km) Average distance per day per person	. 07	km	,
23	Mode share % of people convenient to Transit X		at 5 min walk.	
24	Percentage of daily demand during peak hour	20%	at 5 min wark.	
25	Maximum capacity per track	23,598	nnh	
26	Average dwell time during peak hour		seconds	
27	% of pods traveling on route with highest demand	18%	3600103	
28	Average speed of pod		km/h	45 mph
30	Average # of trips for a daily customer		per day	чо пірп
31	Average passengers per pod during peak hours		passengers	
32	Average passengers per pod		passengers	
02	Average discount per passenger	18%	paccongoro	
33	Maximum passengers per pod		passengers	
34	Empty pods: Percentage non-revenue	25%	passonigers	
35	Ex-Factory cost per pod	\$5,000		
36	Worldwide Median Income per Household (US\$)	10,000		
37	Average number of residents per household	2.3		
38	Base fare per km	\$0.46		
39	(per mile)	\$0.74		
40	O&M as % of project cost	5%		
41	Percentage debt financed	70%		
42	Length of loan/debt	10	years	
43	Interest rate for debt	7%		
44	kg CO2 emissions per liter of gasoline	2.37		
45	Monetary value of 1 hour personal time (USD)	\$13.75		
46	Eat. roadway maintenance per year per km	\$51,000		
47	Area of one parking lot space		m ²	247 sf
48	Commercial income of land (annual)		per m ²	
49	Distance from roadway that is convenient	0.25	km	
50	Stops per km	4.0		
51	Boarding capacity per stop	360	pph	
52	Solar panel area per meter of track	2.0		
53	Cost of sustainable energy and storage		per kWh	
54	Global Horizontal Irradiance (GHI)		kWh/m²/day	
55	Cost to generate sustainable energy	* ,	per kW kWh	
56	Storage per column	23		11
57	Typical span Energy storage cost		per kWh	44
58	Energy storage capacity		days	
59 60	Area of parked pod	2.20		
61	Distance discount at max distance	40%	***	
62	Max distance discount	500	km	
63	Max usage discount at 10,000 km per capita	50%		
64	Shared Pod Discount	20%		
65	Shared Pod Compartment Discount	40%		
66	Mode share starting discount	67%		

Model Inputs (continued)

68	Name of region or project	Hapeville, GA
69	Currency name	
70	Equal to US\$1	1
71	Sustainable energy/electricity generation & storage as	CAPEX
72	Land area of region (sq. km)	6
73	Number of residents in region	6,627
74	% travel within region	25%
75	% of land area served by roads	70%
76	Coverage: $\%$ of pop. convenient (5 min walk) to Transit X	95%
77	Annual median household income (US\$)	\$55,000
78	Convenient walk time to stop (min)	5
79	Triple-speed route length (km)	0
80	Water crossing route length (km)	0.0
81	Visitors per year	0
82	Average length of visit (days)	2
83	Solar production ratio	1.57
84	Regional Fare Factor	1.0
85	EPC costs & contingency	30%
86	Triple-speed (km/h)	242
87	Daily Passengers Adjustment	100%
88	Number of Stops Adjustment	100%
89	Mode Share Adjustment	100%

Pod & Car

		Pod	Car
87	Service life (years)	20	12
88	Full cost of vehicle per year	\$200	\$9,000
89	Public cost to maintain infrastructure (per km)	\$0	\$100,000
90	Energy consumption (MPGe)	3564	24
91	Energy consumption (liters/100km)	0.07	9.8
92	Energy consumption (Watt-hours/km)	9	1375
93	mass of CO2 per vehicle per km (kg)	0	0.09875
94	Vehicle mass (kg)	45	1950
95	Average speed of urban travel (km/h)	72	16
96	Typical travel time (in minutes) for 2 km trip	2	9
97	Fare/cost per km	\$0.46	\$0.62
98	Number of deaths per 100M passenger-km	0.00001	1
99	Number of injuries per 100M passenger-km	0.0006	62
100	Volume to park (cubic meters)	5.7	70.9




5% of gross revenue is paid for air rights and local taxes.

A minimum payment is based on the Footprint and the Transit X Commercial Rate (TXCR).

1	Air-rights and Local Taxe	es	(for calculating minimums)	
2	Total commercial land (estimated)	420,000	m^2	104 acres
3	Total commercial gov't revenue (US\$)	\$462,000		
4	TXCR (Transit X Commercial Rate)	\$1.10	per m ²	
5	TXCR is the yearly tax rate per land area. Calculation: total land area of commercial properties in the governmental region, divided by all the governmental income generated by those properties. The TXCR is used to calculate the minimum tax/fee.	\$11.84	per sf	
6				
7	Private Easement Fees	For example		
8	4% of gross revenue	\$19.57	per route- meter	\$5.97 per route-foot
9	Minimum per year	\$1.63	per route- meter	\$0.50 per route-foot
10	Transit X payment to G	overnment		
11	% of route on government easements	98%		
12	5% on government easements	\$468,410		
13	1% on private easements	\$1,912		
14	Total air-rights and local taxes	\$470,322	per year	
15	per resident	\$71		
16	with a minimum of	\$7,987	per year	
47				
17				
18	Other financial benefits	s to Governmeı	nt	
	Other financial benefits Less road maintenance from lower \		nt	
18		/MT	nt	
18 19	Less road maintenance from lower \	/MT s parking and lanes		

Footprint calculations for minimum fee

Yearly fees and taxes



Pod landing area: 1.5m x 2.5m with 3m minimum spacing

1	Footprint Calculations	Metric		Imperial	
2	Track width	0.30	m	11.8	inches
3	Track height	0.60	m	23.6	inches
1	Post diameter	0.3	m	11.8	inches
5	Post cross section	0.07	m ²	0.8	sf
3	Stop landing area	<u>3.75</u>	m ²	40.4	sf
7	width	<u>1.5</u>	m	59.1	inches
3	length	<u>2.5</u>	m	98.4	inches
9	Ramp length	21		68.9	
10	Typical Span	<u>23</u>		75.5	
11	Number of posts per unit length	<u>43.5</u>	poles per km	70.0	poles per mile
12	Post height	<u>6</u>	m	19.7	feet
13					
14	Single track	1022.1	m ²	10998	sf
15	Area of Side Silhouette	678.3	m ²	7298	sf
16	Area of Top Silhouette	313.1	m ²	3369	sf
17	Impediment Area (adjusted)	30.7	m ²	331	sf
18	· · · · · · · · · · · · · · · · · · ·				
19	Dual track	1322.1	m ²	14226	sf
20	Area of Side Silhouette	678.3		7298	
21	Area of Top Silhouette	613.1		6597	-
22	Impediment Area (adjusted)	30.7		331	
23	(,				
24	Stop	82.1	m ²	883	sf
25	Area of Side Silhouette	25.2		271	
26	Area of Top Silhouette	19.4		208	
27	Impediment Area (adjusted)	37.5	m ²	404	sf
28					
29	Stops with dedicated landing areas	2	stops per km	3.2	stops per mile
30	% of dual track	100%			
31					
32	Average area per unit length	1,486	m² per route-km	25,793	sf per route-mile
33					
34	Contract values				
35	% gross revenue for government on private prop.	1%			
36	% gross revenue for private easement	4%			
37	% gross revenue for government easement	5%			
38	Impediment Factor	10			



Fair Fare Formula

Summary

The average commute would be 3.5 times faster saving each commuter 295 hours per year.*

At 0.44 USD per mile, a typical commute on Transit X is 17% less than public transit and 74% less than a Taxi.*

			Trip Length	
Α	II prices in USD	1 mile	6 mile	25 mile
	Transit X	0.55 to 0.91 2 min., 3.6x faster	2.71 to 4.54 8 min., 3.6x faster	10.39 to 17.71 33 min., 3.4x faster
P	Public transit average	3.07	4.88	7.15
sepou	Taxi	4.25 2 to 6 minutes	18.52 8 to 30 minutes	72.02 30 to 120 minutes
Common public modes	Uber/Lyft	3.24 2 to 6 minutes	13.33 8 to 30 minutes	51.20 30 to 120 minutes
non p	Public Bus	2.47 3 to 12 minutes	2.47 15 to 60 minutes	3.79 60 to 240 minutes
Comi	Train	3.70 2 to 12 minutes	4.36 8 to 60 minutes	6.83 30 to 240 minutes
Personal car		3.52 2 to 6 minutes	11.02 8 to 30 minutes	39.15 30 to 120 minutes
	Avg. Low High	n Min M	ax Time Mode share	* All numbers on mode

	Avg. Speed	Low Speed	High speed				Min Dist	Max Dist.	Time cost	Mode 6%	shar 70%	
Travel mode	km/h	km/h	km/h	Base	Includ es km	Over per-km	km	km	per min	2	10	40
Taxi	30	20	80	2.47	1	1.23	0.5	100	1.10	5%	4%	1%
Uber/Lyft	30	20	80	1.98	1	0.99	0.5	100	0.55	10%	10%	2%
Public Bus	15	10	40	2.47	20	0.07	0.5	50	0	50%	50%	40%
Train	30	10	80	3.70	2	0.08	2	100	0	35%	36%	57%
Transit X	72	72	72	0	0	0.27	0.1	50	0	-	-	-
Personal car	30	20	80	1.65	0	0.82	0.1	400	0.23	-	-	-

^{*} All numbers on mode shares, speeds, and costs are rough estimates..

Base fares are set for first 5 years, then adjusted by formula. A 20% discount on a shared pod and a 40% discount on a shared compartment. Trips are discounted proportional to their length reaching a maximum of a 40% discount on a 500 km trip. No congestion—based pricing. Fares are proportional to the median income of the area and inversely proportional to per capita use, so the more use of Transit X, the lower the base fare up a to 50% discount. The amount of market—rate fares must be less than the amount of discounted fares. Transit X Fair Fare Formula and Fair Freight Formula is universal and applies to all regions and all times.



Fair Fare Formula

Fare rates are updated annually using this formula

	Formula Name	Value	Units	Description of the value or model input
1	GlobalIncome	10,000	USD	Global median household income. Updated annually based on most recent standard published data.
2	AllTravel	23,000	km	Travel distance per household per year on any mode for trips under 1600 km. A global constant
3	PercentIncomeForTransport	20%		% of median household income for all transportation under 1600 km trips. A global constant.
4	GlobalRate	0.09	USD/km	Global rate: GlobalIncome * PercentIncomeForTransport / AllTravel
5	IncomeFirst	\$55,000	USD	Median household income at first stop (per person per day). External input. Based on reliable public data source updated annually.
6	IncomeDest	\$82,500	USD	Median household income at destination per trip. External input. Based on reliable public data updated annually.
7	RegionalRate	0.48	USD/km	Regional rate based on median income: MedianIncomeFirst * PercentIncomeForTransport / AllTravel
8	UnderIncomeRate	0.00	USD/km	Under global income adjustment: if (RegionalRate < GlobalRate, GlobalRate - RegionalRate, 0)
9	NominalRate	0.48	USD/km	Nominal rate: RegionalRate + UnderIncomeRate
10	RegionalFactor	1.00		Regional Fare Factor. Negotiated upfront to make network financially viable.
11	AdjustedRate	0.48	USD/km	Regional adjusted rate: NominalRate * RegionalFactor
13	Population	6,627		Population in region. Updated annually based on trusted public data source.
12	UsageMaxDiscount	50%		Fare Discount when Transit X travel per household equals AllTravel. Global constant.
14	PassengerTravel	13,378,256	km	Total passenger distance traveled previous calendar year. Based on expected mode share for first 3 years. Based on actual passenger trips. Audited.
15	ModeShare	9%		Percent of Total Travel Per Capita on Transit X: PassengerTravel / (Population x AllTravel)
16	BaseRate	0.46	USD/km	Base rate for single-passenger pod (without discounts) (1 - UsageMaxDiscount x min(1,ModeShare)) x AdjustedRate
17	SpecialRateFactor	2.20		Rate factor for water crossings or high-speed links. Global constant.
18	SpecialBaseRate	1.01	USD/km	Base rate for high-speed travel or water crossings: BaseRate * SpecialRateFactor
19	DistanceDiscount	40%		Distance discount at max distance. Global constant.
20	MaxDistanceDiscount	500	km	Max distance discount. Global constant.
21	DistanceDiscountPerKm	0.000366	USD/km	Discount amount per km: BaseRate x DistanceDiscount / MaxDistanceDiscount
22	SeniorDiscount	20%		Senior discount set according to local regulations
23	StudentDiscount	20%		Student discount set according to local regulations
	DisabilityDiscount	20%		Disability discount set according to local regulations
24	DiscountBaseRate	0.37	USD/km	Discounted base rate: BaseRate x (1 - SeniorDiscount)
25	SharedPodDiscount	20%		Discount for a shared pod. Set by Transit X per year. 15% minimum and 30% maximum. Maximum yearly change is one percentage point.
26	SharedPodRate	0.37	USD/km	Rate for a shared pod: BaseRate x (1 - SharedPodDiscount)
27	SharedCompartmentDiscount	40%		Discount for shared compartment. Set by Transit X per year. 25% minimum and 40% maximum. Maximum yearly change is one percentage point.
28	SharedCompartmentRate	0.27	USD/km	Rate for shared compartment BaseRate x (1 - SharedCompartmentDiscount)
29	SingleOccupancyMaxDistance	0.31	USD/km	Rate for 500 km in single–passenger pod.
30	Senior + SharedCompartmentRate	0.13	USD/km	Rate for a Senior taking a 500 km trip in a shared compartment. BaseRate x (1 - SeniorDiscountAmount) x (1 - SharedCompartmentDiscount) x (1 - MaxDistanceDiscount)
31	50PctIncomeAtDest	25%		% Higher fare rate if Destination has 50% higher median income than First
32	DistanceBase	9,899,910	km	(IncomeDest / IncomeFirst - 1) / 2 Passenger distance under base fare. Audited value from operational data.
33	PercentBase	74%	KIII	Percent of passenger distance under base fare: DistanceBase / PassengerTravel
34	BaseRevenue	3,709,980	USD	Annual revenue from all travel under base rate. Audited value from operational data.
35	AverageDiscount	18%		Average fare discount from Base Rate: 1 - (BaseRevenue / (DistanceDase x BaseRate))
36	MarketFactor	1.0		Market rate factor. Negotiated value for setting ratio of AverageDiscount
37	MarketRateCap	18%		Cap on passenger travel distance at market rate: AverageDiscount x MarketFactor
38	MarketTravelCap	1,786,620	km	Cap on passenger travel distance at market rate: DistanceBase x MarketRateCap

Project Summary

Project A fully-automated, solar-powered, micro-rail **Description** network. A transportation utility.

Project type Privately-funded Public Transit

Design, Build, Finance, Own, Operate,

Maintain (DBFOOM)

Project equity US\$5 million (30% of total)

Cost to Gov't \$0

Structure Privately financed equity and debt

Debt term 10 years @ 7%

Equity terms A waterfall profit distribution per year with:

1. 90% until capital payback,

2. then 50% until Target% is reached

then 10%

Taxes & Fees \$470,322 per year

Benefits to

society and Extremely high environment

Estimated return 5% average IRR at 5 yrs 17% average IRR at 10 yrs

Financials	W	Total
(US\$ in millions)	Year 1	Years 1-12
Gross Revenues	3	91
Taxes and fees	0	5
Debt service	\$1	\$10

ESG (Environmental, Social, Governance) Benefits

Clean Energy	yes	Improve Resiliency	yes
Energy security	yes	Sustainable	yes
Zero Emissions	yes	Equitable	yes
Zero GHG	yes	Recyclable Materials	yes
Lowers Pollution	yes	Affordable Housing	yes
Clean Water	yes	Improved Health	yes
Improved Safety	yes	Economic Development	yes
Add Green Space	yes	Access to Food	yes
Accessible	yes	Add Quality Jobs	yes





Transit X presents a preliminary proposal for a privately-financed, solar-powered public transit network — a fleet of fully-autonomous, shared, electric, 4-passenger vehicles (pods) on a local and regional podway

Hapeville, GA

High capacity · High speed · Nonstop · 24/7 Solar powered · Zero Wait · Door-to-door · Resilient



About Transit X

Transit X finances, designs, builds, and operates solar-electric micro-rail public transit podways to supplant buses, trains, cars, and trucks. Transit X offers its service to governments and commercial developers. Maiden Flight was on Oct 29, 2018 and pilot projects started in 2018. First pilots will break ground in 2019 and begin operations in 2020. Transit X is a privately held company founded in 2015, based in Boston, Massachusetts.

Status

	Now	Prior to close			
Project financing	Available	Yes			
Outdoor Test Track	Nov 2019	Yes			
Rider-Revenue study	Preliminary	Yes			
Environmental study	Per region	Yes			
Air rights	Per project	Yes			
Permitting	Per project	Yes			
Safety certification	Per country	Yes			
Construction firm	Per project	Yes			
Design and major subs	Per project	Yes			
Operations & Maint	Partners	Yes			
Utility relocation	Per project	Agreements			

General information available at transitx.com. Detailed information and references can be provided under appropriate nondisclosure/non-compete/non-circumvent agreements. Contact: Mike Stanley, CEO, Transit X, mike@transitx.com, 508-596-7024



Model Inputs and Assumptions

Route length (km) 5

Starting number of pods 19

Projected revenue growth 15%

Project Cost (Privately funded) \$18,253,361

% Debt financed 70%

Debt \$12,777,353

Equity \$5,476,008

Debt payment (per year) \$894,415

Travel per year per pod (km) 168,904

Revenue per vehicle-km (US\$) 0.98

OPEX as % of project cost 5%

Debt Interest rate 7%

Debt term (yrs) 10

Profit share when below capital return 90%

Profit share when below Target IRR 50%

Profit share when above Target IRR 10%

Pro Forma

	Years	0	1	2	3	4	5	6	7	8	9	10	11	12
Revenue		0	3,131,522	3,601,250	4,141,437	4,762,653	5,477,051	6,298,609	7,243,400	8,329,910	9,579,396	11,016,306	12,668,752	14,569,064
5% RoW÷tax÷fee	•	0%	156,576	180,062	207,072	238,133	273,853	314,930	362,170	416,495	478,970	550,815	633,438	728,453
Debt service		0	\$894,415	\$894,415	\$894,415	\$894,415	\$894,415	\$894,415	\$894,415	\$894,415	\$894,415	\$894,415	\$894,415	\$894,415
Investor share		0	945,969	1,196,536	1,484,687	1,816,062	934,003	949,942	1,005,939	1,070,337	1,144,394	1,229,559	1,327,499	1,440,131
Investor share (%))		90%	90%	90%	90%	38%	32%	29%	26%	23%	21%	20%	18%
Share / Orig Capita	al	0%	17%	22%	27%	33%	17%	17%	18%	20%	21%	22%	24%	26%
IRR to date		loss	loss	(44%)	(17%)	(0%)	5%	9%	12%	14%	16%	17%	18%	19%

Important Notices

The information contained in this document is not an offer to sell or a solicitation to buy any security. These materials and documents and information from which they are derived or which are referred to by or accessible from them may contain forward looking statements within the meaning of Section 27A of the Securities Act of 1933, Section 2E of the Securities Exchange Act of 1934 and the Private Securities Litigation Reform Act of 1995. All statements other than statements of historical fact are forward looking statements and are subject to risks and uncertainties. Forward looking statements generally can be identified by the use of forward looking terminology such as "may," "will," "expect," "intend," "estimate," "project," "anticipate," "believe" or "plan" or the negative thereof or variations thereon or similar terminology. Although Transit X believes that the expectations reflected in such forward looking statements are reasonable, it can give no assurance that such expectations will prove to be correct. All forward looking statements speak only as of the date made. Except as required by law, Transit X undertakes no obligation to update any forward looking statement to reflect events or circumstances after the date on which it is made or to reflect the occurrence of anticipated or unanticipated events or circumstances. These materials and documents and information from which they are derived or which are referred to by or accessible from them represent Transit X's best estimate as to the allocation of the funding proceeds based upon its present business plan and financial condition. The costs and expenses to be incurred in pursuing the Company's business plan cannot be predicted with certainty. There can be no assurance that unforeseen events will not occur or that the Company's business plan will be achieved or that it will not be changed, and it is possible that the funding proceeds may be applied in a manner other than that described herein.