



Transit X presents a preliminary proposal for privately-financed, solarpowered public transit network — a fleet of fully-autonomous, shared, electric, 4-passenger vehicles (pods) on a local and regional podway

Harlem, NYC, NY

This proposal is downloadable at transitx.com/proposals/Transit_X_for_Harlem,NYC,NY.pdf

High capacity · High speed · Nonstop · 24/7 Solar powered · Zero Wait · Door-to-door · Resilient

A 24-page companion Transit X Handbook is available at transitx.com/transitxhandbook.pdf

18 mile network with 10,194 pods

95% of population within a 2 min. walk

Nonstop 45 mph service to 290 stops



Transit X proposes to build and operate a green, privately-financed microtransit podway to carry passengers and freight for Harlem, NYC, NY that makes the Transit X service convenient to 95% of the population.

Transit X efficiently services both suburbs and cities and provides for a higher quality of life. See transitx.com for more details. This 3-minute video (transitx.com/ video) describes our innovative solution.

Major benefits

- Reduce congestion
- · Provide parking relief
- Reduce pollution
- · Improve safety

The Transit X Handbook (<u>transitx.com/</u> <u>transitxhandbook.pdf</u>) answers many questions about our service, the company, our technology, and the way we address:



congestion, parking, road safety, pedestrian safety, ADA compliance, sustainability, fares, solar+storage, construction, aesthetics, operations, economic development, quality of service, security, station footprint, equitability, carbon footprint, transit integration, resiliency, reliability, rights-of-way, and open space.

Congestion, parking, pollution, and safety

Most regions suffer from traffic congestion, limited parking, air pollution, and unsafe roads. Potential solutions are costly, but Transit X can solve these challenges without public funding. Transit X can integrate into the built environment, providing both short term relief and a long term solution.

No public funding

We have reduced or eliminated many costs of transportation including the cost of materials, land, construction, fuel, debt service, and labor. Transit X does not require public funding because revenue from fares more than covers our costs. Our business model appeals to investment banks and private equity firms that finance green infrastructure projects.

Proven technology

Our team and partners have built fully automated systems that are now in operation around the world. Transit X may look unique, but the underlying design is very similar to systems that have been operating for 40 years with an exemplary safety record. An in-depth (1000+ hours) technical assessment and feasibility analysis has been completed by Altran, a global engineering firm with extensive expertise in automated transit systems. The first pilots of Transit X will be deployed by the end of 2018.

Before any groundbreaking, the system will be safety-certified and fully insured.

Service Quality

Transit X provides on-demand, last-mile service that is superior to cars or buses. An operating agreement will guarantee high levels of availability and reliability. Our use of small vehicles (pods) makes this possible. By reducing car use, Transit X creates walkable and bike-friendly neighborhoods.

Less pollution: Air, Sound, Light, Visual, Water

Transit X offers a much higher quality of life by eliminating many forms of pollution. Pods are quiet and have no emissions. Pods offer less visual impact than the existing roads and vehicles, and utility lines can be hidden within the track. At night, there is no light pollution from headlights or taillights. Water pollution from road runoff is significantly reduced.

Sustainable

Transit X runs on 100% sustainable energy. The energy generated from solar panels on the track and stored within the poles is sufficient in most cases, but sustainable power contracts may used to buy and sell power to the grid. Transit X makes it possible to reduce the amount of impervious surfaces and increase green space by reducing the need for parking and roads. By replacing cars, Transit X has a negative carbon footprint.

More Transit & Fewer Cars

Transit X provides the convenience and privacy that people value in cars, yet without the negative impacts of personal cars. Transit X combines the best of mass transit and personal transportation modes which will lead to higher use of mass transit and less use of personal vehicles.

De-risking Projects

Transit X is working with large, established firms to provide fixed-price contracts for the engineering, certification, construction, and operations of a Transit X system. Theses partnerships enable Transit X to de-risk all of the major elements of the project, and provide performance guarantees.

We would work with regional urban planning and construction firms who are familiar with permitting and applicable codes.

Jobs and Workforce Development

Many jobs will be created to build a new transportation infrastructure, as well many new types of job will be created as transportation becomes more efficient. Transit X intends to build manufacturing and assembly plants around the world and locate them where Transit X is first deployed in a region. The vast majority of the construction jobs will be locally sourced. Preferential hiring would be given to those workers displaced by the transition to automated podways.

Revenue Generator

Not only does Transit X not require public financing, but the government and private easement owners receive 4-5% of gross revenue, which would be US\$51 million


per year average over the first 10 years. For specifics, please see the "Taxes and Fees" section of this proposal. These fees and taxes paid by Transit X enables lower taxes or more spending on public services.

Short and Long Term Solution

A project could be operational within 24 months from the start of a project. Transit X offers a rapidly-deployable solution that provides long term benefits. We would form a local company to build, operate, and maintain the network. At least 75% of the profits would be invested back into the region.

Moving Forward

The diagram shows our general process for working with a government or commercial entity. We would refine a proposal that meets your needs, then ask for a letter stating you will create a legal framework for Transit X to build and operate a podway in your region. Example documents and a sample project schedule can be viewed at: transitx.com/process



Evaluation

Please review our preliminary proposal, and then ask us any questions. We would be happy to provide further information, address specific concerns, or meet with specific people or groups. Any routes or coverage areas shown on the map are only preliminary suggestions and actual routes would be determined based on needs, rights-of-ways, utility corridors, location of trees, and many other factors.

We expect this proposal to be reviewed by one or more committees or working groups. Familiar transportation options, such as buses, light rail, subways, and ridesharing services (including autonomous vehicles) may have already been considered. Very few options offer the convenience of cars with at least the capacity of buses, and most, if not all, require public funding and subsidies.

Private cars have a dominant mode share because people like the privacy and convenience of a car — despite the significant risks and negative impact associated with them. People won't give up their cars unless the alternative is both better and cheaper. That is what Transit X can provide.

We hope you agree that this proposal offers a way to address your challenges in both the short and long term, providing an option that is better and lower risk than any alternative — including continuing with the status quo.

Whatever process you use to evaluate this proposal, Transit X is open to working with you on refining this proposal to meet your needs. We hope you will conclude

that moving forward with Transit X is an excellent opportunity to meet your current and future challenges.

Once we agree to move forward, we need a memorandum of understanding (example at <u>transitx.com/process/mou.html</u>) stating that you intend to pass an ordinance that enables our use of air rights along with an operating agreement.

In parallel, we could refine the routes and meet with project stakeholders.

Other Resources

The links below provide general information about Transit X:

- · 2 minute video overview (transitx.com/video)
- <u>Transit X Handbook (transitx.com/transitxhandbook.pdf)</u>
- · Letters of Project Financing, Due Diligence, Contracts (transitx.com/letters.pdf)
- · Memorandum of Understanding template (transitx.com/process/mou.html)
- Example Resolution (transitx.com/process/resolution.html)
- · Operating Agreement (transitx.com/process/operating_agreement.html)
- General Q & A (transitx.com/QandA.html)
- Other proposals (transitx.com/proposals)

Addendum

The remaining pages of this proposal provide project-specific details:

- Project Overview and Impact pages 6 and 7
- Taxes and Fees pages 8 and 9
- Fares page 10 and 11
- Financial Project Summary with Pro Forma pages 12 and 13

We look forward to working with you to improve the quality of life for Harlem through better transportation.

Sincerely,

Mike Stanley CEO, Transit X



Telephone: +1 508-596-7024 (WhatsApp connected) Email: mike@transitx.com Zoom e-room: https://zoom.us/j/8229009123 Website: transitx.com LinkedIn: http://linkedin.com/in/mikestanleymit/ Skype: mikestanley49 WeChat: MikeTransitX Facebook Messanger: m.me/MikeStanleyMIT Twitter: https://twitter.com/MikeTransitX Mail: 1127 Commonwealth Ave #30, Boston, MA 02134 USA

Project Overview



Ir	ansit X.			
1	Transit X network length	29	km	18.1 miles
2	People (resident-equivalent) in region	370,000	resident-equivalent	population
3	Route density ratio (route length to service area)	2.91		
4	Number of stops	290		
5	Triple-speed route length	0	km	
6	Water crossing route length	0	km	
7	Cost of fixed infrastructure	\$105,479,082		
8	per person	\$285		
9	Mode share of travel on Transit X (28% after first year)	84%	after 10 years	
0	Distance traveled on Transit X, per year	2,341,467,161	km	1,454,327,429 miles
1	per day	6,414,979	km	3,984,459 miles
2	Daily potential energy generation with standard panels on tracks	223	MWh	
3	Sustainable energy use per day	43	MWh	19% of max capacity
4	Energy storage capital cost for 1 day(s) of supply at \$100 per kWh	\$4,349,507		
5	Size (rated power) of solar installation	10,112	KW	
6	Cost to generate sustainable energy (at \$1,000 per kW)	\$10,111,910		
7	Cost of buying sustainable energy at \$0.15 per kWh	\$6,524	per day	25% of OPEX
8	Daily passengers riding Transit X	312,196	customers	84% of the pop.
9	Distance per passenger per day	21	km	12.8 miles
0	Average distance per trip (assuming 3 trips per day)	7	km	4.3 miles
1	Single passenger fare for shared 7 km trip	\$1.70		
2	Passenger distance traveled during peak hour	1,282,996	km	796,892 miles
3	Breakeven		customers per da	
4	Breakeven	00,000		venient to Transit X)
	Number of pode for pool, demand	10 104		
5	Number of pods for peak demand		pods at 84% n	
6	Number of customers per pod		and 36 people pe	er pod
7	Distance per pod per year	168,195		
8	Two-layer pod garage area (36% of route with side-parking)	11,213		0.2% of car parking
9	Cost of pods		is \$138 per perso	
D	Capital cost of energy generation and storage	\$18,799,842	is \$51 per persor	1
₁ Pr	roject Finances			
2	Total Project Cost (privately financed)	\$190,539,923		
3	Project cost	\$6,551,899		US\$10.6M per mi.
4	Equity	\$57,161,977	P • • • • • • •	· •
5	Private debt financing	\$133,377,946		
6	i nvato dobi infanoling	¢.00,077,040		
7				
8				
9	Debt service (per year)	\$20,006,692		
0	Yearly fees and taxes (US\$204 per capita)	\$75,457,382		
1				
2				
3		*=·=		
4	Project costs – per person	\$515		
5	Number of motor vehicles displaced		motor vehicles	
6	Yearly cost of cars displaced – per person	\$5,695		
	Operating costs per passenger-km	\$0.00		
7	Full costs per passenger-km	\$0.04		400.457
	Breakeven revenue distance per day	697,383	km	433,157 miles
48 49	Breakeven revenue distance per day Number of tracks in one direction needed to satisfy peak demand	697,383 0.08	km	433,157 miles

Project Overview p. 2

231,220 MTCO2-eq annually

\$5,152,041 annually



Impact of proposed network

1	Reduction in GHG emissions (metric tons CO2-eq)
	· · · · ·
2	Estimated cost to maintain public roadways
3	Reduced waste products
4	Travel time saved (non-stop travel and congestion)
5	Cost savings from reduced car ownership
6	Increase in household income (from time savings and car costs)
7	Reported injuries avoided
8	Lives saved (from safety)
9	Land freed from parking (1,331 acres)
12	Temperature reduction (from heat island effect & GHG reductions)
11	Health care savings (from pollution, injuries)

Model Inputs

16 Walking speed 17 Width of convenient swath along track 18 Fixed cost per km. Solar+storage not included. 19 Water crossing: additional cost per km			
17 Width of convenient swath along track 18 Fixed cost per km. Solar+storage not included. 19 Water crossing: additional cost per km 20 Triple-speed: additional cost per km 21 Rate factor for water crossings or high-speed links. 22 Average distance traveled per person per year (for trips under 1600 km) 23 Average distance per day per person 24 Mode share % of people convenient to Transit X 26 Maximum capacity per track 27 Average dwell time during peak hour 28 Average dwell time during peak hour 29 Average for a daily customer 31 Average passengers per pod 32 Average discount per passenger 33 Maximum passengers per pod 44 Empty pods: Percentage non-revenue 35 Ex-Factory cost per pod 36 Worldwide Median Income per Household (US\$) 37 Average number of residents per household 38 Base fare per km 39 (per mile) 40 O&M as % of project cost 41 Percentage dobt financed 42	15	Ratio of road length to track length	
18Fixed cost per km. Solar+storage not included.19Water crossing: additional cost per km20Triple-speed: additional cost per km21Rate factor for water crossings or high-speed links.22Average distance traveled per person per year (for trips under 1600 km)23Average distance per day per person24Mode share % of people convenient to Transit X25Percentage of daily demand during peak hour26Mverage dwell time during peak hour27Average dwell time during peak hour28Average dwell time during peak hour29Average for a daily customer31Average passengers per pod during peak hours32Average discount per passenger33Maximum passengers per pod34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Cost to generate sustainable energy49Distance from roadway that is convenient40Solar panel area per meter of trac		0 1	
19 Water crossing: additional cost per km 20 Triple-speed: additional cost per km 21 Rate factor for water crossings or high-speed links. 22 Average distance traveled per person per year (for trips under 1600 km) 23 Average distance per day per person 24 Mode share % of people convenient to Transit X 25 Percentage of daily demand during peak hour 26 Maximum capacity per track 27 Average dwell time during peak hour 28 Average drop on the with highest demand 29 Average passengers per pod 30 Average discount per passenger 31 Average discount per passenger 32 Average discount per passenger 33 Maximum passengers per pod 34 Empty pods: Percentage non-revenue 35 Ex-Factory cost per pod 36 Base fare per km 39 (per mile) 40 O&M as % of project cost 41 Percentage debt financed 42 Length of loan/debt 43 Interest rate for debt 44 kg CO2 emissions per liter of gasoline		5	\$2,790
20Triple-speed: additional cost per km21Rate factor for water crossings or high-speed links.22Average distance traveled per person per year (for trips under 1600 km)23Average distance per day per person24Mode share % of people convenient to Transit X25Percentage of daily demand during peak hour26Maximum capacity per track27Average dwell time during peak hour28% of pods traveling on route with highest demand29Average discount with highest demand29Average passengers per pod during peak hours30Average passengers per pod during peak hours31Average passengers per pod during peak hours32Average discount per passenger33Maximum passengers per pod34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Coots of sustainable energy and storage49Gost rogenerate sustainable energy40Solar panel area per			\$8,370
21Rate factor for water crossings or high-speed links.22Average distance traveled per person per year (for trips under 1600 km)23Average distance per day per person24Mode share % of people convenient to Transit X25Percentage of daily demand during peak hour26Maximum capacity per track27Average dwell time during peak hour28% of pods traveling on route with highest demand29Average dwell time during peak hour28% of pods traveling on route with highest demand29Average factor30Average # of trips for a daily customer31Average passengers per pod during peak hours32Average discount per passenger33Maximum passengers per pod34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Storage per column51		•	\$5,580
22Average distance traveled per person per year (for trips under 1600 km)23Average distance per day per person24Mode share % of people convenient to Transit X25Percentage of daily demand during peak hour26Maximum capacity per track27Average dwell time during peak hour28% of pods traveling on route with highest demand29Average dwell time during peak hour20Average dy of trips for a daily customer31Average passengers per pod during peak hours32Average discount per passenger33Maximum passengers per pod34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Cost to generate sustainable energy49Global Horizontal Irradiance (GHI)40Cost to generate sustainable energy41Storage per column42Energy storage cost43Storage per column44Cost to generate sustainable energy<			φ0,000
122(for trips under 1600 km)23Average distance per day per person24Mode share % of people convenient to Transit X25Percentage of daily demand during peak hour26Maximum capacity per track27Average dwell time during peak hour28% of pods traveling on route with highest demand29Average dwell time during peak hour28% of pods traveling on route with highest demand29Average dy of trips for a daily customer31Average passengers per pod during peak hours32Average discount per passenger33Maximum passengers per pod34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Cost of sustainable energy and storage49Global Horizontal Irradiance (GHI)40Cost to generate sustainable energy41Storage per column42Storage per column43Storage per column44Cost to gen	21	• • • •	
24Mode share % of people convenient to Transit X25Percentage of daily demand during peak hour26Maximum capacity per track27Average dwell time during peak hour28% of pods traveling on route with highest demand29Average dwell time during peak hour28% of pods traveling on route with highest demand29Average dyell time during peak hours30Average passengers per pod during peak hours31Average passengers per pod during peak hours32Average discount per passenger33Maximum passengers per pod34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Storage per column51Solar panel area per meter of track52Cost of sustainable energy53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy<	22	(for trips under 1600 km)	10
25Percentage of daily demand during peak hour Maximum capacity per track27Average dwell time during peak hour28% of pods traveling on route with highest demand29Average # of trips for a daily customer31Average passengers per pod during peak hours32Average discount per passenger33Maximum passengers per pod34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Energy storage capacity55Area of parked pod66Typical span67Energy storage capacity58Energy storage capacity59Area of parked pod50Storage per column51Solar panel area per meter of track <td>23</td> <td>• • • •</td> <td></td>	23	• • • •	
26Maximum capacity per track27Average dwell time during peak hour28% of pods traveling on route with highest demand29Average # of trips for a daily customer31Average passengers per pod during peak hours32Average discount per passenger33Maximum passengers per pod34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Storage per column51Solar panel area per meter of track52Cost to generate sustainable energy53Global Horizontal Irradiance (GHI)54Energy storage capacity55Storage per column56Theregy storage capacity57Energy storage capacity58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount a	24		
27Average dwell time during peak hour28% of pods traveling on route with highest demand29Average gasengers per pod during peak hours30Average # of trips for a daily customer31Average passengers per pod during peak hours32Average discount per passenger33Maximum passengers per pod34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Storage per column55Energy storage cost58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Max usage discount at 10,000 km per capita63Shared Pod Di	25		
% of pods traveling on route with highest demand 29 Average speed of pod 30 Average # of trips for a daily customer 31 Average passengers per pod during peak hours 32 Average discount per passenger 33 Maximum passengers per pod 34 Empty pods: Percentage non-revenue 35 Ex-Factory cost per pod 36 Worldwide Median Income per Household (US\$) 37 Average number of residents per household 38 Base fare per km 39 (per mile) 40 O&&M as % of project cost 41 Percentage debt financed 42 Length of loan/debt 43 Interest rate for debt 44 kg CO2 emissions per liter of gasoline 45 Monetary value of 1 hour personal time (USD) 46 Eat. roadway maintenance per year per km 47 Area of one parking lot space 48 Commercial income of land (annual) 49 Distance from roadway that is convenient 50 Solar panel area per meter of track 52 Cost of sustainable energy and storage <td< td=""><td>26</td><td></td><td>23</td></td<>	26		23
29Average speed of pod30Average # of trips for a daily customer31Average passengers per pod during peak hours32Average discount per passenger33Maximum passengers per pod34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Storage per column55Storage per column56Typical span57Energy storage cost58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Max usage discount at 10,000 km per capita63Shared Pod Compartment Discount	27	· · · ·	
30Average # of trips for a daily customer31Average passengers per pod during peak hours32Average passengers per pod33Average discount per passenger34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Storage per column53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage capacity58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Shared Pod Discount64Shared Pod Compartment Discount			
31Average passengers per pod during peak hours32Average passengers per pod33Average discount per passenger33Maximum passengers per pod34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Cost of sustainable energy and storage50Solar panel area per meter of track52Storage per column53Global Horizontal Irradiance (GHI)54Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount		5 1 1	
32 Average passengers per pod Average discount per passenger 33 Maximum passengers per pod 34 Empty pods: Percentage non-revenue 35 Ex-Factory cost per pod 36 Worldwide Median Income per Household (US\$) 37 Average number of residents per household 38 Base fare per km 39 (per mile) 40 O&M as % of project cost 41 Percentage debt financed 42 Length of loan/debt 43 Interest rate for debt 44 kg CO2 emissions per liter of gasoline 45 Monetary value of 1 hour personal time (USD) 46 Eat. roadway maintenance per year per km 47 Area of one parking lot space 48 Commercial income of land (annual) 49 Distance from roadway that is convenient 50 Solar panel area per meter of track 52 Cost of sustainable energy and storage 53 Global Horizontal Irradiance (GHI) 54 Cost to generate sustainable energy 55 Storage per column 56 Storage capacity <td></td> <td></td> <td></td>			
Average discount per passenger33Maximum passengers per pod34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Energy storage cost58Energy storage cost58Energy storage cost59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Max usage discount at 10,000 km per capita63Shared Pod Compartment Discount			
33Maximum passengers per pod34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Solar panel area per meter of track52Cost to generate sustainable energy53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage capacity58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Max usage discount at 10,000 km per capita63Shared Pod Compartment Discount	32		
34Empty pods: Percentage non-revenue35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Cost to generate sustainable energy53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage cost59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount			
35Ex-Factory cost per pod36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Max usage discount at 10,000 km per capita63Shared Pod Compartment Discount64Shared Pod Compartment Discount			
36Worldwide Median Income per Household (US\$)37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage cost59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount			¢r
37Average number of residents per household38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage cost59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Shared Pod Discount64Shared Pod Compartment Discount			\$5
38Base fare per km39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage cost59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Shared Pod Discount64Shared Pod Compartment Discount	00		10
39(per mile)40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage cost59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Max usage discount at 10,000 km per capita63Shared Pod Compartment Discount	÷.	5	¢
40O&M as % of project cost41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Max usage drace drace Pod Discount64Shared Pod Compartment Discount		•	\$
41Percentage debt financed42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage cost59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Max usage drace used and pod Discount64Shared Pod Compartment Discount			ψ
42Length of loan/debt43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI))54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage cost59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Max usage discount at 10,000 km per capita63Shared Pod Compartment Discount			
43Interest rate for debt44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage cost59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount		5	
44kg CO2 emissions per liter of gasoline45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage cost59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount		5	
45Monetary value of 1 hour personal time (USD)46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage cost59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount			
46Eat. roadway maintenance per year per km47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita63Shared Pod Compartment Discount			\$1
47Area of one parking lot space48Commercial income of land (annual)49Distance from roadway that is convenient50Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita63Shared Pod Compartment Discount			\$51
48 Commercial income of land (annual) 49 Distance from roadway that is convenient 50 Stops per km 51 Solar panel area per meter of track 52 Cost of sustainable energy and storage 53 Global Horizontal Irradiance (GHI) 54 Cost to generate sustainable energy 55 Storage per column 56 Typical span 57 Energy storage cost 58 Energy storage capacity 59 Area of parked pod 60 Distance discount at max distance 61 Max usage discount at 10,000 km per capita 62 Max usage document 63 Shared Pod Discount 64 Shared Pod Compartment Discount	47		1 -
49Distance from roadway that is convenient50Stops per km51Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita63Shared Pod Compartment Discount64Shared Pod Compartment Discount			\$
51Solar panel area per meter of track52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita63Shared Pod Compartment Discount64Shared Pod Compartment Discount	49	. , ,	
52Cost of sustainable energy and storage53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount	50	Stops per km	
53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount	51	Solar panel area per meter of track	
53Global Horizontal Irradiance (GHI)54Cost to generate sustainable energy55Storage per column56Typical span57Energy storage cost58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount	52	Cost of sustainable energy and storage	\$
55Storage per column56Typical span57Energy storage cost58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount	53		
56Typical span57Energy storage cost58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max usage discount at 10,000 km per capita62Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount	54	Cost to generate sustainable energy	\$1
57Energy storage cost58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max distance discount62Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount	55	Storage per column	
58Energy storage capacity59Area of parked pod60Distance discount at max distance61Max distance discount62Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount	56	Typical span	
59Area of parked pod60Distance discount at max distance61Max distance discount62Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount	57	6, 6	5
60Distance discount at max distance61Max distance discount62Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount	58		
61Max distance discount62Max usage discount at 10,000 km per capita63Shared Pod Discount64Shared Pod Compartment Discount	59		
Max usage discount at 10,000 km per capita 63 Shared Pod Discount 64 Shared Pod Compartment Discount	60		
63 Shared Pod Discount 64 Shared Pod Compartment Discount	61		
64 Shared Pod Compartment Discount	62		
	63		
65 Mode share starting discount	64	-	
	65	Mode share starting discount	

4		
4	km/h	0 mmh
		3 mph
0.33	km	0 miles
90,000		
70,000		
80,000		
2.2		
10,000	km	6,211 miles
27	km	
85%	at 5 min walk.	
20%		
23,598	pph	
10	seconds	
18%		
	km/h	45 mph
3		io inpri
2.2		
	passengers	
	passengers	
18%		
	passengers	
25%		
\$5,000		
10,000		
2.3		
\$0.41		
\$0.66		
5%		
70%		
10	years	
5%	,	
2.37		
\$13.75		
51,000		
	m ²	247 sf
		247 SI
\$1.10	per m ²	
0.10	km	
10.0		
2.0		
\$0.15		
	kWh/m²/day	
\$1,000	per kW	
40	kWh	
23	m cols/km:	44
\$100	per kWh	
1	days	
2.20		
40%		
500	km	
50%		
20%		
40%		
40% 67%		
0/%		

37,522	metric tons annually
365	hrs/person annually
\$1,557	per person annually
12%	
1,452	annually
15	annually
5,385,374	m ²
0.5 to 2	°C
High	

Model Inputs (continued)

67	Name of region or project	Harlem, NYC, NY
68	Currency name	
69	Equal to US\$1	1
70	Sustainable energy/electricity generation & storage as	CAPEX
71	Land area of region (sq. km)	10
72	Number of residents in region	370,000
73	% travel within region	75%
74	% of land area served by roads	100%
75	Coverage: % of pop. convenient (2 min walk) to Transit X	95%
76	Annual median household income (US\$)	\$55,000
77	Convenient walk time to stop (min)	2
78	Triple-speed route length (km)	0
79	Water crossing route length (km)	0.0
80	Visitors per year	0
81	Average length of visit (days)	2
82	Solar production ratio	1.57
83	Regional Fare Factor	1.0
84	EPC costs & contingency	30%
85	Triple-speed (km/h)	242

Pod & Car

		Pod	Car
86	Service life (years)	20	12
87	Full cost of vehicle per year	\$200	\$9,000
88	Public cost to maintain infrastructure (per km)	\$0	\$100,000
89	Energy Efficiency in MPGe	3564	24
90	Energy Efficiency in liters/100km	0.07	9.8
91	Energy used (Watt-hours/km)	9	1375
92	mass of CO2 per vehicle per km (kg)	0	0.09875
93	Vehicle mass (kg)	45	1950
94	Average speed of urban travel (km/h)	72	16
95	Typical travel time (in minutes) for 7 km trip	6	26
96	Fare/cost per km	\$0.41	\$0.62
97	Number of deaths per 100M passenger-km	0.00001	1
98	Number of injuries per 100M passenger-km	0.0006	62
99	Volume to park (cubic meters)	5.7	70.9


_



5% of gross revenue is paid to government easement owners for all fees and taxes. When on a private easement, 4% is paid to the private owner and 1% to the government. A minimum payment is based on the Footprint and the Transit X Commercial Rate (TXCR).

1	Government Fees and Ta	ax rate	(for calcula	ting minimums)
2	Total commercial land (estimated)	1,000,000	m ²	247 acres
3	Total commercial gov't revenue (US\$)	\$1,100,000		
4	TXCR (Transit X Commercial Rate)	\$1.10	per m²	
5	TXCR is the yearly tax rate per land area. Calculation: total land area of commercial properties in the governmental region, divided by all the governmental income generated by those properties. The TXCR is used to calculate the minimum tax/fee.	\$11.84	per sf	
6				
7	Private Easement Fees			
8	4% of gross revenue	\$518.93	per route- meter	\$158.28 per route-foot
9	Minimum per year	\$1.86	per route- meter	\$0.57 per route-foot
10	Government Fees a	and Taxes		
11	% of route on government easements	98%		
12	5% on government easements	\$73,948,235		
13	1% on private easements	\$301,830		
14	Total gov't fees and taxes	\$74,250,064	per year	
16	per resident	\$201		
15	with a minimum of	\$53,992	per year	

Footprint calculations for minimum fee



1	Footprint Calculations	Metric	Imperial
2	Track width	<u>0.41</u> m	16.1 inches
3	Track height	<u>0.61</u> m	24.0 inches
4	Pole diameter	<u>0.3</u> m	11.8 inches
5	Pole cross section	<u>0.07</u> m ²	0.8 sf
6	Stop landing area	2 m ²	21.5 sf
7	width	<u>2</u> m	78.7 inches
8	length	<u>1</u> m	39.4 inches
9	Ramp length	<u>21</u> m	68.9 feet
10	Pole span	<u>23</u> m	75.5 feet
11	Number of poles per unit length	43.5 poles per km	n 70.0 poles per mile
12	Pole height	<u>6</u> m	19.7 feet
13			
14	Single track	1142.1 m ²	12289 sf
15	Area of Side Silhouette	688.3 m ²	7406 sf
16	Area of Top Silhouette	423.1 m ²	4553 sf
17	Impediment Area (adjusted)	30.7 m ²	331 sf
18	[·····		
19	Dual track	1552.1 m ²	16701 sf
20	Area of Side Silhouette	688.3 m ²	7406 sf
21	Area of Top Silhouette	833.1 m ²	8964 sf
22	Impediment Area (adjusted)	30.7 m ²	331 sf
23			
24	Stop	67.8 m ²	730 sf
25	Area of Side Silhouette	25.6 m ²	276 sf
26	Area of Top Silhouette	22.2 m ²	239 sf
27	Impediment Area (adjusted)	20.0 m ²	215 sf
28	impediment Area (adjusted)	20.0 11-	210 31
	Other a with the dealer at a diamatic a survey	0	
29	Stops with dedicated landing areas % of dual track	2 stops per kn	a 3.2 stops per mile
30	% of dual track	100%	
31			
32	Average area per unit length	1,688 m ² per route	-km 29,291 sf per route-mile
33			
34	Contract values		
35	% gross revenue for government on private prop.	1%	
36	% gross revenue for private easement	4%	
37	% gross revenue for government easement	5%	
38	Impediment Factor	10	



Summary

The average commute would be 3.5 times faster saving each commuter 295 hours per year.*

At 0.40 USD per mile, a typical commute on Transit X is 17% less than public transit and 74% less than a Taxi.*

Trip Length													
All pr	ices in	USD			1 m	ile			6 mile				25 mile
Transit X				0.49 to 0.82 2 min., 3.6x faster					2.44 to 4.09 8 min., 3.6x faster				9.37 to 15.97 33 min., 3.4x faster
Public transit average					2.7	77			4	4.4	10		6.45
Taxi				2	3. 8 to 6 n	34 ninute	s			16. 7 30 m	-	es	64.96 30 to 120 minutes
ublic n	Uber/L	_yft		2.92 2 to 6 minutes				12.03 8 to 30 minutes			es	46.18 30 to 120 minutes	
Common public modes	Public	Bus		2.23 3 to 12 minutes				2.23 15 to 60 minutes			tes	3.42 60 to 240 minutes	
Train			3.34 2 to 12 minutes				3.93 8 to 60 minutes			es	6.16 30 to 240 minutes		
Pers	sonal	car		2 t	3. 2	20 ninute	es		1 8 to 3	0. 30 n			35.77 30 to 120 minutes
Travel mode	Avg. Speed km/h	Low Speed km/h	High speed km/h	Base	Includ	Over	Dist	Max Dist. km	Time cost per min	6%	e shar 70% 10	-	* All numbers on mode shares, speeds, and cos are rough estimates
Тахі	30	20	80	2.23	es km 1	per-km	0.5		0.99	5%	4%	1%	
Uber/Lyft	30	20	80	1.78	1		0.5		0.49		10%		
Public Bus Train	15 30	10 10	40 80	2.23 3.34	20 2	0.06		50 100	0		50% 36%		
irun	00	10	00	0.04	2	0.07	2	100	0	00 /0	00 /0	0770	

Base fares are set for first 5 years, then adjusted by formula. A 20% discount on a shared pod and a 40% discount on a shared compartment. Trips are discounted proportional to their length reaching a maximum of a 40% discount on a 500 km trip. No congestion–based pricing. Fares are proportional to the median income of the area and inversely proportional to per capita use, so the more use of Transit X, the lower the base fare up a to 50% discount. The amount of market–rate fares must be equal or less than the amount of discounted fares. Transit X Fair Fare is a universal passenger fare formula that applies to all regions and all times.

0

0.23

0.25 0.1 50

0.74 0.1 400

72

30

72

20

72

80

0

1.48

0

0

Transit X

Personal car



Fair Fare Formula

Fare rates are updated annually using this formula

	IT CHOID X.			, , , , , , , , , , , , , , , , , , , ,
	Formula Name	Value	Units	Description of the value or model input
1	GlobalIncome	10,000	USD	Global median household income. Updated annually based on most recent
1		10,000	000	standard published data.
2	AllTravel	23,000	km	Travel distance per household per year on any mode for trips under 1600 km. A global constant
3	PercentIncomeForTransport	20%		% of median household income for all transportation under 1600 km trips. A global constant.
4	GlobalRate	0.09	USD/km	Global rate: GlobalIncome * PercentIncomeForTransport / AllTravel
5	IncomeFirst	\$55,000	USD	Median household income at first stop (per person per day). External input. Based on reliable public data source updated annually.
6	IncomeDest	\$82,500	USD	Median household income at destination per trip. External input. Based on reliable public data updated annually.
7	RegionalRate	0.48	USD/km	Regional rate based on median income: MedianIncomeFirst * PercentIncomeForTransport / AllTravel
8	UnderIncomeRate	0.00	USD/km	Under global income adjustment: if (RegionalRate < GlobalRate, GlobalRate - RegionalRate, 0)
9	NominalRate	0.48	USD/km	Nominal rate: RegionalRate + UnderIncomeRate
10	RegionalFactor	1.00	1105 /	Regional Fare Factor. Negotiated upfront to make network financially viable.
11	AdjustedRate	0.48	USD/km	Regional adjusted rate: NominalRate * RegionalFactor
13 12	Population UsageMaxDiscount	370,000 50%		Population in region. Updated annually based on trusted public data source. Fare Discount when Transit X travel per household equals AllTravel. Global
14	PassengerTravel	2,341,467,161	km	constant. Total passenger distance traveled previous calendar year. Based on expected mode share for first 3 years. Based on actual passenger trips. Audited.
15	ModeShare	28%		Percent of Total Travel Per Capita on Transit X: PassengerTravel / (Population x AllTravel)
16	BaseRate	0.41	USD/km	Base rate for single-passenger pod (without discounts)
17	SpecialRateFactor	2.20		(1 - UsageMaxDiscount x min(1,ModeShare)) x AdjustedRate Rate factor for water crossings or high-speed links. Global constant.
	-			Base rate for high-speed travel or water crossings:
18	SpecialBaseRate	0.91	USD/km	BaseRate * SpecialRateFactor
19	DistanceDiscount	40%		Distance discount at max distance. Global constant.
20	MaxDistanceDiscount	500	km	Max distance discount. Global constant.
21	DistanceDiscountPerKm	0.000330	USD/km	Discount amount per km: BaseRate x DistanceDiscount / MaxDistanceDiscount
22	SeniorDiscount	20%		Senior discount set according to local regulations
23	StudentDiscount	20%		Student discount set according to local regulations
	DisabilityDiscount	20%		Disability discount set according to local regulations
24	DiscountBaseRate	0.33	USD/km	Discounted base rate: BaseRate x (1 - SeniorDiscount)
25	SharedPodDiscount	20%		Discount for a shared pod. Set by Transit X per year. 15% minimum and 30% maximum. Maximum yearly change is one percentage point.
26	SharedPodRate	0.33	USD/km	Rate for a shared pod: BaseRate x (1 - SharedPodDiscount)
27	SharedCompartmentDiscount	40%		Discount for shared compartment. Set by Transit X per year. 25% minimum and 40% maximum. Maximum yearly change is one percentage point.
28	SharedCompartmentRate	0.25	USD/km	Rate for shared compartment BaseRate x (1 - SharedCompartmentDiscount)
29	SingleOccupancyMaxDistance	0.28	USD/km	Rate for 500 km in single-passenger pod. Rate for a Senior taking a 500 km trip in a shared compartment.
30	Senior + SharedCompartmentRate	0.12	USD/km	BaseRate x (1 - SeniorDiscountAmount) x (1 - SharedCompartmentDiscount) x (1 - MaxDistanceDiscount)
31	50PctIncomeAtDest	25%	USD/km	% Higher fare rate if Destination has 50% higher median income than First (IncomeDest / IncomeFirst - 1) / 2
32	DistanceBase	1,732,685,699	km	Passenger distance under base fare. Audited value from operational data.
33	PercentBase	74%		Percent of passenger distance under base fare: DistanceBase / PassengerTravel
34	BaseRevenue	585,697,663	USD	Annual revenue from all travel under base rate. Audited value from operational data.
35	AverageDiscount	18%		Average fare discount from Base Rate: 1 - (BaseRevenue / (DIstanceDase x BaseRate))
36	MarketFactor	1.0		Market rate factor. Negotiated value for setting ratio of AverageDiscount
37	MarketRateCap	18%		Cap on passenger travel distance at market rate: AverageDiscount x MarketFactor
38	MarketTravelCap	312,694,839	km	Cap on passenger travel distance at market rate: DistanceBase x MarketRateCap

Project Summary

Project Description	Transportation utility: a fully-automated, solar-powered, microtransit network						
Project type	Privately-funded Public Transit Design, Build, Finance, Own, Operate, Maintain (DBFOOM)						
Project cost	US\$191 million						
Cost to Gov't	\$0						
Structure	Privately financed equity and debt						
Debt term	10 years @ 5%						
Equity terms	 A waterfall profit distribution with: 90/10 split until Return of Capital, then 50/50 until Target IRR met then 10/90 onwards 						
Taxes & Fees	\$74,250,064 per year						
Benefits to society and environment	Extremely high						

Financials

(US\$ in millions)

	Year 1	Total Years 1-12
Gross Revenues	498	12,126
Taxes and fees	25	606
Debt service	\$17	\$173

ESG (Environmental, Social, Governance) Benefits

Clean energy	yes	Resiliency	yes
Energy security	yes	Sustainable	yes
Emissions-free	yes	Equitable	yes
GHG-free	yes	Recyclable materials	yes
Lowers pollution	yes	Affordable housing	yes
Clean water	yes	Improved Health	yes
Improved Safety	yes	Econ. Development	yes
New infrastructure	yes	Access to Food	yes
Equitable transport	yes	New job creation	yes






Transit X, LLC presents a preliminary proposal for a privately-funded fleet of fully-autonomous shared electric vehicles on local and regional podway network for

Harlem, NYC, NY

High capacity • High speed • Nonstop • 24/7 Solar powered • Zero Wait • Door-to-door • Resilient



About Transit X

Transit X finances, designs, builds, and operates solar-electric transit infrastructure to supplant buses, trains, cars, and trucks. Transit X offers its service to governments and commercial developers. First pilots will begin in 2019. Transit X is a privately held company founded in 2015, based in Boston, Massachusetts, and intends to be certified as a public benefit company.

Status

	Now	Prior to close
Project financing	Financing letter	Yes
Demonstration system	Ready	Yes
Rider-Revenue study	Preliminary	Yes
Environmental study	Expedited	Yes
Air rights	Letter of Intent	Yes
Permitting	Expedited	Yes
Safety certification	Expedited	Yes
Construction firm	Letter of interest	Contract
Design and major subs	Letter of interest	Contract
Operations & Maint	Letter of interest	Contract
Utility relocation	Identified	Agreements

General information available at <u>transitx.com</u>. Detailed information and references can be provided under appropriate nondisclosure/non-compete/non-circumvent agreements. Contact: Mike Stanley, CEO, Transit X, <u>mike@transitx.com</u>, 508-596-7024

12-year Pro Forma



Model Inputs and Assumptions

Route length (km)	29
Starting number of pods	3,364
Projected revenue growth	15%
Project Cost (Privately funded)	\$190,539,923
% Debt financed	70%
Debt	\$133,377,946
Equity	\$57,161,977
Capital return per year	\$11,432,395
Debt payment (per year)	\$17,273,054

- Travel per year per pod (km) 168,195
- Revenue per vehicle-km (US\$) 0.88
 - OPEX as % of project cost 5%
 - Debt Interest rate 5%
 - Debt term (yrs) 10
- Years to return equity capital 5
- Profit share when below capital return 90%
 - Profit share when below Target IRR 50%
 - Profit share when above Target IRR 10%

Pro Forma

Ye	ars O	1	2	3	4	5	6	7	8	9	10	11	12
Revenue	0	498,015	,762 572,718	,126 658,625,84	5 757,419,722	871,032,680	1,001,687,582	1,151,940,720	1,324,731,828	1,523,441,602	1,751,957,842	2,014,751,518	2,316,964,246
5% RoW+tax+fee	0%	24,90),788 28,635	,906 32,931,29	2 37,870,986	43,551,634	50,084,379	57,597,036	66,236,591	76,172,080	87,597,892	100,737,576	115,848,212
Debt service	0	\$17,27	3,054 \$17,273	,054 \$17,273,05	4 \$17,273,054	\$17,273,054	\$17,273,054	\$17,273,054	\$17,273,054	\$17,273,054	\$17,273,054	0	0
Investor balance		\$2,53	5,229 \$69,559	,767 \$145,010,73	5 \$230,152,100	\$326,437,420	\$435,538,289	\$550,231,122	\$681,872,518	\$833,004,761	\$1,006,551,479	\$1,207,602,148	\$1,438,295,960

Important Notices

The information contained in this document is not an offer to sell or a solicitation to buy any security. These materials and documents and information from which they are derived or which are referred to by or accessible from them may contain forward looking statements within the meaning of Section 27A of the Securities Act of 1933, Section 2E of the Securities Exchange Act of 1934 and the Private Securities Litigation Reform Act of 1995. All statements other than statements of historical fact are forward looking statements and are subject to risks and uncertainties. Forward looking statements generally can be identified by the use of forward looking terminology such as "may," "will," "expect," "intend," "estimate," "project," "anticipate," "believe" or "plan" or the negative thereof or variations thereon or similar terminology. Although Transit X believes that the expectations reflected in such forward looking statements are reasonable, it can give no assurance that such expectations will prove to be correct. All forward looking statements or circumstances after the date on which it is made or to reflect the occurrence of anticipated or unanticipated events or circumstances. These materials and documents and information from which they are derived or which are referred to by or accessible from them represent Transit X's best estimate as to the allocation of the funding proceeds based upon its present business plan and financial condition. The costs and expenses to be incurred in pursuing the Company's business plan cannot be predicted with certainty. There can be no assurance that unforeseen events will not occur or that the Company's business plan will be achieved or that it will not be changed, and it is possible that the funding proceeds may be applied in a manner other than that described herein.