



Transit X presents a preliminary proposal for privately-financed public transportation using a fleet of fully-autonomous shared electric vehicles on a local and regional podway network for

New York metropolitan area

This proposal is downloadable at transitx.com/proposals/Transit X for New York metropolitan area.pdf

High capacity · High speed · Nonstop · 24/7 Solar powered · Zero Wait · Door-to-door · Resilient

A 26-page companion Transit X Handbook is available at transitx.com/transitxhandbook.pdf



Proposal Overview



Transit X proposes to build and operate a privately-financed pod network to carry passengers and freight for New York metropolitan area that makes the Transit X service convenient to 95% of the population.

Transit X efficiently services both suburbs and cities and provides for a higher quality of life. See transitx.com for more details. This 3-minute video (transitx.com/video) describes our innovative solution.

Major benefits

- · Reduce congestion
- · Provide parking relief
- · Reduce pollution
- Improve safety

The Transit X Handbook (<u>transitx.com/</u> <u>transitxhandbook.pdf</u>) answers many questions about our service, the company, our technology, and the way we address:



congestion, parking, road safety, pedestrian safety, ADA compliance, sustainability, fares, solar+storage, construction, aesthetics, operations, economic development, quality of service, security, station footprint, equitability, carbon footprint, transit integration, resiliency, reliability, rights-of-way, and open space.

Congestion, parking, pollution, and safety

Most regions suffer from traffic congestion, limited parking, air pollution, and unsafe roads. Potential solutions are costly, but Transit X can solve these challenges without public funding. Transit X can integrate into the built environment, providing both short term relief and a long term solution.

No public funding

We have reduced or eliminated many costs of transportation including the cost of materials, land, construction, fuel, debt service, and labor. Transit X does not require public funding because revenue from fares more than covers our costs. Our business model appeals to investment banks and private equity firms that finance green infrastructure projects.

Proven technology

Our team and partners have built fully automated systems that are now in operation around the world. Transit X may look unique, but the underlying design is very similar to systems that have been operating for 40 years with an exemplary safety record. An in-depth (1000+ hours) technical assessment and feasibility analysis has been completed by Altran, a global engineering firm with extensive expertise in automated transit systems. The first pilots of Transit X will be deployed by the end of 2018.

Before any groundbreaking, the system will be safety-certified and fully insured.

Service Quality

Transit X provides on-demand, last-mile service that is superior to cars or buses. An operating agreement will guarantee high levels of availability and reliability. Our use of small vehicles (pods) makes this possible. By reducing car use, Transit X creates walkable and bike-friendly neighborhoods.

Less pollution: Air, Sound, Light, Visual, Water

Transit X offers a much higher quality of life by eliminating many forms of pollution. Pods are quiet and have no emissions. Pods offer less visual impact than the existing roads and vehicles, and utility lines can be hidden within the track. At night, there is no light pollution from headlights or taillights. Water pollution from road runoff is significantly reduced.

Sustainable

Transit X runs on 100% sustainable energy. The energy generated from solar panels on the track and stored within the poles is sufficient in most cases, but sustainable power contracts may used to buy and sell power to the grid. Transit X makes it possible to reduce the amount of impervious surfaces and increase green space by reducing the need for parking and roads. By replacing cars, Transit X has a negative carbon footprint.

More Transit & Fewer Cars

Transit X provides the convenience and privacy that people value in cars, yet without the negative impacts of personal cars. Transit X combines the best of mass transit and personal transportation modes which will lead to higher use of mass transit and less use of personal vehicles.

De-risking Projects

Transit X is working with large, established firms to provide fixed-price contracts for the engineering, certification, construction, and operations of a Transit X system. Theses partnerships enable Transit X to de-risk all of the major elements of the project, and provide performance guarantees.

We would work with regional urban planning and construction firms who are familiar with permitting and applicable codes.

Jobs and Workforce Development

Many jobs will be created to build a new transportation infrastructure, as well many new types of job will be created as transportation becomes more efficient. Transit X intends to build manufacturing and assembly plants around the world and locate them where Transit X is first deployed in a region. The vast majority of the construction jobs will be locally sourced. Preferential hiring would be given to those workers displaced by the transition to automated podways.

Revenue Generator

Not only does Transit X not require public financing, but the government and private easement owners receive 4-5% of gross revenue, which would be US\$3,879 million


per year average over the first 10 years. For specifics, please see the "Taxes and Fees" section of this proposal. These fees and taxes paid by Transit X enables lower taxes or more spending on public services.

Short and Long Term Solution

A project could be operational within 24 months from the start of a project. Transit X offers a rapidly-deployable solution that provides long term benefits. We would form a local company to build, operate, and maintain the network. At least 75% of the profits would be invested back into the region.

Moving Forward

The diagram shows our general process for working with a government or commercial entity. We would refine a proposal that meets your needs, then ask for a letter stating you will create a legal framework for Transit X to build and operate a podway in your region. Example documents and a sample project schedule can be viewed at:



transitx.com/process

Evaluation

Please review our preliminary proposal, and then ask us any questions. We would be happy to provide further information, address specific concerns, or meet with specific people or groups. Any routes or coverage areas shown on the map are only preliminary suggestions and actual routes would be determined based on needs, rights-of-ways, utility corridors, location of trees, and many other factors.

We expect this proposal to be reviewed by one or more committees or working groups. Familiar transportation options, such as buses, light rail, subways, and ridesharing services (including autonomous vehicles) may have already been considered. Very few options offer the convenience of cars with at least the capacity of buses, and most, if not all, require public funding and subsidies.

Private cars have a dominant mode share because people like the privacy and convenience of a car — despite the significant risks and negative impact associated with them. People won't give up their cars unless the alternative is both better and cheaper. That is what Transit X can provide.

We hope you agree that this proposal offers a way to address your challenges in both the short and long term, providing an option that is better and lower risk than any alternative — including continuing with the status quo.

Whatever process you use to evaluate this proposal, Transit X is open to working with you on refining this proposal to meet your needs. We hope you will conclude

that moving forward with Transit X is an excellent opportunity to meet your current and future challenges.

Once we agree to move forward, we need a memorandum of understanding (example at transitx.com/process/mou.html) stating that you intend to pass an ordinance that enables our use of air rights along with an operating agreement.

The buildout of the network would be rolled out in phases, where a first phase could be a 15 to 30 km pilot.

Other Resources

The links below provide general information about Transit X:

- 2 minute video overview (transitx.com/video)
- Transit X Handbook (<u>transitx.com/transitxhandbook.pdf</u>)
- Letters of Project Financing, Due Diligence, Contracts (transitx.com/letters.pdf)
- Memorandum of Understanding template (<u>transitx.com/process/mou.html</u>)
- Example Resolution (<u>transitx.com/process/resolution.html</u>)
- Operating Agreement (transitx.com/process/operating_agreement.html)
- General Q & A (<u>transitx.com/QandA.html</u>)
- Other proposals (transitx.com/proposals)

Addendum

The remaining pages of this proposal provide project-specific details:

- Project Overview and Impact pages 6 and 7
- Taxes and Fees pages 8 and 9
- Fares page 10 and 11
- Financial Project Summary with Pro Forma pages 12 and 13

We look forward to working with you to improve the quality of life for New York metropolitan area through better transportation.

Sincerely,

Mike Stanley CEO, Transit X

Telephone: +1 508-596-7024 (also via WhatsApp)

Email: mike@transitx.com

Zoom eRoom: https://zoom.us/j/8229009123

Website: transitx.com

LinkedIn: http://linkedin.com/in/mikestanleymit/

Skype: mikestanley49 WeChat: MikeTransitX

Facebook Messanger: m.me/MikeStanleyMIT Twitter: https://twitter.com/MikeTransitX

Mail: 1127 Commonwealth Ave #30, Boston, MA 02134 USA





People (resident-equivalent) in region Route density ratio (route length to service area) Number of stops Triple-speed route length Water crossing route length Cost of fixed infrastructureper person Mode share of travel on Transit X (27% after first year) People (resident-equivalent population 22,000,000 resident-equivalent population 22,000,000 resident-equi
Route density ratio (route length to service area) Number of stops 97,270 Triple-speed route length Water crossing route length Cost of fixed infrastructureper person Mode share of travel on Transit X (27% after first year) 1.16 Number of stops 97,270 km 0 km 887,311,364,612 per person \$3,969 Mode share of travel on Transit X (27% after first year) 81% after 10 years
Number of stops Triple-speed route length Water crossing route length Cost of fixed infrastructureper person Mode share of travel on Transit X (27% after first year) Number of stops 97,270 km 0 km \$87,311,364,612 per person \$3,969 Mode share of travel on Transit X (27% after first year) 81% after 10 years
Triple-speed route length Water crossing route length Cost of fixed infrastructureper person Mode share of travel on Transit X (27% after first year) Triple-speed route length 0 km 887,311,364,612per person \$3,969 81% after 10 years
Water crossing route length 0 km Cost of fixed infrastructure \$87,311,364,612 per person \$3,969 Mode share of travel on Transit X (27% after first year) 81% after 10 years
Cost of fixed infrastructure \$87,311,364,612per person \$3,969 Mode share of travel on Transit X (27% after first year) 81% after 10 years
per person \$3,969 Mode share of travel on Transit X (27% after first year) 81% after 10 years 104 824 534
Mode share of travel on Transit X (27% after first year) 81% after 10 years
104 824 534
104.824.534
Distance traveled on Transit X, per year 168,767,500,000 km miles
1per day 462,376,712 km 287,190,505
Daily potential energy generation with standard panels on tracks 184,878 MWh
Sustainable energy use per day 3,391 MWh 2% of max c
Energy storage capital cost for 1 day(s) of supply at \$100 per kWh \$339,110,167
Size (rated power) of solar installation 788,377 KW
Cost to generate sustainable energy (at \$1,000 per kW) \$788,377,139
Cost of buying sustainable energy at \$0.15 per kWh \$508,665 per day 4% of OPEX
Daily passengers riding Transit X 17,765,000 customers 81% of the p
Distance per passenger per day 26 km 16.2 miles
O Average distance per trip (assuming 3 trips per day) 9 km 5.4 miles
Single passenger fare for shared 9 km trip \$2.26
Passanger distance traveled during peak hour 92 475 342 km 57,438,101 m
Passenger distance traveled during peak hour 92,475,342 km ^{57,438,101 m}
1 assenger distance traveled during peak flour 32,473,042 km
Breakeven 4,928,324 customers per day
Breakeven 4,928,324 customers per day (24% of people convenient to Trans
Breakeven 4,928,324 customers per day (24% of people convenient to Transi Number of pods for peak demand 794,789 pods at 81% mode share
Breakeven 4,928,324 customers per day (24% of people convenient to Transi Number of pods for peak demand Number of customers per pod Number of customers per pod 22.4 and 28 people per pod
Breakeven 4,928,324 customers per day (24% of people convenient to Trans) Number of pods for peak demand Number of customers per pod Distance per pod per year Number of customers per pod per year Number of customers per pod per year 168,192 km
Breakeven 4,928,324 customers per day (24% of people convenient to Transi Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Breakeven 4,928,324 customers per day (24% of people convenient to Transi 794,789 pods at 81% mode share and 28 people per pod 168,192 km 874,268 m² 0.2% of car
Breakeven 4,928,324 customers per day (24% of people convenient to Transi Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Cost of pods Breakeven 4,928,324 customers per day (24% of people convenient to Transi 22.4 and 28 people per pod 168,192 km Two-layer pod garage area (4% of route with side–parking) S5,73,042 km 794,789 pods at 81% mode share 22.4 and 28 people per pod 168,192 km Two-layer pod garage area (4% of route with side–parking) S5,766,128,500 is \$181 per person
Breakeven 4,928,324 customers per day (24% of people convenient to Trans) Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Cost of pods Capital cost of energy generation and storage Breakeven 4,928,324 customers per day (24% of people convenient to Trans) 794,789 pods at 81% mode share 168,192 km
Breakeven 4,928,324 customers per day (24% of people convenient to Trans) Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Cost of pods Capital cost of energy generation and storage Project Finances A,928,324 customers per day (24% of people convenient to Trans) 794,789 pods at 81% mode share 168,192 km 874,268 m² 0.2% of car person \$5,166,128,500 is \$181 per person \$1,465,733,498 is \$67 per person
Breakeven 4,928,324 customers per day (24% of people convenient to Trans) Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Cost of pods Capital cost of energy generation and storage Total Project Cost (privately financed) A,928,324 customers per day (24% of people convenient to Trans) 794,789 pods at 81% mode share 168,192 km 1
Breakeven Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Capital cost of energy generation and storage Total Project Cost (privately financed) Project cost A,928,324 customers per day (24% of people convenient to Transi 794,789 pods at 81% mode share 22.4 and 28 people per pod 168,192 km 874,268 m² 0.2% of car per pod 95,166,128,500 is \$181 per person \$1,465,733,498 is \$67 per person \$1,465,733,498 is \$67 per person Project Cost (privately financed) Project cost \$3,902,494 per km US\$6.3M per
Breakeven 4,928,324 customers per day (24% of people convenient to Transi Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Cost of pods Capital cost of energy generation and storage Total Project Cost (privately financed) Project cost Equity S2,47,3,942 customers per day (24% of people convenient to Transi and 28 people per pod km 874,268 m² 0.2% of car pod \$5,166,128,500 is \$181 per person \$1,465,733,498 is \$67 per person US\$6.3M per Equity \$28,182,967,983
Breakeven Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Cost of pods Capital cost of energy generation and storage Total Project Cost (privately financed) Project cost Equity Private debt financing A,928,324 customers per day (24% of people convenient to Transi 794,789 pods at 81% mode share 22.4 and 28 people per pod km 20.2% of car person 168,192 km 20.2% of car person \$5,166,128,500 \$5,166,
Breakeven Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Capital cost of energy generation and storage Total Project Cost (privately financed) Project cost Equity Private debt financing Project Same A,928,324 Customers per day (24% of people convenient to Trans) customers per day (24% of people convenient to Trans) Capital customers per day (24% of people convenient to Trans) 168,192 Amd 28 people per pod 22.4 Amd 28 people per pod 188,192 Amd 28
Breakeven A,928,324 Customers per day (24% of people convenient to Trans) Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Cost of pods Capital cost of energy generation and storage Total Project Cost (privately financed) Project Finances Project cost Equity Private debt financing Private debt financing A,928,324 Customers per day (24% of people convenient to Trans) Pade at 81% mode share 22.4 and 28 people per pod 22.4 and 28 people per pod 25,166,128,500 is \$181 per person \$5,166,128,500 is \$181 per person \$1,465,733,498 is \$67 per person US\$6.3M per \$28,182,967,983 Private debt financing \$65,760,258,627
Breakeven Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Capital cost of energy generation and storage Total Project Cost (privately financed) Total Project Cost (privately financed) Project Salas (24,038,794) Breakeven 4,928,324 customers per day (24% of people convenient to Trans) 794,789 pods at 81% mode share 22.4 and 28 people per pod 168,192 km 24 0.2% of car is 52,475,542 customers per day (24% of people convenient to Trans) 794,789 pods at 81% mode share 168,192 km 25,166,128,500 is \$181 per person 168,192 km 26,29 corrections is \$1,465,733,498 is \$67 per person 194,465,733,498 is \$67 per person 195,475,542 Total Project Cost (privately financed) Sp3,943,226,610 Sp3,944,240 Sp3,944,24
Breakeven 4,928,324 Customers per day (24% of people convenient to Trans) Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Cost of pods Capital cost of energy generation and storage Project Finances Total Project Cost (privately financed) Project cost Equity Private debt financing Debt service (per year) Peak of people convenient to Trans) customers per day (24% of people convenient to Trans) pods at 81% mode share and 28 people per pod and 28 people per pod sharing and 28 people per pod sharing sharing sharing sharing sharing customers per day (24% of people convenient to Trans) pods at 81% mode share and 28 people per pod sharing
Breakeven 4,928,324 customers per day (24% of people convenient to Trans) Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Cost of pods Capital cost of energy generation and storage Project Finances Total Project Cost (privately financed) Project cost Equity Private debt financing Debt service (per year) Page 18,324 Customers per day (24% of people convenient to Trans) Pods at 81% mode share 22.4 and 28 people per pod 168,192 km 874,268 m² 0.2% of car pods 874,268 m² 0.2% of car pods 874,668,128,500 is \$181 per person 81,465,733,498 is \$67 per person Project Finances Project Cost (privately financed) Sp3,943,226,610 Project cost \$3,902,494 per km US\$6.3M per \$28,182,967,983 \$65,760,258,627
Breakeven 4,928,324 customers per day (24% of people convenient to Trans) Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side—parking) Cost of pods Capital cost of energy generation and storage Project Finances Total Project Cost (privately financed) Project cost Equity Private debt financing Debt service (per year) Debt service (per year) Pya,789 customers per day (24% of people convenient to Trans) 794,789 pods at 81% mode share and 28 people per pod him 2 0.2% of car pode him
Breakeven 4,928,324 customers per day (24% of people convenient to Trans) Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Cost of pods Capital cost of energy generation and storage Project Finances Total Project Cost (privately financed) Project debt financing Private debt financing Debt service (per year) Yearly fees and taxes (US\$263 per capita) A,928,324 customers per day (24% of people convenient to Trans) 794,789 pods at 81% mode share 22.4 and 28 people per pod 168,192 km 20.2% of car pode in the project cost in the project of the project cost in the project of the project cost in the project in the project cost in the project cost in the project in the projec
Reserved Section Sec
Breakeven Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side-parking) Cost of pods Capital cost of energy generation and storage Total Project Cost (privately financed) Project Separation Separation Private debt financing Debt service (per year) Project costs Project costs — per person Number of motor vehicles displaced A,928,324 customers per day cated and 28 people per pod 168,192 km m² 0.2% of car sp. 5,166,128,500 is \$181 per person \$1,465,733,498 is \$67 per person \$3,902,494 per km US\$6.3M per sp. 5,760,258,627 Sp. 6,8760,258,627
Breakeven Number of pods for peak demand Number of customers per pod Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Cost of pods Capital cost of energy generation and storage Total Project Cost (privately financed) Project Finances Total Project Cost (privately financed) Private debt financing Private debt financing Debt service (per year) Yearly fees and taxes (US\$263 per capita) Project costs — per person Number of motor vehicles displaced Yearly cost of cars displaced — per person S2,478,342 customers per day c
Breakeven Breakeven 4,928,324 customers per day (24% of people convenient to Trans Number of pods for peak demand Number of customers per pod Distance per pod per year Two-layer pod garage area (4% of route with side–parking) Cost of pods Capital cost of energy generation and storage Total Project Cost (privately financed) Project Finances Total Project Cost (privately financed) Private debt financing Debt service (per year) Yearly fees and taxes (US\$263 per capita) Project costs — per person Number of motor vehicles displaced Yearly cost of cars displaced — per person Operating costs per passenger-km 4,928,324 customers per day (24% of people convenient to Trans (24% of people convenient to Teas (24% of people convenient to Teas (24% of people rend (24% of people venient (24% of people rend (24% of people venient (24% of people venient (24% of people venient (24% of peo
Breakeven A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans A,928,324 customers per day (24% of people convenient to Trans customers per day (24% of people convenient to Trans customers per day (24% of people convenient to Trans customers per day (24% of people convenient to Trans customers per day (24% of people convenient to Trans customers per day (24% of people convenient to Trans customers per day (24% of people convenient to Trans customers per day (24% of people convenient to Trans customers per day (24% of people convenient to Trans customers per day (24% of people convenient to Trans customers per day (24% of people convenient to Trans customers per day (24% of people convenient to Trans customers per day (24% of people convenient to Trans customers per day (24% of people convenient to Trans customers customers per day (24,04) customers customers customers customers customers customers



Impact of proposed network

1	Reduction in GHG emissions (metric tons CO2-eq)	16,665,791 MTCO2-eq annually
2	Estimated cost to maintain public roadways	\$4,264,653,306 annually
3	Reduced waste products	2,704,499 metric tons annually
4	Travel time saved (non-stop travel and congestion)	462 hrs/person annually
5	Cost savings from reduced car ownership	\$1,760 per person annually
6	Increase in household income (from time savings and car costs)	14%
7	Reported injuries avoided	104,636 annually
8	Lives saved (from safety)	1,046 annually
9	Land freed from parking (95,914 acres)	388,165,250 m ²
2	Temperature reduction (from heat island effect & GHG reductions)	0.5 to 2 °C
1	Health care savings (from pollution, injuries)	High
	Madal Innuda	

Model Inputs

	Model Inputs								
15	Ratio of road length to track length	4							
16	Walking speed		km/h	3 mph					
17	Width of convenient swath along track	0.82		1 miles					
18	Fixed cost per km. Solar+storage not included.	\$2,790,000							
19	Water crossing: additional cost per km	\$8,370,000							
20	Triple-speed: additional cost per km	\$5,580,000							
21	Rate factor for water crossings or high-speed links.	2.2							
22	Average distance traveled per person per year (for trips under 1600 km)	10,000	km	6,211 miles					
23	Average distance per day per person	27	km						
24	Mode share % of people convenient to Transit X		at 5 min walk.						
25	Percentage of daily demand during peak hour	20%	ar o mini mana						
26	Maximum capacity per track	21,816	pph						
27	Average dwell time during peak hour		seconds						
28	% of pods traveling on route with highest demand	18%	00001140						
29	Average speed of pod		km/h	45 mph					
30	Average # of trips for a daily customer		per day	10 mpn					
31	Average passengers per pod during peak hours		passengers						
32	Average passengers per pod		passengers						
02	Average discount per passenger	17%	passerigers						
33	Maximum passengers per pod		passengers						
34	Empty pods: Percentage non-revenue	25%	passerigers						
35	Ex-Factory cost per pod	\$5,000							
36	Worldwide Median Income per Household (US\$)	10,000							
37	Average number of residents per household	2.3							
38	Base fare per km	\$0.43							
39	(per mile)	\$0.70							
40	O&M as % of project cost	5%							
41	Percentage debt financed	70%							
42	Length of loan/debt		years						
43	Interest rate for debt	5%	yours						
44	kg CO2 emissions per liter of gasoline	2.37							
45	Monetary value of 1 hour personal time (USD)	\$15.00							
46	Eat. roadway maintenance per year per km	\$51,000							
47	Area of one parking lot space		m²	247 sf					
48	Commercial income of land (annual)		per m ²	247 31					
49	Distance from roadway that is convenient	0.25							
50	Stops per km	4.0	MII						
51	Solar panel area per meter of track	2.0							
52	Cost of sustainable energy and storage		per kWh						
53	Global Horizontal Irradiance (GHI)		kWh/m²/day						
54	Cost to generate sustainable energy		per kW						
55	Storage per column		kWh						
56	Typical span	23		44					
57	Energy storage cost		per kWh						
58	Energy storage capacity		days						
59	Area of parked pod	2.20	•						
60	Distance discount at max distance	40%							
61	Max distance discount	500	km						
62	Max usage discount at 10,000 km per capita	50%							
63	Shared Pod Discount	20%							
64	Shared Pod Compartment Discount	40%							
65	Mode share starting discount	67%							
03		0,70							

Model Inputs (continued)

67	Name of region or project	New York metropolita
68	Currency name	
69	Equal to US\$1	1
70	Sustainable energy/electricity generation & storage as	CAPEX
71	Land area of region (sq. km)	34,490
72	Number of residents in region	22,000,000
73	% travel within region	95%
74	% of land area served by roads	60%
75	Coverage: % of pop. convenient (5 min walk) to Transit X	95%
76	Annual median household income (US\$)	\$60,000
77	Convenient walk time to stop (min)	5
78	Triple-speed route length (km)	0
79	Water crossing route length (km)	0.0
80	Visitors per year	0
81	Average length of visit (days)	2
82	Solar production ratio	1.57
83	Regional Fare Factor	1.0
84	EPC costs & contingency	30%
85	Triple-speed (km/h)	242

Pod & Car

		Pod	Car
86	Service life (years)	20	12
87	Full cost of vehicle per year	\$200	\$9,000
88	Public cost to maintain infrastructure (per km)	\$0	\$100,000
89	Energy Efficiency in MPGe	3564	24
90	Energy Efficiency in liters/100km	0.07	9.8
91	Energy used (Watt-hours/km)	9	1375
92	mass of CO2 per vehicle per km (kg)	0	0.09875
93	Vehicle mass (kg)	45	1950
94	Average speed of urban travel (km/h)	72	16
95	Typical travel time (in minutes) for 9 km trip	7	33
96	Fare/cost per km	\$0.43	\$0.62
97	Number of deaths per 100M passenger-km	0.00001	1
98	Number of injuries per 100M passenger-km	0.0006	62
99	Volume to park (cubic meters)	5.7	70.9



5% of gross revenue is paid to government easement owners for all fees and taxes. When on a private easement, 4% is paid to the private owner and 1% to the government. A minimum payment is based on the Footprint and the Transit X Commercial Rate (TXCR).

Government Fees and Tax rate

(for calculating minimums)

2	Total commercial land (estimated)	2,069,400,000 m ²	511,359 acres
3	Total commercial gov't revenue (US\$)	\$2,483,280,000	
4	TXCR (Transit X Commercial Rate)	\$1.20 per m ²	
5	TXCR is the yearly tax rate per land area. Calculation: total land area of commercial properties in the governmental region, divided by all the governmental income generated by those properties. The TXCR is used to calculate the minimum tax/fee.	\$12.91 per sf	


6

Private Easement Fees

8	4% of gross revenue	\$48.13	per route- meter	\$14.68 per route-foot
9	Minimum per year	\$2.03	per route- meter	\$0.62 per route-foot
10	Government Fees a	nd Taxes		
11	% of route on government easements	98%		
12	5% on government easements	\$5,676,638,064		
13	1% on private easements	\$23,169,951		
14	Total gov't fees and taxes	\$5,699,808,016	per year	
16	per resident	\$259		
15	with a minimum of	\$48,755,359	per year	

Footprint calculations for minimum fee

Yearly fees and taxes



1	Footprint Calculations	Metric	Imperial
2	Track width	<u>0.41</u> m	16.1 inches
3	Track height	<u>0.61</u> m	24.0 inches
4	Pole diameter	<u>0.3</u> m	11.8 inches
5	Pole cross section	<u>0.07</u> m ²	0.8 sf
6	Stop landing area	2 m ²	21.5 sf
7	width	<u>2</u> m	78.7 inches
8	length	1 m	39.4 inches
9	Ramp length	<u>21</u> m	68.9 feet
10	Pole span	<u>23</u> m	75.5 feet
11	Number of poles per unit length	43.5 poles per l	km 70.0 poles per mile
12	Pole height	<u>6</u> m	19.7 feet
13			
14	Single track	1142.1 m ²	12289 sf
15	Area of Side Silhouette	688.3 m ²	7406 sf
16	Area of Top Silhouette	423.1 m ²	4553 sf
17	Impediment Area (adjusted)	30.7 m ²	331 sf
18	,		
19	Dual track	1552.1 m ²	16701 sf
20	Area of Side Silhouette	688.3 m ²	7406 sf
21	Area of Top Silhouette	833.1 m ²	8964 sf
22	Impediment Area (adjusted)	30.7 m ²	331 sf
23	rpeament rea (aajastea)	00.7 111	001 01
24	Stop	67.8 m ²	730 sf
25	Area of Side Silhouette	25.6 m ²	276 sf
26	Area of Top Silhouette	22.2 m ²	239 sf
	·		
27	Impediment Area (adjusted)	20.0 m ²	215 sf
28			
29	Stops with dedicated landing areas	2 stops per	km 3.2 stops per mile
30	% of dual track	100%	0.2 dtopo per 111110
31	70 Of addition	10070	
32	Average area per unit length	1,688 m² per rou	ite-km 29,291 sf per route-mile
33			
34	Contract values		
35	% gross revenue for government on private prop.	1%	
36	% gross revenue for private easement	4%	
37	% gross revenue for government easement	5%	
38	Impediment Factor	10	
	impodiment i dotoi	10	



Fair Fare Formula

Summary

The average commute would be 3.5 times faster saving each commuter 295 hours per year.*

At 0.42 USD per mile, a typical commute on Transit X is 17% less than public transit and 74% less than a Taxi.*

			Trip Length	
A	II prices in USD	1 mile	6 mile	25 mile
	Transit X	0.52 to 0.87 2 min., 3.6x faster	2.57 to 4.31 8 min., 3.6x faster	9.88 to 16.83 33 min., 3.4x faster
F	Public transit average	2.92	4.64	6.80
səpou	Taxi	4.04 2 to 6 minutes	17.61 8 to 30 minutes	68.47 30 to 120 minutes
Common public modes	Uber/Lyft	3.08 2 to 6 minutes	12.68 8 to 30 minutes	48.67 30 to 120 minutes
non pı	Public Bus	2.35 3 to 12 minutes	2.35 15 to 60 minutes	3.60 60 to 240 minutes
Comr	Train	3.52 2 to 12 minutes	4.15 8 to 60 minutes	6.49 30 to 240 minutes
Personal car		3.38 2 to 6 minutes	10.64 8 to 30 minutes	37.87 30 to 120 minutes

	Avg. Speed	Low Speed	High speed				Min Dist	Max Dist.	Time cost	Mode 6%	shar 70%	
Travel mode	km/h	km/h	km/h	Base	Includ es km	Over per-km	km	km	per min	2	10	40
Taxi	30	20	80	2.35	1	1.17	0.5	100	1.04	5%	4%	1%
Uber/Lyft	30	20	80	1.88	1	0.94	0.5	100	0.52	10%	10%	2%
Public Bus	15	10	40	2.35	20	0.06	0.5	50	0	50%	50%	40%
Train	30	10	80	3.52	2	0.08	2	100	0	35%	36%	57%
Transit X	72	72	72	0	0	0.26	0.1	50	0	-	-	-
Personal car	30	20	80	1.57	0	0.78	0.1	400	0.25	-	-	-

^{*} All numbers on mode shares, speeds, and costs are rough estimates..

Base fares are set for first 5 years, then adjusted by formula. A 20% discount on a shared pod and a 40% discount on a shared compartment. Trips are discounted proportional to their length reaching a maximum of a 40% discount on a 500 km trip. No congestion—based pricing. Fares are proportional to the median income of the area and inversely proportional to per capita use, so the more use of Transit X, the lower the base fare up a to 50% discount. The amount of market—rate fares must be equal or less than the amount of discounted fares. Transit X Fair Fare is a universal passenger fare formula that applies to all regions and all times.



Fair Fare Formula

Fare rates are updated annually using this formula

	Formula Name	Value	Units	Description of the value or model input
1	GlobalIncome	10,000	USD	Global median household income. Updated annually based on most recent standard published data.
2	AllTravel	23,000	km	Travel distance per household per year on any mode for trips under 1600 km. A global constant
3	PercentIncomeForTransport	20%		% of median household income for all transportation under 1600 km trips. A global constant.
4	GlobalRate	0.09	USD/km	Global rate: GlobalIncome * PercentIncomeForTransport / AllTravel
5	IncomeFirst	\$60,000	USD	Median household income at first stop (per person per day). External input. Based on reliable public data source updated annually.
6	IncomeDest	\$90,000	USD	Median household income at destination per trip. External input. Based on reliable public data updated annually.
7	RegionalRate	0.52	USD/km	Regional rate based on median income: MedianIncomeFirst * PercentIncomeForTransport / AllTravel
8	UnderIncomeRate	0.00	USD/km	Under global income adjustment: if (RegionalRate < GlobalRate, GlobalRate - RegionalRate, 0)
9	NominalRate	0.52	USD/km	Nominal rate: RegionalRate + UnderIncomeRate
10	RegionalFactor	1.00	LIOD //	Regional Fare Factor. Negotiated upfront to make network financially viable.
11	AdjustedRate	0.52	USD/km	Regional adjusted rate: NominalRate * RegionalFactor
13	Population	22,000,000		Population in region. Updated annually based on trusted public data source.
12	UsageMaxDiscount	50%		Fare Discount when Transit X travel per household equals AllTravel. Global constant.
14	PassengerTravel	168,767,500,000	km	Total passenger distance traveled previous calendar year. Based on expected mode share for first 3 years. Based on actual passenger trips. Audited.
15	ModeShare	33%		Percent of Total Travel Per Capita on Transit X: PassengerTravel / (Population x AllTravel) Page rete for single passenger and (without discounts)
16	BaseRate	0.43	USD/km	Base rate for single-passenger pod (without discounts) (1 - UsageMaxDiscount x min(1,ModeShare)) x AdjustedRate
17	SpecialRateFactor	2.20		Rate factor for water crossings or high-speed links. Global constant.
18	SpecialBaseRate	0.96	USD/km	Base rate for high-speed travel or water crossings: BaseRate * SpecialRateFactor
19	DistanceDiscount May Distance Discount	40%		Distance discount at max distance. Global constant.
20	MaxDistanceDiscount	500	km	Max distance discount. Global constant.
21	DistanceDiscountPerKm	0.000348	USD/km	Discount amount per km: BaseRate x DistanceDiscount / MaxDistanceDiscount
22	SeniorDiscount StudentDiscount	20%		Senior discount set according to local regulations
23		20%		Student discount set according to local regulations
0.4	DisabilityDiscount	20%		Disability discount set according to local regulations
24	DiscountBaseRate	0.35	USD/km	Discounted base rate: BaseRate x (1 - SeniorDiscount)
25	SharedPodDiscount	20%		Discount for a shared pod. Set by Transit X per year. 15% minimum and 30% maximum. Maximum yearly change is one percentage point.
26	SharedPodRate	0.35	USD/km	Rate for a shared pod: BaseRate x (1 - SharedPodDiscount)
27	SharedCompartmentDiscount	40%		Discount for shared compartment. Set by Transit X per year. 25% minimum and 40% maximum. Maximum yearly change is one percentage point.
28	SharedCompartmentRate	0.26	USD/km	Rate for shared compartment BaseRate x (1 - SharedCompartmentDiscount)
29	SingleOccupancyMaxDistance	0.30	USD/km	Rate for 500 km in single–passenger pod.
30	Senior + SharedCompartmentRate	0.13	USD/km	Rate for a Senior taking a 500 km trip in a shared compartment. BaseRate x (1 - SeniorDiscountAmount) x (1 - SharedCompartmentDiscount) x (1 - MaxDistanceDiscount)
31	50PctIncomeAtDest	25%	USD/km	% Higher fare rate if Destination has 50% higher median income than First (IncomeDest / IncomeFirst - 1) / 2
32	DistanceBase	124,887,950,000	km	Passenger distance under base fare. Audited value from operational data.
33	PercentBase	74%		Percent of passenger distance under base fare: DistanceBase / PassengerTravel
34	BaseRevenue	44,961,095,632	USD	Annual revenue from all travel under base rate. Audited value from operational data.
35	AverageDiscount	17%		Average fare discount from Base Rate: 1 - (BaseRevenue / (DistanceDase x BaseRate))
36	MarketFactor	1.0		Market rate factor. Negotiated value for setting ratio of AverageDiscount
37	MarketRateCap	17%		Cap on passenger travel distance at market rate: AverageDiscount x MarketFactor
38	MarketTravelCap	21,465,064,266	km	Cap on passenger travel distance at market rate: DistanceBase x MarketRateCap

Project Summary

Project Transportation utility: a fully-automated, **Description** solar-powered, ultra-light, micro railway

Project type Privately-funded Public Transportation

Design, Build, Finance, Own, Operate,

Maintain (DBFOOM)

Project cost US\$93.94 billion

Cost to Gov't \$0

Structure Privately financed equity and debt

Debt term 10 years @ 5%

Equity terms A waterfall profit distribution with:

1. 90/10 split until Return of Capital,

2. then 50/50 until Target IRR met

3. then 10/90 onwards

Taxes & Fees \$5,699,808,016 per year

Benefits to

society and Extremely high environment

Financials

(US\$ in millions)

		Total
	Year 1	Years 1-12
Gross Revenues	38,230	930,882
Taxes and fees	1,912	46,544
Debt service	\$8,516	\$85,163

ESG (Environmental, Social, Governance) Benefits

Clean energy	yes	Resiliency	yes
Energy security	yes	Sustainable	yes
Emissions-free	yes	Equitable	yes
GHG-free	yes	Recyclable materials	yes
Lowers pollution	yes	Affordable housing	yes
Clean water	yes	Improved Health	yes
Improved Safety	yes	Econ. Development	yes
New infrastructure	yes	Access to Food	yes
Equitable transport	yes	New job creation	yes





Transit X, LLC presents a preliminary proposal for a privately-funded fleet of fully-autonomous shared electric vehicles on local and regional podway network for

New York metropolitan area

High capacity • High speed • Nonstop • 24/7
Solar powered • Zero Wait • Door-to-door • Resilient



About Transit X

Transit X finances, designs, builds, and operates solar-electric transit infrastructure to supplant buses, trains, cars, and trucks. Transit X offers its service to governments and commercial developers. First pilots will begin in 2019. Transit X is a privately held company founded in 2015, based in Boston, Massachusetts, and intends to be certified as a public benefit company.

Status

	Now	Prior to close
Project financing	Financing letter	Yes
Demonstration system	Ready	Yes
Rider-Revenue study	Preliminary	Yes
Environmental study	Expedited	Yes
Air rights	Letter of Intent	Yes
Permitting	Expedited	Yes
Safety certification	Expedited	Yes
Construction firm	Letter of interest	Contract
Design and major subs	Letter of interest	Contract
Operations & Maint	Letter of interest	Contract
Utility relocation	Identified	Agreements

General information available at <u>transitx.com</u>. Detailed information and references can be provided under appropriate non-disclosure/non-compete/non-circumvent agreements. Contact: Mike Stanley, CEO, Transit X, <u>mike@transitx.com</u>, 508-596-7024



Model Inputs and Assumptions

Route length (km) 24,073

Starting number of pods 262,280

Projected revenue growth 15%

Project Cost (Privately funded) \$93,943,226,610

% Debt financed 70%

Debt \$65,760,258,627

Equity \$28,182,967,983

Capital return per year \$5,636,593,597

Debt payment (per year) \$8,516,254,343

Travel per year per pod (km) 168,192

Revenue per vehicle-km (US\$) 0.87

OPEX as % of project cost 5%

Debt Interest rate 5%

Debt term (yrs) 10

Years to return equity capital 5

Profit share when below capital return 90%

Profit share when below Target IRR 50%

Profit share when above Target IRR 10%

Pro Forma

	Years	0	1	2	3	4	5	6	7	8	9	10	11	12
Revenue		0	38,230,365,684	43,964,920,537	50,559,658,618	58,143,607,410	66,865,148,522	76,894,920,800	88,429,158,920	101,693,532,758	116,947,562,672	134,489,697,073	154,663,151,634	177,862,624,379
5% RoW+tax+fe	ee	0%	1,911,518,284	2,198,246,027	2,527,982,931	2,907,180,371	3,343,257,426	3,844,746,040	4,421,457,946	5,084,676,638	5,847,378,134	6,724,484,854	7,733,157,582	8,893,131,219
Debt service		0	\$8,516,254,343	\$8,516,254,343	\$8,516,254,343	\$8,516,254,343	\$8,516,254,343	\$8,516,254,343	\$8,516,254,343	\$8,516,254,343	\$8,516,254,343	\$8,516,254,343	0	0
Investor balance	e		-\$19,481,020,026	-\$10,276,074,003	-\$492,680,205	\$9,955,928,534	\$21,169,534,456	\$33,262,887,137	\$41,858,673,716	\$51,617,925,384	\$62,715,161,906	\$75,351,081,010	\$90,608,110,516	\$107,900,047,737

Important Notices

The information contained in this document is not an offer to sell or a solicitation to buy any security. These materials and documents and information from which they are derived or which are referred to by or accessible from them may contain forward looking statements within the meaning of Section 27A of the Securities Act of 1933, Section 2E of the Securities Exchange Act of 1934 and the Private Securities Litigation Reform Act of 1995. All statements other than statements of historical fact are forward looking statements and are subject to risks and uncertainties. Forward looking statements generally can be identified by the use of forward looking terminology such as "may," "will," "expect," "intend," "estimate," "project," "anticipate," "believe" or "plan" or the negative thereof or variations thereon or similar terminology. Although Transit X believes that the expectations reflected in such forward looking statements are reasonable, it can give no assurance that such expectations will prove to be correct. All forward looking statements speak only as of the date made. Except as required by law, Transit X undertakes no obligation to update any forward looking statement to reflect events or circumstances after the date on which it is made or to reflect the occurrence of anticipated or unanticipated events or circumstances. These materials and documents and information from which they are derived or which are referred to by or accessible from them represent Transit X's best estimate as to the allocation of the funding proceeds based upon its present business plan and financial condition. The costs and expenses to be incurred in pursuing the Company's business plan cannot be predicted with certainty. There can be no assurance that unforeseen events will not occur or that the Company's business plan will be achieved or that it will not be changed, and it is possible that the funding proceeds may be applied in a manner other than that described herein.