




Transit X presents a preliminary proposal for a privately-financed, solar-powered micro-rail network — a fleet of automated electric vehicles (pods) for passengers and freight on a local and regional podway providing public transportation for

Rotterdam, Netherlands

This proposal is downloadable at transitx.com/proposals/Transit X for Rotterdam, Netherlands.pdf

High capacity · High speed · Nonstop · 24/7 Solar powered · Zero Wait · Door-to-door · Resilient

A 24-page companion Transit X Handbook is available at transitx.com/transitxhandbook.pdf



Proposal Overview



Transit X proposes to build and operate a green, privately-financed micro-rail podway to carry passengers and freight for Rotterdam that makes the Transit X service convenient to 90% of the population.

Transit X efficiently services both suburbs and cities and provides for a higher quality of life. See transitx.com for more details. This 3-minute video (transitx.com/video) describes our innovative solution.

Major benefits

- · Reduce congestion
- · Provide parking relief
- · Reduce pollution
- Improve safety

The Transit X Handbook (<u>transitx.com/</u> <u>transitxhandbook.pdf</u>) answers many questions about our service, the company, our technology, and the way we address: congestion, parking, road safety, pedestrian safety, ADA compliance, sustainability, fares,



solar+storage, construction, aesthetics, operations, economic development, quality of service, security, station footprint, equitability, carbon footprint, transit integration, resiliency, reliability, rights-of-way, and open space.

Congestion, parking, pollution, and safety

Most regions suffer from traffic congestion, limited parking, air pollution, and unsafe roads. Potential solutions are costly, but Transit X can solve these challenges without public funding. Transit X can integrate into the built environment, providing both short term relief and a long term solution.

High Capacity

A single track carries 12,000 pods per hour (20,000 to 50,000 passengers per hour). Two boarding areas fit in a single car space and provide 2,000 boardings per hour.

Zero Footprint and Minimal Disruption

Transit X features stops that don't interfere with pedestrians or other forms of transportation. We use easements alongside highway and roads and integrate utility lines and poles Non-stop interchanges fit above existing intersections. Factory-built tracks and posts enable fast installation with minimal disruption. Use of underground tunnels is an option. Posts are typically spaced at 23 m (25 yds).

No public funding

Transit X does not require government funding because our revenue from fares, freight, and advertising is greater than our costs. We have reduced or eliminated many costs of transportation including the cost of materials, land, construction, fuel,

debt service, and labor. Our projects are financed by investment banks and private equity firms.

Proven technology

Our team and partners have built fully automated systems that are now in operation around the world. Transit X may look unique, but the underlying design is very similar to systems that have been operating for 40 years with an exemplary safety record. The rollout and maiden flight occurred on Oct 29, 2018 in Leominster, Massachusetts. The first Transit X system will be demonstrated by the end of 2019.

Service Quality

Transit X provides on-demand, last-mile service that is superior to cars or buses. An operating agreement will guarantee high levels of availability and reliability. Our use of small vehicles (pods) makes this possible. By reducing car use, Transit X creates walkable and bike-friendly neighborhoods.

Less pollution: Air, Sound, Light, Visual, Water

Transit X offers a much higher quality of life by eliminating many forms of pollution. Pods are quiet, efficient and have zero emissions. Pods offer less visual impact than the existing roads and vehicles, and utility lines can be hidden within the track. At night, there is no light pollution from headlights or taillights. Water pollution from road runoff is significantly reduced. Parking lots and roadways can be converted into green space and community paths as they become unnecessary.

Sustainable and Efficient

Pods weigh only 45 kg (100 lbs) and achieve over 20 times the efficiency of electric cars. Solar, wind, and storage installed on our tracks and posts can provide 100% of the clean energy needed to power the system.

More Transit & Fewer Cars

Transit X provides the convenience and privacy that people value in cars, yet without the negative impacts of personal cars. Transit X combines the best of mass transit and personal transportation modes which will lead to greater use of public transit and fewer cars.

De-risking Projects

Transit X partners with large, established firms to provide fixed-price contracts for the engineering, certification, construction, and operations of a Transit X system. Theses partnerships enable Transit X to de-risk all of the major elements of the project, and provide performance guarantees. We work with local construction firms.

Jobs and Workforce Development

Many regional jobs will be created to build a new transportation infrastructure, as well many new types of jobs will be created from economic growth. The majority of the construction jobs will be locally sourced and preferential hiring is given to those displaced by the transition.

Revenue Generator for Government

Not only does Transit X not require public financing, but the government and private easement owners receive 4-5% of gross revenue, which would be US\$61 million per year average over the first 10 years.


Short and Long Term Solution

A project could be operational within 24 months from the start of a project. Transit X offers a rapidly-deployable solution that provides long term benefits. We would form a local company to build, operate, and maintain the network. At least 75% of the profits would be invested back into the region.

Moving Forward

The diagram shows our process for a project. We submit a project proposal, then ask for a commitment for Transit X to build and operate a podway along rights-of-way easements. Example documents and a sample project schedule can be viewed at:

transitx.com/process



Evaluation

Please review our

preliminary proposal, and then ask us any questions. We would be happy to provide further information, address specific concerns, or meet with specific people or groups. Any routes or coverage areas shown on the map are only preliminary suggestions and actual routes would be determined based on needs, rights-of-ways, utility corridors, location of trees, and many other factors.

We expect this proposal to be reviewed by one or more committees or working groups. Familiar transportation options, such as buses, light rail, subways, and ridesharing services (including autonomous vehicles) may have already been considered. Very few options offer the convenience of cars with at least the capacity of buses, and most, if not all, require public funding and subsidies.

Private cars have a dominant mode share because people like the privacy and convenience of a car — despite the significant risks and negative impact associated with them. People won't give up their cars unless the alternative is both better and cheaper. That is what Transit X can provide.

We hope you agree that this proposal offers a way to address your challenges in both the short and long term, providing an option that is better and lower risk than any alternative — including continuing with the status quo.

We hope you will conclude that moving forward with Transit X is an excellent opportunity to meet your current and future challenges.

Once we agree to move forward, we look to receive a commitment for Transit X to build and operate a podway along rights-of-way easements.

A podway network is rolled out in phases that each take less than 24 months.

Other Resources

The links below provide general information about Transit X:

- One minute video overview (transitx.com/video)
- Transit X Handbook (transitx.com/transitxhandbook.pdf)
- Letters of Project Financing, Due Diligence, Contracts (<u>transitx.com/letters.pdf</u>)
- Memorandum of Understanding template (<u>transitx.com/process/mou.html</u>)
- Example Right-of-Way agreement (transitx.com/process/resolution.html)
- Operating Agreement (transitx.com/process/operating_agreement.html)
- General Q & A (transitx.com/QandA.html)
- Other proposals (transitx.com/proposals)

Addendum

The remaining pages of this proposal provide project-specific details:

- Project Overview and Impact pages 6 and 7
- Taxes and Fees pages 8 and 9
- Fares page 10 and 11
- Financial Project Summary with Pro Forma pages 12 and 13

We look forward to working with you to improve the quality of life for Rotterdam through better transportation.

Sincerely,



Email: rodneydixon@transitx.com or hello@transitx.com
Telephone: +1 818-855-4106 (WhatsApp connected)

Zoom e-room: https://zoom.us/j/8229009123

Website: transitx.com

Twitter: http://twitter.com/TransitXCorp

Mail: 1127 Commonwealth Ave #30, Boston, MA 02134 USA







	al 1516 A.			
1	Transit X network length	288	km	
2	People (resident-equivalent) in region	621,699	resident-equivalent p	opulation
3	Route density ratio (route length to service area)	1.84		
4	Number of stops	1,940		
5	Triple-speed route length	0	km	
6	Water crossing route length	0	km	
7	Cost of fixed infrastructure	\$1,044,242,908		
8	per person	\$1,680		
9	Mode share of travel on Transit X (26% after first year)	79%	after 10 years	
10	Distance traveled by passengers on Transit X, per year	3,918,733,578	km	
11	per day	10,736,256		
12	Daily potential energy generation with standard panels on tracks	2,211	MWh	
13	Sustainable energy use per day	56	MWh	3% of max capacity
14	Energy storage capital cost for 1 day(s) of supply at \$100 per kWh	\$5,590,708		
15	Size (rated power) of solar installation	12,998	KW	
16	Cost to generate sustainable energy (at \$1,000 per kW)	\$12,997,506		
17	Cost of buying sustainable energy at \$0.15 per kWh	\$8,386		5% of OPEX
18	Daily passengers riding Transit X	489,842	customers	79% of the pop.
19	Distance per passenger per day	22	km	
20	Average distance per trip (assuming 3 trips per day)		km	
21	Single passenger fare for shared 7 km trip	\$1.15	0.98	Euro
22	Passenger distance traveled during peak hour	2,147,251		
23	Breakeven	129,492	customers per day (2 of people convenient	26% of expected and 23% to Transit X)
24	Boarding capacity	698,400	passengers per hour	(143% of customers)
25	Number of pods for peak demand	13,103	pods at 79% me	ode share
2526	Number of pods for peak demand Number of customers per pod		pods at 79% me and 47 people per	
	• •		and 47 people per	
26	Number of customers per pod	37.4	and 47 people per km	
26 27	Number of customers per pod Distance per pod per year	37.4 168,195 14,413	and 47 people per km	pod 0.2% of car parking
26 27 28	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side-parking)	37.4 168,195 14,413 \$85,169,500	and 47 people per km m ²	pod 0.2% of car parking
26 27 28 29 30	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side-parking) Cost of pods	37.4 168,195 14,413 \$85,169,500	and 47 people per km m² is \$105 per persor is \$39 per person	pod 0.2% of car parking
26 27 28 29 30	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side–parking) Cost of pods Capital cost of energy generation and storage	37.4 168,195 14,413 \$85,169,500	and 47 people per km m ² is \$105 per person	pod 0.2% of car parking
26 27 28 29 30 31 Pr	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side–parking) Cost of pods Capital cost of energy generation and storage **Coject Finances**	37.4 168,195 14,413 \$85,169,500 \$24,164,679	and 47 people per km m² is \$105 per person is \$39 per person 980,540,524	pod 0.2% of car parking
26 27 28 29 30 31 Pr	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side–parking) Cost of pods Capital cost of energy generation and storage *Toject Finances* Total Project Cost (privately financed)	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087	and 47 people per km m² is \$105 per persor is \$39 per person 980,540,524 per km	pod 0.2% of car parking n Euro
26 27 28 29 30 31 Pr 32 33	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side–parking) Cost of pods Capital cost of energy generation and storage *Toject Finances* Total Project Cost (privately financed) Project cost	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087 \$4,006,754	and 47 people per km m² is \$105 per persor is \$39 per person 980,540,524 per km	pod 0.2% of car parking Euro Euro
26 27 28 29 30 31 Pr 32 33 34 35 36	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side–parking) Cost of pods Capital cost of energy generation and storage *Toject Finances* Total Project Cost (privately financed) Project cost Equity	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087 \$4,006,754 \$346,073,126	and 47 people per km m² is \$105 per persor is \$39 per person 980,540,524 per km 294,162,157	pod 0.2% of car parking Euro Euro
26 27 28 29 30 31 Pr 32 33 34 35 36 37	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side–parking) Cost of pods Capital cost of energy generation and storage *Toject Finances* Total Project Cost (privately financed) Project cost Equity	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087 \$4,006,754 \$346,073,126	and 47 people per km m² is \$105 per persor is \$39 per person 980,540,524 per km 294,162,157	pod 0.2% of car parking Euro Euro
26 27 28 29 30 31 Pr 32 33 34 35 36 37 38	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side–parking) Cost of pods Capital cost of energy generation and storage **Coject Finances** Total Project Cost (privately financed) Project cost Equity Private debt financing	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087 \$4,006,754 \$346,073,126 \$807,503,961	and 47 people per km m² is \$105 per person is \$39 per person 980,540,524 per km 294,162,157 686,378,367	pod 0.2% of car parking Euro Euro Euro
26 27 28 29 30 31 Pr 32 33 34 35 36 37 38 39	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side–parking) Cost of pods Capital cost of energy generation and storage *Toject Finances* Total Project Cost (privately financed) Project cost Equity Private debt financing Debt service (per year)	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087 \$4,006,754 \$346,073,126 \$807,503,961	and 47 people per km m ² is \$105 per person is \$39 per person 980,540,524 per km 294,162,157 686,378,367	pod 0.2% of car parking Euro Euro Euro Euro
26 27 28 29 30 31 Pr 32 33 34 35 36 37 38	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side–parking) Cost of pods Capital cost of energy generation and storage **Coject Finances** Total Project Cost (privately financed) Project cost Equity Private debt financing	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087 \$4,006,754 \$346,073,126 \$807,503,961	and 47 people per km m² is \$105 per person is \$39 per person 980,540,524 per km 294,162,157 686,378,367	pod 0.2% of car parking Euro Euro Euro Euro
26 27 28 29 30 31 Pr 32 33 34 35 36 37 38 39 40	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side–parking) Cost of pods Capital cost of energy generation and storage *Toject Finances* Total Project Cost (privately financed) Project cost Equity Private debt financing Debt service (per year)	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087 \$4,006,754 \$346,073,126 \$807,503,961	and 47 people per km m ² is \$105 per person is \$39 per person 980,540,524 per km 294,162,157 686,378,367	pod 0.2% of car parking Euro Euro Euro Euro
26 27 28 29 30 31 Pr 32 33 34 35 36 37 38 39 40 41	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side–parking) Cost of pods Capital cost of energy generation and storage *Toject Finances* Total Project Cost (privately financed) Project cost Equity Private debt financing Debt service (per year)	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087 \$4,006,754 \$346,073,126 \$807,503,961 \$137,275,673 \$77,008,784	and 47 people per km m² is \$105 per persor is \$39 per person 980,540,524 per km 294,162,157 686,378,367	euro Euro Euro Euro Euro Euro Euro Euro
26 27 28 29 30 31 Pr 32 33 34 35 36 37 38 39 40 41 42	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side—parking) Cost of pods Capital cost of energy generation and storage **Coject Finances** Total Project Cost (privately financed) Project cost Equity Private debt financing Debt service (per year) Yearly fees and taxes (US\$124 per capita) OPEX + Debt service + Tax + Fees Project costs — per person	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087 \$4,006,754 \$346,073,126 \$807,503,961	and 47 people per km m ² is \$105 per person is \$39 per person 980,540,524 per km 294,162,157 686,378,367	euro Euro Euro Euro Euro Euro Euro Euro
26 27 28 29 30 31 Pr 32 33 34 35 36 37 38 39 40 41 42 43 44 45	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side—parking) Cost of pods Capital cost of energy generation and storage Total Project Cost (privately financed) Project cost Equity Private debt financing Debt service (per year) Yearly fees and taxes (US\$124 per capita) OPEXA Debt service = TeXA Fees Project costs — per person Number of motor vehicles displaced	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087 \$4,006,754 \$346,073,126 \$807,503,961 \$137,275,673 \$77,008,784	and 47 people per km m² is \$105 per person is \$39 per person 980,540,524 per km 294,162,157 686,378,367 116,684,322 65,457,467 1,577 motor vehicles	pod 0.2% of car parking Euro Euro Euro Euro Euro Euro
26 27 28 29 30 31 Pr 32 33 34 35 36 37 38 39 40 41 42 43 44	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side—parking) Cost of pods Capital cost of energy generation and storage **Coject Finances** Total Project Cost (privately financed) Project cost Equity Private debt financing Debt service (per year) Yearly fees and taxes (US\$124 per capita) OPEX + Debt service + Tax + Fees Project costs — per person	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087 \$4,006,754 \$346,073,126 \$807,503,961 \$137,275,673 \$77,008,784	and 47 people per km m² is \$105 per person is \$39 per person 980,540,524 per km 294,162,157 686,378,367	pod 0.2% of car parking Euro Euro Euro Euro Euro Euro
26 27 28 29 30 31 Pr 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side–parking) Cost of pods Capital cost of energy generation and storage Coject Finances Total Project Cost (privately financed) Project cost Equity Private debt financing Debt service (per year) Yearly fees and taxes (US\$124 per capita) Project costs — per person Number of motor vehicles displaced Yearly cost of cars displaced — per person Operating costs per passenger-km	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087 \$4,006,754 \$346,073,126 \$807,503,961 \$137,275,673 \$77,008,784 \$1,856 391,873 \$5,673 \$0.01	and 47 people per km m² is \$105 per person is \$39 per person 980,540,524 per km 294,162,157 686,378,367 116,684,322 65,457,467 1,577 motor vehicles	pod 0.2% of car parking Euro Euro Euro Euro Euro Euro
26 27 28 29 30 31 Pr 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side–parking) Cost of pods Capital cost of energy generation and storage Coject Finances Total Project Cost (privately financed) Project cost Equity Private debt financing Debt service (per year) Yearly fees and taxes (US\$124 per capita) OPEXA Debt service a fox a Fees Project costs — per person Number of motor vehicles displaced Yearly cost of cars displaced — per person Operating costs per passenger-km Full costs per passenger-km	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087 \$4,006,754 \$346,073,126 \$807,503,961 \$137,275,673 \$77,008,784 \$1,856 391,873 \$5,673 \$0.01 \$0.07	and 47 people per km m² is \$105 per person is \$39 per person 980,540,524 per km 294,162,157 686,378,367 116,684,322 65,457,467 2010-2010 1,577 motor vehicles 4,822	pod 0.2% of car parking Euro Euro Euro Euro Euro Euro
26 27 28 29 30 31 Pr 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46	Number of customers per pod Distance per pod per year Two-layer pod garage area (6% of route with side–parking) Cost of pods Capital cost of energy generation and storage Coject Finances Total Project Cost (privately financed) Project cost Equity Private debt financing Debt service (per year) Yearly fees and taxes (US\$124 per capita) Project costs — per person Number of motor vehicles displaced Yearly cost of cars displaced — per person Operating costs per passenger-km	37.4 168,195 14,413 \$85,169,500 \$24,164,679 \$1,153,577,087 \$4,006,754 \$346,073,126 \$807,503,961 \$137,275,673 \$77,008,784 \$1,856 391,873 \$5,673 \$0.01	and 47 people per km m² is \$105 per person is \$39 per person 980,540,524 per km 294,162,157 686,378,367 116,684,322 65,457,467 2010-2010 1,577 motor vehicles 4,822	pod 0.2% of car parking Euro Euro Euro Euro Euro Euro



Impact of proposed network

1	Reduction in GHG emissions (metric tons CO2-eq)	386,975 MTCO2-eq annually
2	Estimated cost to maintain public roadways	\$53,838,827 annually
3	Reduced waste products	62,798 metric tons annually
4	Travel time saved (non-stop travel and congestion)	389 hrs/person annually
5	Cost savings from reduced car ownership	\$2,860 per person annually
6	Increase in household income (from time savings and car costs)	18%
7	Reported injuries avoided	2,430 annually
8	Lives saved (from safety)	24 annually
9	Land freed from parking (2,227 acres)	9,013,087 m ²
12	Temperature reduction (from heat island effect & GHG reductions)	0.5 to 2 °C
11	Health care savings (from pollution, injuries)	High

Model Inputs

Ratio of road length to track length Wildth of convenient swart along track		woder inpu	มเร		
Walking speed 4.9 km/	15	Ratio of road length to track length	4		
Fixed cost per km (track & posts) \$2,790,000 \$2,371,500 Euro \$2,370,000 \$2,371,500 Euro \$2,370,000 \$3,500 \$4,250 Euro \$4,000,000 Euro \$4,000 Euro \$4,000,000 Euro \$4,000 Euro \$4,000,000 Euro \$4,000 Euro \$4,000,000 Euro \$4,000,000				km/h	
Water crossing: additional cost per km Sp.580,000 S		• ,			
Water crossing: additional cost per km Sp.580,000 S	18	· ·			Euro
Triple-speed: additional cost per km S5,580,000 Rate factor for water crossings or high-speed links. 2.2		. , ,	\$8,370,000		
Rate factor for water crossings or high-speed links.		·			
Average distance per day per person		Rate factor for water crossings or high-speed links.			
Average distance per day per person 27 km	00	Average distance traveled per person per year	40.000	1	
Mode share % of people convenient to Transit X Percentage of daily demand during peak hour	22		10,000	кm	
Percentage of daily demand during peak hour Maximum capacity per track 30,726 ph	23				
Average dwell time during peak hour Average passenger of proper thanks and the passengers per pool and the passen	24			at 5 min walk.	
Average dwell time during peak hour 10 seconds 18%	25				
% of pods traveling on route with highest demand Average speed of pod Average # of trips for a daily customer Average passengers per pod during peak hours Average passengers per pod during peak hours Average discount per passenger Average discount per passenger Bempty pods: Percentage non-revenue Ex-Factory cost per pod Worldwide Median Income per Household (US\$) Worldwide Median Income per Household (US\$) Worldwide Median Income per Household (US\$) Worldwide Median Income per household Base fare per km (per mile) Co&M as % of project cost Percentage debt financed Length of loan/debt Interest rate for debt Kg CO2 emissions per liter of gasoline Kg CO2 emissions per liter of gasoline Kg CO2 emissions per liter of gasoline Area of one parking lot space Commercial income of land (annual) Distance from roadway that is convenient Stops per km Solar panel area per meter of track Golobal Horizontal Irradiance (GHI) Cost to generate sustainable energy Storage per column Typical span Energy storage cost Energy storage capacity Area of parked pod Max usage discount at 10,000 km per capita Shared Pod Compartment Discount 18% Km/h 45 mph As passengers 2.8 passengers 2.1 passenger 2.1 passenger 2.2 passengers 2.1 passenger 2.2 passengers 2.2	26			• •	
Average speed of pod Average # of trips for a daily customer Average passengers per pod during peak hours Average discount per passenger Average discount per passenger Bempty pods: Percentage non-revenue Empty pods: Percentage non-revenue Ex-Factory cost per pod Worldwide Median Income per Household (US\$) Average number of residents per household (US\$) Average number of residents per household (US\$) Average number of residents per household (US\$) Average number of fesidents per household (US\$) Average number of gesidents per household (US\$) Average number of fesidents per household (US\$) Average number of residents per household (Up years (Up years) Average number of residents per household (Up years)	27	· · · · · · · · · · · · · · · · · · ·		seconds	
Average # of trips for a daily customer Average passengers per pod during peak hours 2.8 passengers	28	, ,			
Average passengers per pod during peak hours Average passengers per pod Average discount per passenger Maximum passengers per pod Empty pods: Percentage non-revenue Ex-Factory cost per pod Worldwide Median Income per Household (US\$) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Average number of residents per household Desta face per km (per mile) Desta face per km (per mile) Average number of residents per pod Desta face per km (per mile) Desta face per km (per mi		<u> </u>			45 mph
Average discount per passenger	30	9 . ,			
Average discount per passenger Maximum passengers per pod Empty pods: Percentage non-revenue Ex-Factory cost per pod Worldwide Median Income per Household (US\$) Average number of residents per household Base fare per km (per mile) Q&M as % of project cost Percentage debt financed Length of loan/debt Interest rate for debt Monetary value of 1 hour personal time (USD) Bat. roadway maintenance per year per km Area of one parking lot space Commercial income of land (annual) Distance from roadway that is convenient Stops per km Cost to generate sustainable energy Solar panel area per meter of track Global Horizontal Irradiance (GHI) Cost to generate sustainable energy Storage per column Area of parked pod Energy storage cost Energy storage cost Max usage discount at 10,000 km per capita Max usage discount at 10,000 km per capita Shared Pod Compartment Discount Sologo Apared Apare of possertime to space Shared Pod Compartment Discount Sologo Apare of parked pod Compartment Discount Sologo Bassengers 5 passengers 6 passengers					
Maximum passengers per pod Empty pods: Percentage non-revenue Empty pods: Percentage non-revenue Ex-Factory cost per pod \$5,000	32	9, 9,		passengers	
Empty pods: Percentage non-revenue Ex-Factory cost per pod \$5,000		9 1 1 9			
Ex-Factory cost per pod \$5,000		, , ,		passengers	
36 Worldwide Median Income per Household (US\$) 10,000 8,500 Euro 37 Average number of residents per household 2.3 Euro 38 Base fare per km \$0.26 0.2 Euro 39 (per mile) \$0.42 0.4 Euro 40 OBAM as % of project cost 5% 4 Lend the mile in the per mile in the per mile in the per met of the per met met of the per met					_
37 Average number of residents per household 2.3 Euro 38 Base fare per km \$0.26 0.2 Euro 39 (per mile) \$0.42 0.4 Euro 40 O&M as % of project cost 5% Image: Common control of the					
Base fare per km		• • • • • • • • • • • • • • • • • • • •		8,500	_
1989		ŭ i			
40 O&M as % of project cost 41 Percentage debt financed 42 Length of loan/debt 43 Interest rate for debt 44 kg CO2 emissions per liter of gasoline 45 Monetary value of 1 hour personal time (USD) 46 Eat. roadway maintenance per year per km 47 Area of one parking lot space 48 Commercial income of land (annual) 49 Distance from roadway that is convenient 50 Stops per km 51 Boarding capacity per stop 52 Solar panel area per meter of track 53 Cost of sustainable energy and storage 54 Global Horizontal Irradiance (GHI) 55 Cost to generate sustainable energy 56 Storage per column 57 Typical span 58 Energy storage cost 59 Energy storage cost 59 Energy storage capacity 60 Area of parked pod 61 Distance discount at max distance 62 Max distance discount 65 Shared Pod Compartment Discount 66 Shared Pod Compartment Discount		·			
41 Percentage debt financed 42 Length of loan/debt 43 Interest rate for debt 44 kg CO2 emissions per liter of gasoline 45 Monetary value of 1 hour personal time (USD) 46 Eat. roadway maintenance per year per km 47 Area of one parking lot space 48 Commercial income of land (annual) 49 Distance from roadway that is convenient 50 Stops per km 51 Boarding capacity per stop 52 Solar panel area per meter of track 53 Cost of sustainable energy and storage 54 Global Horizontal Irradiance (GHI) 55 Cost to generate sustainable energy 56 Storage per column 57 Typical span 58 Energy storage cost 59 Energy storage capacity 60 Area of parked pod 61 Distance discount at max distance 62 Max distance discount 65 Shared Pod Compartment Discount 66 Shared Pod Compartment Discount		" ,		0.4	Euro
Length of loan/debt 10 years Interest rate for debt 7% kg CO2 emissions per liter of gasoline 2.37 Monetary value of 1 hour personal time (USD) \$8.75 7 Euro Eat. roadway maintenance per year per km \$51,000 43,350 Euro Area of one parking lot space 23 m² Commercial income of land (annual) \$0.70 per m² Euro Distance from roadway that is convenient 50 Stops per km 6.7 Boarding capacity per stop 360 pph Solar panel area per meter of track 2.0 Cost of sustainable energy and storage \$0.15 per kWh Global Horizontal Irradiance (GHI) 3.8 kWh/m²/day Cost to generate sustainable energy \$1,000 per kW Storage per column 40 kWh Typical span 23 m cols/km: 44 Energy storage cost \$100 per kWh Energy storage cost \$100 per kWh Distance discount at max distance 40% Max distance discount 500 km Max usage discount at 10,000 km per capita 50% Shared Pod Discount 40% Shared Pod Discount 40%					
Interest rate for debt		•			
44 kg CO2 emissions per liter of gasoline 2.37 45 Monetary value of 1 hour personal time (USD) \$8.75 7 Euro 46 Eat. roadway maintenance per year per km \$51,000 43,350 Euro 47 Area of one parking lot space 23 m² 2 48 Commercial income of land (annual) \$0.70 per m² Euro 49 Distance from roadway that is convenient 0.15 km 50 Stops per km 6.7 51 Boarding capacity per stop 360 pph 52 Solar panel area per meter of track 2.0 53 Cost of sustainable energy and storage \$0.15 per kWh 54 Global Horizontal Irradiance (GHI) 3.8 kWh/m²/day 55 Cost to generate sustainable energy \$1,000 per kW 56 Storage per column 40 kWh 57 Typical span 23 m cols/km: 44 58 Energy storage capacity 1 days 60 Area of parked pod 2.20 m² 61 Distance discount at max distance 40% <		9		years	
45 Monetary value of 1 hour personal time (USD) \$8.75 7 Euro 46 Eat. roadway maintenance per year per km \$51,000 43,350 Euro 47 Area of one parking lot space 23 m² Euro 48 Commercial income of land (annual) \$0.70 per m² Euro 49 Distance from roadway that is convenient 0.15 km 50 Stops per km 6.7 51 Boarding capacity per stop 360 pph 52 Solar panel area per meter of track 2.0 53 Cost of sustainable energy and storage \$0.15 per kWh 54 Global Horizontal Irradiance (GHI) 3.8 kWh/m²/day 55 Cost to generate sustainable energy \$1,000 per kW 56 Storage per column 40 kWh 57 Typical span 23 m cols/km: 44 58 Energy storage capacity 1 days 60 Area of parked pod 2.20 m² 61 Distance discount at max distance 40% 62 Max distance discount 500 km 63					
46 Eat. roadway maintenance per year per km \$51,000 43,350 Euro 47 Area of one parking lot space 23 m² m² 48 Commercial income of land (annual) \$0.70 per m² Euro 49 Distance from roadway that is convenient 0.15 km 50 Stops per km 6.7 51 Boarding capacity per stop 360 pph 52 Solar panel area per meter of track 2.0 53 Cost of sustainable energy and storage \$0.15 per kWh 54 Global Horizontal Irradiance (GHI) 3.8 kWh/m²/day 55 Cost to generate sustainable energy \$1,000 per kW 56 Storage per column 40 kWh 57 Typical span 23 m cols/km: 44 58 Energy storage cost \$100 per kWh 59 Energy storage capacity 1 days 60 Area of parked pod 2.20 m² 61 Distance discount at max distance 40% 62 Max usage discount at 10,000 km per capita 50% 64 Shared Pod Disc		1 0		7	Euro
47 Area of one parking lot space 23 m² 48 Commercial income of land (annual) \$0.70 per m² Euro 49 Distance from roadway that is convenient 0.15 km 50 Stops per km 6.7 51 Boarding capacity per stop 360 pph 52 Solar panel area per meter of track 2.0 53 Cost of sustainable energy and storage \$0.15 per kWh 54 Global Horizontal Irradiance (GHI) 3.8 kWh/m²/day 55 Cost to generate sustainable energy \$1,000 per kW 56 Storage per column 40 kWh 57 Typical span 23 m cols/km: 44 58 Energy storage cost \$100 per kWh 59 Energy storage capacity 1 days 60 Area of parked pod 2.20 m² 61 Distance discount at max distance 40% 62 Max usage discount at 10,000 km per capita 50% 63 Max usage discount at 10,000 km per capita 50% 64 Shared Pod Compartment Discount 40%					
Commercial income of land (annual) Distance from roadway that is convenient Stops per km Stops per kw Stops per kw Storage Stops Stops Stops Stops Stops Stops Storage Per column Stops Storage per column Stops Storage Per column Stops Storage Cost Stops Per kw Storage Per Column Stops Storage Per Column Stops Storage Cost Stop Per kw Storage Per Column Storage Per kw Storage Per kw Storage Per kw Storage Storage Cost Stop Per kw Storage Per Column Storage Per kw Storage P					Luio
49 Distance from roadway that is convenient 0.15 km 50 Stops per km 6.7 51 Boarding capacity per stop 360 pph 52 Solar panel area per meter of track 2.0 53 Cost of sustainable energy and storage \$0.15 per kWh 54 Global Horizontal Irradiance (GHI) 3.8 kWh/m²/day 55 Cost to generate sustainable energy \$1,000 per kW 56 Storage per column 40 kWh 57 Typical span 23 m cols/km: 44 58 Energy storage cost \$100 per kWh 59 Energy storage capacity 1 days 60 Area of parked pod 2.20 m² 61 Distance discount at max distance 40% 62 Max distance discount 500 km 63 Max usage discount at 10,000 km per capita 50% 64 Shared Pod Compartment Discount 40% 65 Shared Pod Compartment Discount 40%					Furo
50 Stops per km 6.7 51 Boarding capacity per stop 360 pph 52 Solar panel area per meter of track 2.0 53 Cost of sustainable energy and storage \$0.15 per kWh 54 Global Horizontal Irradiance (GHI) 3.8 kWh/m²/day 55 Cost to generate sustainable energy \$1,000 per kW 56 Storage per column 40 kWh 57 Typical span 23 m cols/km: 44 58 Energy storage cost \$100 per kWh 59 Energy storage capacity 1 days 60 Area of parked pod 2.20 m² 61 Distance discount at max distance 40% 62 Max distance discount 500 km 63 Max usage discount at 10,000 km per capita 50% 64 Shared Pod Discount 20% 65 Shared Pod Compartment Discount 40%		,			Luio
Boarding capacity per stop Solar panel area per meter of track Cost of sustainable energy and storage Global Horizontal Irradiance (GHI) Cost to generate sustainable energy Storage per column Typical span Energy storage cost Energy storage capacity Cost to generate sustainable energy Storage per column Typical span Solar Energy storage cost Cost to generate sustainable energy Storage per column Au kWh Cost/km: 44 Energy storage cost Cost/km: 44 Energy storage capacity Energy storage capacity Max distance discount Energy storage capacity Energy storage capac		•		KIII	
Solar panel area per meter of track Cost of sustainable energy and storage Global Horizontal Irradiance (GHI) Cost to generate sustainable energy Cost to generate sustainable		• •		nnh	
Cost of sustainable energy and storage Global Horizontal Irradiance (GHI) Cost to generate sustainable energy Cost to generate sustainable energy Storage per column Typical span Energy storage cost Energy storage capacity Case Area of parked pod Distance discount at max distance Max distance discount Max usage discount at 10,000 km per capita Max usage discount at 10,000 km per capita Shared Pod Discount Shared Pod Compartment Discount Case Minimizer (SHI) Cost to generate sustainable energy Storage capacity At Wh Wh Wh Cost of sustainable energy and storage Storage (GHI) Storage Per Column At Wh Cost of Shared Pod Compartment Discount Cost of Shared Pod Cost		- · · · · · · · · · · · · · · · · · · ·		PPII	
54 Global Horizontal Irradiance (GHI) 3.8 kWh/m²/day 55 Cost to generate sustainable energy \$1,000 per kW 56 Storage per column 40 kWh 57 Typical span 23 m cols/km: 44 58 Energy storage cost \$100 per kWh 59 Energy storage capacity 1 days 60 Area of parked pod 2.20 m² 61 Distance discount at max distance 40% 62 Max distance discount 500 km 63 Max usage discount at 10,000 km per capita 50% 64 Shared Pod Discount 20% 65 Shared Pod Compartment Discount 40%	53	·	\$0.15	per kWh	
Cost to generate sustainable energy S1,000 per kW Storage per column Typical span 23 m cols/km: 44 SENERGY Storage cost \$100 per kWh SENERGY Storage capacity 1 days COST Area of parked pod 2.20 m² COST Area of parked pod 2		· · · · · · · · · · · · · · · · · · ·		•	
56 Storage per column 40 kWh 57 Typical span 23 m cols/km: 44 58 Energy storage cost \$100 per kWh 59 Energy storage capacity 1 days 60 Area of parked pod 2.20 m² 61 Distance discount at max distance 40% 62 Max distance discount 500 km 63 Max usage discount at 10,000 km per capita 50% 64 Shared Pod Discount 20% 65 Shared Pod Compartment Discount 40%	55				
Typical span 23 m cols/km: 44 58 Energy storage cost \$100 per kWh 59 Energy storage capacity 1 days 60 Area of parked pod 2.20 m² 61 Distance discount at max distance 40% 62 Max distance discount 500 km 63 Max usage discount at 10,000 km per capita 50% 64 Shared Pod Discount 20% 65 Shared Pod Compartment Discount 40%	56	9		•	
Energy storage cost \$100 per kWh Energy storage capacity 1 days Energy Storage capacity 2.20 m² Energy Storage capacity 3 days Energy Storage cost \$100 per kWh Energy Storage capacity 1 days Energy Storage Capacity 2.20 m² Energy Storage Cap			23	m cols/km:	44
Energy storage capacity 1 days Area of parked pod 2.20 m² Distance discount at max distance 40% Max distance discount 500 km Max usage discount at 10,000 km per capita 50% Shared Pod Discount 20% Shared Pod Compartment Discount 40%	58	Energy storage cost	\$100	per kWh	
Area of parked pod 61 Distance discount at max distance 40% 62 Max distance discount 500 km 63 Max usage discount at 10,000 km per capita 50% 64 Shared Pod Discount 20% 65 Shared Pod Compartment Discount 40%	59	Energy storage capacity			
Max distance discount 500 km Max usage discount at 10,000 km per capita 50% Shared Pod Discount 20% Shared Pod Compartment Discount 40%			2.20	m ²	
Max usage discount at 10,000 km per capita Shared Pod Discount Shared Pod Compartment Discount 40%	61	Distance discount at max distance	40%		
Shared Pod Discount 20% Shared Pod Compartment Discount 40%	62	Max distance discount	500	km	
Shared Pod Compartment Discount 40%	63	Max usage discount at 10,000 km per capita	50%		
•	64	Shared Pod Discount	20%		
66 Mode share starting discount 67%	65	Shared Pod Compartment Discount	40%		
	66	Mode share starting discount	67%		

Model Inputs (continued)

68	Name of region or project	Rotterdam, Netherlan
69	Currency name	Euro
70	Equal to US\$1	0.85
71	Sustainable energy/electricity generation & storage as	CAPEX
72	Land area of region (sq. km)	209
73	Number of residents in region	620,000
74	% travel within region	80%
75	% of land area served by roads	75%
76	Coverage: % of pop. convenient (3 min walk) to Transit X	90%
77	Annual median household income (US\$)	\$35,000
78	Convenient walk time to stop (min)	3
79	Triple-speed route length (km)	0
80	Water crossing route length (km)	0.0
81	Visitors per year	310,000
82	Average length of visit (days)	2
83	Solar production ratio	1.57
84	Regional Fare Factor	1.0
85	EPC costs & contingency	30%
86	Triple-speed (km/h)	242
87	Trip Distance Factor	1
88	Number of Stops Factor	1

Pod & Car

		Pod	Car
87	Service life (years)	20	12
88	Full cost of vehicle per year	\$200	\$9,000
89	Public cost to maintain infrastructure (per km)	\$0	\$100,000
90	Energy consumption (MPGe)	3564	24
91	Energy consumption (liters/100km)	0.07	9.8
92	Energy consumption (Watt-hours/km)	9	1375
93	mass of CO2 per vehicle per km (kg)	0	0.09875
94	Vehicle mass (kg)	45	1950
95	Average speed of urban travel (km/h)	72	16
96	Typical travel time (in minutes) for 7 km trip	6	27
97	Fare/cost per km	\$0.26	\$0.62
98	Number of deaths per 100M passenger-km	0.00001	1
99	Number of injuries per 100M passenger-km	0.0006	62
100	Volume to park (cubic meters)	5.7	70.9




5% of gross revenue is paid for air rights and local taxes.

A minimum payment is based on the Footprint and the Transit X Commercial Rate (TXCR).

1	Air-rights and Local Taxe	es	(for calculating	minimums)	
2	Total commercial land (estimated)	15,675,000	m²	acre	s
3	Total commercial gov't revenue (US\$)	\$10,972,500		9,326,625 Euro)
4	TXCR (Transit X Commercial Rate)	\$0.70	per m²	0.6 Euro)
5	TXCR is the yearly tax rate per land area. Calculation: total land area of commercial properties in the governmental region, divided by all the governmental income generated by those properties. The TXCR is used to calculate the minimum tax/fee.				
6					
7	Private Easement Fees	For example			
8	4% of gross revenue	\$53.50	per route- meter		
9	Minimum per year	\$1.04	per route- meter		
10	Transit X payment to G	overnment			
11	% of route on government easements	98%			
12	5% on government easements	\$75,468,608		64,148,317 Euro)
13	1% on private easements	\$308,035			
14	Total air-rights and local taxes	\$75,776,644	per year	64,410,147 Euro)
15	per resident	\$122		104 Euro)
16	with a minimum of	\$299,524	per year	254,595 Euro)
17				0 Euro)
18	Other financial benefits	s to Governme	nt	Euro)
18	Other financial benefits Less road maintenance from lower V		nt	Euro Euro	
		MT	nt)
19	Less road maintenance from lower V	MT parking and lanes		Euro	

Footprint calculations for minimum fee

Yearly fees and taxes



1	Footprint Calculations	Metric	Imperial
2	Track width	<u>0.30</u> m	
3	Track height	<u>0.60</u> m	
4	Post diameter	<u>0.3</u> m	
5	Post cross section	<u>0.07</u> m ²	
6	Stop landing area	3.75 m ²	
7	width	<u>1.5</u> m	
8	length	<u>2.5</u> m	
9	Ramp length	<u>21</u> m	
10	Typical Span	<u>23</u> m	
11	Number of posts per unit length	<u>43.5</u> poles	per km
12	Post height	<u>6</u> m	
13			
14	Single track	1022.1 m ²	
15	Area of Side Silhouette	678.3 m ²	
16	Area of Top Silhouette	313.1 m ²	
17	Impediment Area (adjusted)	30.7 m ²	
18			
19	Dual track	1322.1 m ²	
20	Area of Side Silhouette	678.3 m ²	
21	Area of Top Silhouette	613.1 m ²	
22	Impediment Area (adjusted)	30.7 m ²	
23	· · · · · · /		
24	Stop	82.1 m ²	
25	Area of Side Silhouette	25.2 m ²	
26	Area of Top Silhouette	19.4 m ²	
27	Impediment Area (adjusted)	37.5 m ²	
28			
29	Stops with dedicated landing areas	2 stops	per km
30	% of dual track	100%	
31			
32	Average area per unit length	1,486 m² pe	r route-km
33			
34	Contract values		
35	% gross revenue for government on private prop.	1%	
36	% gross revenue for private easement	4%	
37	% gross revenue for government easement	5%	
38	Impediment Factor	10	



Fair Fare Formula

Summary

The average commute would be 3.5 times faster saving each commuter 295 hours per year.*

At 0.13 Euro per km, a typical commute on Transit X is 17% less than public transit and 74% less than a Taxi.*

Trip I enath

Travel mode									irik) LE	ng	ın	
Taxi 2.08 2 to 6 minutes 2 to 6 minutes 30 to 120 minutes 1.21 1.85 1.21 1.21 1.85 1.21 1.21 1.21 1.21 1.21 1.21 1.21 1.21 1.21 1.	All pric	es in Euro	•		2 k	m			1	0 ŀ	(m		40 km
Taxi 2.08 9.04 35.15 30 to 120 minutes 8 to 30 minutes 30 to 120 minutes 30 to 120 minutes 4.98 30 to 120 minutes 5.00 minutes 5.	Transit X		to 0.45			to 2.21			ster	to 8.64			
Taxi					1.5	50			2	2.3	88		3.49
Personal car 1.75 2 to 6 minutes 5.55 8 to 30 minutes Avg. Low High Speed S	sepou	Taxi		21			S		8 to			es	
Personal car 1.75 2 to 6 minutes 5.55 8 to 30 minutes Avg. Low High Speed S	ublic m	Jber/Lyft		21	_		S		8 to			es	
Personal car 1.75 2 to 6 minutes 5.55 8 to 30 minutes Avg. Low High Speed S	d uow	ublic Bus		3 to			es		15 to		_	tes	
2 to 6 minutes 2 to 6 minutes 8 to 30 minutes 30 to 120 minutes * All numbers on mode share, speeds, and cost are rough estimates * All numbers on mode shares, speeds, and cost are rough estimates * All numbers on mode shares, speeds, and cost are rough estimates * All numbers on mode shares, speeds, and cost are rough estimates * All numbers on mode shares, speeds, and cost are rough estimates	Com	Train		2 to			es		8 to		_	es	
Speed Speed speed Sp	Pers	onal car		2 to			es					tes	
Jber/Lyft 30 20 80 0.96 1 0.48 0.5 100 0.27 10% 10% 2%	Travel mode	Speed Speed	speed				Dist	Dist.	cost	6%	70%	24%	shares, speeds, and cost
	Taxi	30 20	80		1								
	Uber/Lyft Public Bus												

Base fares are set for first 5 years, then adjusted by formula. A 20% discount on a shared pod and a 40% discount on a shared compartment. Trips are discounted proportional to their length reaching a maximum of a 40% discount on a 500 km trip. No congestion—based pricing. Fares are proportional to the median income of the area and inversely proportional to per capita use, so the more use of Transit X, the lower the base fare up a to 50% discount. The amount of market—rate fares must be less than the amount of discounted fares. Transit X Fair Fare Formula and Fair Freight Formula is universal and applies to all regions and all times.

0

0.15

0.04 2 100

0.40 0.1 400

0.13 0.1

35% 36% 57%

30

72

30

10

72

20

1.81

0.80

0

80

72

80

Train

Transit X

Personal car



Fair Fare Formula

Fare rates are updated annually using this formula

	Formula Name	Value	Units	Description of the value or model input
1	GlobalIncome	8,500	Euro	Global median household income. Updated annually based on most recent
2	AllTravel	23,000	km	standard published data. Travel distance per household per year on any mode for trips under 1600 km. A global constant
3	PercentIncomeForTransport	20%		% of median household income for all transportation under 1600 km trips. A global constant.
4	GlobalRate	0.07	Euro/km	Global rate: Globalincome * PercentincomeForTransport / AllTravel
5	IncomeFirst	\$29,750	Euro	Median household income at first stop (per person per day). External input. Based on reliable public data source updated annually.
6	IncomeDest	\$44,625	Euro	Median household income at destination per trip. External input. Based on reliable public data updated annually.
7	RegionalRate	0.26	Euro/km	Regional rate based on median income: MedianIncomeFirst * PercentIncomeForTransport / AllTravel
8	UnderIncomeRate	0.00	Euro/km	Under global income adjustment: if (RegionalRate < GlobalRate, GlobalRate - RegionalRate, 0)
9	NominalRate	0.26	Euro/km	Nominal rate: RegionalRate + UnderIncomeRate
10	RegionalFactor	1.00	E //	Regional Fare Factor. Negotiated upfront to make network financially viable.
11	AdjustedRate	0.26	Euro/km	Regional adjusted rate: NominalRate * RegionalFactor
13	Population	620,000		Population in region. Updated annually based on trusted public data source.
12	UsageMaxDiscount	50%		Fare Discount when Transit X travel per household equals AllTravel. Global constant.
14	PassengerTravel	3,918,733,578	km	Total passenger distance traveled previous calendar year. Based on expected mode share for first 3 years. Based on actual passenger trips. Audited. Percent of Total Travel Per Capita on Transit X:
15	ModeShare	27%		PassengerTravel / (Population x AllTravel)
16	BaseRate	0.22	Euro/km	Base rate for single-passenger pod (without discounts) (1 - UsageMaxDiscount x min(1,ModeShare)) x AdjustedRate
17	SpecialRateFactor	2.20		Rate factor for water crossings or high-speed links. Global constant.
18	SpecialBaseRate	0.49	Euro/km	Base rate for high-speed travel or water crossings: BaseRate * SpecialRateFactor
19	DistanceDiscount	40%		Distance discount at max distance. Global constant.
20	MaxDistanceDiscount	500	km	Max distance discount. Global constant.
21	DistanceDiscountPerKm	0.000179	Euro/km	Discount amount per km: BaseRate x DistanceDiscount / MaxDistanceDiscount
22	SeniorDiscount	20%		Senior discount set according to local regulations
23	StudentDiscount	20%		Student discount set according to local regulations
	DisabilityDiscount	20%		Disability discount set according to local regulations
24	DiscountBaseRate	0.18	Euro/km	Discounted base rate: BaseRate x (1 - SeniorDiscount)
25	SharedPodDiscount	20%		Discount for a shared pod. Set by Transit X per year. 15% minimum and 30% maximum. Maximum yearly change is one percentage point.
26	SharedPodRate	0.18	Euro/km	Rate for a shared pod: BaseRate x (1 - SharedPodDiscount)
27	SharedCompartmentDiscount	40%		Discount for shared compartment. Set by Transit X per year. 25% minimum and 40% maximum. Maximum yearly change is one percentage point.
28	SharedCompartmentRate	0.13	Euro/km	Rate for shared compartment BaseRate x (1 - SharedCompartmentDiscount)
29	SingleOccupancyMaxDistance	0.15	Euro/km	Rate for 500 km in single-passenger pod.
30	Senior + SharedCompartmentRate	0.06	Euro/km	Rate for a Senior taking a 500 km trip in a shared compartment. BaseRate x (1 - SeniorDiscountAmount) x (1 - SharedCompartmentDiscount) x (1 - MaxDistanceDiscount)
31	50PctIncomeAtDest	25%		% Higher fare rate if Destination has 50% higher median income than First (IncomeDest / IncomeFirst - 1) / 2
32	DistanceBase	2,899,862,848	km	Passenger distance under base fare. Audited value from operational data.
33	PercentBase	74%		Percent of passenger distance under base fare: DistanceBase / PassengerTravel
34	BaseRevenue	508,078,654	Euro	Annual revenue from all travel under base rate. Audited value from operational data.
35	AverageDiscount	21%		Average fare discount from Base Rate: 1 - (BaseRevenue / (DistanceDase x BaseRate))
36	MarketFactor	1.0		Market rate factor. Negotiated value for setting ratio of AverageDiscount
37	MarketRateCap	21%		Cap on passenger travel distance at market rate: AverageDiscount x MarketFactor
38	MarketTravelCap	623,015,700	km	Cap on passenger travel distance at market rate: DistanceBase x MarketRateCap

Project Summary

Project A fully-automated, solar-powered, micro-**Description** rail network. A transportation utility.

Project type Privately-funded Public Transit

Design, Build, Finance, Own, Operate,

Maintain (DBFOOM)

Project cost US\$1.15 billion

Cost to Gov't \$0

Structure Privately financed equity and debt

Debt term 10 years @ 7%

Equity terms A waterfall profit distribution per year with:

1. 90% until capital payback,

2. then 50% until Target% is reached

3. then 10%

Taxes & Fees \$75,776,644 per year

Benefits to

society and Extremely high environment

Estimated return 50% average IRR over 12 yrs

Financials

(US\$ in millions)

	Year 1	Total Years 1-12
Gross Revenues	508	14,740
Taxes and fees	25	737
Debt service	\$57	\$622

ESG (Environmental, Social, Governance) Benefits

Clean energy	yes	Resiliency	yes
Energy security	yes	Sustainable	yes
Emissions-free	yes	Equitable	yes
GHG-free	yes	Recyclable materials	yes
Lowers pollution	yes	Affordable housing	yes
Clean water	yes	Improved Health	yes
Improved Safety	yes	Econ. Development	yes
New infrastructure	yes	Access to Food	yes
Equitable transport	yes	New job creation	yes






Transit X presents a preliminary proposal for a privately-financed, solar-powered public transit network — a fleet of fully-autonomous, shared, electric, 4-passenger vehicles (pods) on a local and regional podway

Rotterdam, Netherlands

High capacity • High speed • Nonstop • 24/7 Solar powered • Zero Wait • Door-to-door • Resilient



About Transit X

Transit X finances, designs, builds, and operates solar-electric micro-rail public transit podways to supplant buses, trains, cars, and trucks. Transit X offers its service to governments and commercial developers. Maiden Flight was on Oct 29, 2018 and pilot projects started in 2018. First pilots will break ground in 2019 and begin operations in 2020. Transit X is a privately held company founded in 2015, based in Boston, Massachusetts.

Status

	Now	Prior to close
Project financing	Letter of intent	Yes
Outdoor test system	Dec, 2019	Yes
Rider-Revenue study	Preliminary	Yes
Environmental study	Per region	Yes
Air rights	Per project	Yes
Permitting	Per project	Yes
Safety certification	In process	Yes
Construction firm	Per project	Yes
Design and major subs	Per project	Yes
Operations & Maint	Yes	Yes
Utility relocation	Per project	Agreements

General information available at <u>transitx.com</u>. Detailed information and references can be provided under appropriate non-disclosure/non-compete/non-circumvent agreements. Contact: Mike Stanley, CEO, Transit X, <u>mike@transitx.com</u>, 508-596-7024



Model Inputs and Assumptions

Route length (km) 288

Starting number of pods 4,324

Projected revenue growth 15%

Project Cost (Privately funded) \$1,153,577,087

% Debt financed 70%

Debt \$807,503,961

Equity \$346,073,126

Debt payment (per year) \$56,525,277

Travel per year per pod (km) 168,195

Revenue per vehicle-km (US\$) 0.70

OPEX as % of project cost 5%

Debt Interest rate 7%

Debt term (yrs) 10

Profit share when below capital return 90%

Profit share when below Target IRR 50%

Profit share when above Target IRR 10%

Pro Forma

١	Years 0		1	2	3	4	5	6	7	8	9	10	11	12
Revenue	0		508,259,151	584,498,024	672,172,727	772,998,636	888,948,432	1,022,290,696	1,175,634,301	1,351,979,446	1,554,776,363	1,787,992,817	2,056,191,740	2,364,620,501
5% RoW+tax+fee	0%		25,412,958	29,224,901	33,608,636	38,649,932	44,447,422	51,114,535	58,781,715	67,598,972	77,738,818	89,399,641	102,809,587	118,231,025
Debt service	0	\$	56,525,277	\$56,525,277	\$56,525,277	\$56,525,277	\$56,525,277	\$56,525,277	\$56,525,277	\$56,525,277	\$56,525,277	\$56,525,277	\$56,525,277	\$56,525,277
Investor share	0	2	98,600,070	127,919,376	87,047,043	94,637,874	103,367,330	113,406,205	124,950,910	138,227,322	153,495,195	171,053,249	191,245,012	214,465,538
investor siture	•		.70,000,070	127,717,070	07,047,043	74,007,074	100,007,000	110,400,200	124,700,710	100,227,022	100,470,170	171,000,247	171,240,012	214,400,000
Investor share (%	b)		90%	33%	19%	18%	17%	16%	15%	14%	14%	13%	13%	12%
Share / Orig Capi	tal 0%		86%	37%	25%	27%	30%	33%	36%	40%	44%	49%	55%	62%

Important Notices

The information contained in this document is not an offer to sell or a solicitation to buy any security. These materials and documents and information from which they are derived or which are referred to by or accessible from them may contain forward looking statements within the meaning of Section 27A of the Securities Act of 1933, Section 2E of the Securities Exchange Act of 1934 and the Private Securities Litigation Reform Act of 1995. All statements other than statements of historical fact are forward looking statements and are subject to risks and uncertainties. Forward looking statements generally can be identified by the use of forward looking terminology such as "may," "will," "expect," "intend," "estimate," "project," "anticipate," "believe" or "plan" or the negative thereof or variations thereon or similar terminology. Although Transit X believes that the expectations reflected in such forward looking statements are reasonable, it can give no assurance that such expectations will prove to be correct. All forward looking statements speak only as of the date made. Except as required by law, Transit X undertakes no obligation to update any forward looking statement to reflect events or circumstances after the date on which it is made or to reflect the occurrence of anticipated or unanticipated events or circumstances. These materials and documents and information from which they are derived or which are referred to by or accessible from them represent Transit X's best estimate as to the allocation of the funding proceeds based upon its present business plan and financial condition. The costs and expenses to be incurred in pursuing the Company's business plan cannot be predicted with certainty. There can be no assurance that unforeseen events will not occur or that the Company's business plan will be achieved or that it will not be changed, and it is possible that the funding proceeds may be applied in a manner other than that described herein.