




Transit X, LLC presents a preliminary proposal for a privately-funded fleet of fully-autonomous shared electric vehicle network for

## Surabaya, Indonesia

**High capacity • High speed • Nonstop • 24/7  
Solar powered • Wait-free • Door-to-door • Resilient**

26-page companion Transit X Handbook is available at [transitx.com/transitxhandbook.pdf](http://transitx.com/transitxhandbook.pdf)



**Transit X proposes to build and operate a privately-financed pod network to carry passengers and freight for Surabaya, Indonesia that makes the Transit X service convenient to 95% of the population.**

Transit X efficiently services both suburbs and cities and provides for a higher quality of life. See [transitx.com](http://transitx.com) for more details. This 3-minute video ([transitx.com/video](http://transitx.com/video)) describes our innovative solution.

### Major benefits

- Reduce congestion
- Provide parking relief
- Reduce pollution
- Improve safety



The Transit X Handbook ([transitx.com/transitxhandbook.pdf](http://transitx.com/transitxhandbook.pdf)) answers many questions about our service, the company, our technology, and the way we address: congestion, parking, road safety, pedestrian safety, ADA compliance, sustainability, fares, solar+storage, construction, aesthetics, operations, economic development, quality of service, security, station footprint, equitability, carbon footprint, transit integration, resiliency, reliability, rights-of-way, and open space.

### Congestion, parking, pollution, and safety

Most regions suffer from traffic congestion, limited parking, air pollution, and unsafe roads. Potential solutions are costly, but Transit X can solve these challenges without public funding. Transit X can integrate into the built environment, providing both short term relief and a long term solution.

### No public funding

Transit X does not require public funding because our business model appeals to investment banks and private equity firms that provide our project financing. Most of our infrastructure is factory-built, so that installation is fast and not disruptive. We have reduced or eliminated many costs of transportation infrastructure including materials, land, construction, fuel, debt service, and driver costs. By significantly reducing our costs, it makes private financing possible.

### Proven technology

Our team and partners have built fully automated systems that are now in operation around the world. Transit X may look unique, but the underlying design is very similar to systems that have been operating for 40 years with an exemplary safety record. An in-depth (1000+ hours) technical assessment and feasibility analysis has been completed by Altran, a global engineering firm with

extensive expertise in automated transit systems. The first pilots of Transit X will be deployed by the end of 2018.

Before any groundbreaking, the system will be safety-certified and fully insured.

### **Service Quality**

Transit X provides on-demand, last-mile service that is superior to cars or buses. An operating agreement will guarantee high levels of availability and reliability. Our use of small vehicles (pods) makes this possible. By reducing car use, Transit X creates walkable and bike-friendly neighborhoods.

### **Less pollution: Air, Sound, Light, Visual, Water**

Transit X offers a much higher quality of life by eliminating many forms of pollution. Pods are quiet and have no emissions. Pods offer less visual impact than the existing roads and vehicles, and utility lines can be hidden within the track. At night, there is no light pollution from headlights or taillights. Water pollution from road runoff is significantly reduced.

### **Sustainable**

Transit X runs on 100% sustainable energy. The energy generated from solar panels on the track and stored within the poles is sufficient in most cases, but sustainable power contracts may be used to buy and sell power to the grid. Transit X makes it possible to reduce the amount of impervious surfaces and increase green space by reducing the need for parking and roads. By replacing cars, Transit X has a negative carbon footprint.

### **More Transit & Fewer Cars**

Transit X provides the convenience and privacy that people value in cars, yet without the negative impacts of personal cars. Transit X combines the best of mass transit and personal transportation modes which will lead to higher use of mass transit and less use of personal vehicles.

### **De-risking Projects**

Transit X is working with large, established firms to provide fixed-price contracts for the engineering, certification, construction, and operations of a Transit X system. These partnerships enable Transit X to de-risk all of the major elements of the project, and provide performance guarantees.

We would work with regional urban planning and construction firms who are familiar with permitting and applicable codes.

### **Jobs and Workforce Development**

Many jobs will be created to build a new transportation infrastructure, and many new types of job will be created as transportation becomes more efficient. Municipalities that first embrace Transit X will be offered the opportunity to have Transit X manufacturing and assembly jobs in their area. The vast majority of the construction jobs will be locally sourced. Preferential hiring would be given to those workers displaced by the transition to automated vehicles.

## Revenue Generator


Not only does Transit X not require public financing, but the local municipality and right-of-ways owners receive 5% of gross revenue, which would be US\$195 million per year average over the first 10 years. For specifics, please see the "Taxes and Fees" section of this proposal.

## Short and Long Term Solution

A project could be operational within 24 months from the start of a project. Transit X offers a rapidly-deployable solution that provides long term benefits. We would form a local company to build, operate, and maintain the network. At least 75% of the profits would be invested back into the region.

## Moving Forward

The diagram shows our general process for working with a municipality or rights-of-way owner. We would refine a proposal to meet your needs, then ask for a letter stating that you would like to move forward with a proposal that includes air rights and an operating agreement. Example documents and a sample project schedule can be viewed at [transitx.com/process](https://transitx.com/process)



## Evaluation

Please review our preliminary proposal, and then ask us any questions. We would be happy to provide further information, address specific concerns, or meet with specific people or groups. Any routes or coverage areas shown on the map are only preliminary suggestions and actual routes would be determined based on needs, rights-of-ways, utility corridors, location of trees, and many other factors.

We expect this proposal to be reviewed by one or more committees or working groups. Familiar transportation options, such as buses, light rail, subways, and ride-sharing services (including autonomous vehicles) may have already been considered. Very few options offer the convenience of cars with at least the capacity of buses, and most, if not all, require public funding and subsidies.

Private cars have a dominant mode share because people like the privacy and convenience of a car — despite the significant risks and negative impact associated with them. People won't give up their cars unless the alternative is both better and cheaper. That is what Transit X can provide.

We hope you agree that this proposal offers a way to address your challenges in both the short and long term, providing an option that is better and lower risk than any alternative — including continuing with the status quo.

Whatever process you use to evaluate this proposal, Transit X is open to working with you on refining this proposal to meet your needs. We hope you will conclude that moving forward with Transit X is an excellent opportunity to meet your current and future challenges.

Once we agree to move forward, we need a memorandum of understanding (example at [transitx.com/process/mou.html](http://transitx.com/process/mou.html)) stating that you intend to pass an ordinance that enables our use of air rights along with an operating agreement.

The buildout of the network would be rolled out in phases, where a first phase could be a 15 to 30 km pilot.

### Other Resources

The links below provide general information about Transit X:

- 2 minute video overview ([transitx.com/video](http://transitx.com/video))
- Transit X Handbook ([transitx.com/transitxhandbook.pdf](http://transitx.com/transitxhandbook.pdf))
- Letters of Project Financing, Due Diligence, Contracts ([transitx.com/letters.pdf](http://transitx.com/letters.pdf))
- Example Resolution ([transitx.com/process/resolution.html](http://transitx.com/process/resolution.html))
- Operating Agreement ([transitx.com/process/operating\\_agreement.html](http://transitx.com/process/operating_agreement.html))
- General Q & A ([transitx.com/QandA.html](http://transitx.com/QandA.html))

### Addendum

The remaining pages of this proposal provide project-specific details:

- Financial Project Summary with Pro Forma, pages 6-7
- Project Overview, Impact, and Model inputs, pages 8-9
- Taxes and Fees, pages 10-11
- Fares, page 12

We look forward to working with you to improve the quality of life for Surabaya through better transportation.

Sincerely,



Mike Stanley  
CEO, Transit X

Telephone: +1 508-596-7024 (also via WhatsApp)

Email: [mike@transitx.com](mailto:mike@transitx.com)

Zoom eRoom: <https://zoom.us/j/8229009123>

Website: [transitx.com](http://transitx.com)

LinkedIn: <http://linkedin.com/in/mikestanleymit/>

Skype: [mikestanley49](https://www.skype.com/people/mikestanley49)

WeChat: MikeTransitX

Facebook Messenger: [m.me/MikeStanleyMIT](https://www.facebook.com/mikestanleyMIT)

Twitter: <https://twitter.com/MikeTransitX>

Mail: 1127 Commonwealth Ave #30, Boston, MA 02134 USA





1	<b>Transit X network length</b>	<b>1,135 km</b>	
2	People (resident-equivalent) in region	8,319,229	resident-equivalent population
3	Route density ratio (route length to service area)	0.58	
4	Number of stops	2,290	
5	Triple-speed route length	0 km	
6	Water crossing route length	0 km	
7	<b>Cost of fixed infrastructure</b>	<b>\$4,115,582,807</b>	
8	...per person	\$495	
9	Mode share of travel on Transit X	75%	
10	Distance traveled on Transit X, per year	55,933,676,883 km	
11	...per day	153,242,950 km	
12	Daily potential energy generation with standard panels on tracks	8,715 MWh	
13	Sustainable energy use per day	1,731 MWh	20% of max capacity
14	Energy storage capital cost for 1 day(s) of supply at \$800 per kWh	\$1,385,012,261	
15	Size (rated power) of solar installation	402,492 KW	
16	Cost to generate sustainable energy (at \$2,000 per kWh)	\$804,983,241	
17	Cost of buying sustainable energy at \$0.15 per kWh	\$259,690 per day	24% of OPEX
18	Daily passengers riding Transit X	6,214,853 customers	75% of the pop.
19	Distance per passenger per day	25 km	
20	Average distance per trip (assuming 3 trips per day)	8 km	
21	<b>Single passenger fare for shared 8 km trip</b>	<b>\$0.37</b>	5 IDR
22	Passenger distance traveled during peak hour	30,648,590 km	
23	<b>Breakeven</b>	<b>2,250,563</b>	customers per day
24			(28% of people convenient to Transit X)
25	<b>Number of pods for peak demand</b>	<b>135,255</b>	pods
26	Number of customers per pod	45.9	and 62 people per pod
27	Distance per pod per year	168,192 km	
28	Two-layer pod garage area (13% of route with side-parking)	148,781 m <sup>2</sup>	0.1% of car parking
29	Cost of pods	\$879,157,500	is \$81 per person
30	Capital cost of energy generation and storage	\$2,846,994,153	is \$342 per person
31	<b>Project Finances</b>		
32	<b>Total Project Cost</b>	<b>\$7,841,734,460</b>	107,431,762,099 IDR
33	Project cost	\$6,910,800	per km
34	Equity	\$2,352,520,338	32,229,528,630 IDR
35	Financed	\$5,489,214,122	75,202,233,469 IDR
36			
37			
38			
39	Debt service	\$823,382,118	11,280,335,020 IDR
40	Fees and taxes (US\$35 per capita)	\$288,405,872	3,951,160,449 IDR
41	OPEX + Debt service + Tax + Fees	\$1,503,874,713	20,003,083,574 IDR
42			
43			
44	Project costs — per person	\$943	12,914 IDR
45	Number of motor vehicles displaced	<b>5,593,368</b>	motor vehicles
46	Yearly cost of cars displaced — per person	\$6,051	82,900 IDR
47	Operating costs per passenger-km	\$0.01	
47	Full costs per passenger-km	\$0.03	
48	Breakeven revenue distance per day	55,493,333 km	
49	Number of tracks in one direction needed to satisfy peak demand	<b>0.57</b>	

## Impact of proposed network

1	<b>Reduction in GHG emissions (in metric tons of CO2-eq)</b>	5,523,451 MTCO2-eq
2	<b>Est. cost to maintain 3,942 km roadway</b>	\$201,022,329
3	<b>Reduced waste products per year</b>	896,337 metric tons
4	<b>Travel time saved per year</b>	438 hrs/person
5	<b>Cost savings per capita per year from reduced car ownership</b>	\$4,912
6	<b>Increase in household income from time saving and car costs</b>	257%
7	<b>Reported injuries avoided per year</b>	34,679
8	<b>Lives saved per year</b>	347
9	<b>Land freed from parking (31,788 acres)</b>	128,647,457 m <sup>2</sup>
10	<b>...and its commercial value</b>	\$5,145,898 per year
11	<b>Health care savings</b>	High

## Model Inputs

15	Ratio of road length to track length	4
16	Walking speed	4.9 km/h
17	Width of convenient swath along track	1.63 km
18	Fixed cost per km. Solar+storage not included.	\$2,790,000 38,223,000 IDR
19	Water crossing: additional cost per km	\$8,370,000
20	Triple-speed: additional cost per km	\$5,580,000
21	Rate factor for water crossings or high-speed links.	2.2
22	Average distance traveled per person per year (for trips under 1600 km)	10,000 km
23	Average distance per day per person	27 km
24	Mode share % of people convenient to Transit X	85% at 5 min walk.
25	Percentage of daily demand during peak hour	20%
26	Maximum capacity per track	42,487 pph
27	Average dwell time during peak hour	10 seconds
28	% of pods traveling on route with highest demand	18%
29	Average speed of pod	72 km/h 45 mph
30	Average # of trips for a daily customer	3 per day
31	Average passengers per pod during peak hours	3.9 passengers
32	Average passengers per pod	2.5 passengers
33	Average discount per passenger	27%
34	Maximum passengers per pod	5 passengers
35	Empty pods: Percentage non-revenue	25%
36	Ex-Factory cost per pod	\$5,000 68,500 IDR
37	Worldwide Median Income per Household (US\$)	10,000 137,000 IDR
38	Average number of residents per household	2.3 IDR
39	Base fare per km (per mile)	\$0.07 1.0 IDR \$0.12 1.6 IDR
40	O&M as % of project cost	5%
41	Percentage debt financed	70%
42	Length of loan/debt	10 years
43	Interest rate for debt	5%
44	kg CO2 emissions per liter of gasoline	2.37
45	Monetary value of 1 hour personal time (USD)	0.5 7 IDR
46	Eat. roadway maintenance per year per km	\$51,000 698,700 IDR
47	Area of one parking lot space	23 m <sup>2</sup>
48	Commercial income of land	\$0 per m <sup>2</sup> IDR
49	Distance from roadway that is convenient	0.49 km
50	Stops per km	2.0
51	Solar panel area per meter of track	2.0
52	Cost of sustainable energy and storage	\$0.15 per kWh
53	Global Horizontal Irradiance (GHI)	3.8 kWh/m <sup>2</sup> /day
54	Cost to generate sustainable energy	\$2,000 per kWh
55	Energy storage cost	\$800 per kWh
56	Energy storage capacity	1 days
57	Area of parked pod	2.20 m <sup>2</sup>
58	Distance discount at max distance	40%
59	Max distance discount	500 km
60	Max usage discount at 10,000 km per capita	50%
61	Shared Pod Discount	20%
62	Shared Pod Compartment Discount	40%

## Model Inputs (continued)


57	Name of region or project	Surabaya, Indonesia
58	Currency name	IDR
59	Equal to US\$1	13.7
60	Sustainable energy/electricity generation & storage as	CAPEX
61	Land area of region (sq. km)	2,787
62	Number of residents in region	8,319,229
63	% travel within region	90%
64	% of land area served by roads	70%
65	Coverage: % of pop. convenient (10 min walk) to Transit X	95%
66	Median household income (US\$)	2,000
67	Convenient walk time to stop (min)	10
68	Triple-speed route length (km)	0
69	Water crossing route length (km)	0.0
70	Visitors per year	0
71	Average length of visit (days)	2
72	Solar production ratio	1.57
73	Regional Fare Factor	1.0
74	EPC costs & contingency	30%
75	Triple-speed (km/h)	242

## Pod & Car

	Pod	Car
Service life (years)	20	12
Full cost of vehicle per year	\$200	\$9,000
Public cost to maintain infrastructure (per km)	\$0	\$100,000
Energy Efficiency in MPGe	1188	24
Energy Efficiency in liters/100km	0.20	9.8
Energy used (Watt-hours/km)	28	1375
mass of CO2 per vehicle per km (kg)	0	0.09875
Vehicle mass (kg)	45	1950
Average speed of urban travel (km/h)	72	16
Typical travel time (in minutes) for 8 km trip	7	31
Fare/cost per km	\$0.07	\$0.62
Number of deaths per 100M passenger-km	0.00001	1
Number of injuries per 100M passenger-km	0.0006	62
Volume to park (cubic meters)	5.7	70.9

# Footprint calculations for minimum fee

## Yearly fees and taxes



1	Footprint Calculations	Metric	Imperial
2	Track width	0.41 m	
3	Track height	0.61 m	
4	Pole diameter	0.3 m	
5	Pole cross section	0.07 m <sup>2</sup>	
6	Stop landing area	2 m <sup>2</sup>	
7	...width	2 m	
8	...length	1 m	
9	Ramp length	21 m	
10	Pole span	23 m	
11	Number of poles per unit length	43.5 poles per km	
12	Pole height	6 m	
13			
14	<b>Single track</b>	1126.7 m <sup>2</sup>	
15	...Area of Side Silhouette	688.3 m <sup>2</sup>	
16	...Area of Top Silhouette	423.1 m <sup>2</sup>	
17	...Impediment Area (adjusted)	15.4 m <sup>2</sup>	
18			
19	<b>Dual track</b>	1536.7 m <sup>2</sup>	
20	...Area of Side Silhouette	688.3 m <sup>2</sup>	
21	...Area of Top Silhouette	833.1 m <sup>2</sup>	
22	...Impediment Area (adjusted)	15.4 m <sup>2</sup>	
23			
24	<b>Stop</b>	57.8 m <sup>2</sup>	
25	...Area of Side Silhouette	25.6 m <sup>2</sup>	
26	...Area of Top Silhouette	22.2 m <sup>2</sup>	
27	...Impediment Area (adjusted)	10.0 m <sup>2</sup>	
28			
29	Stops	2 stops per km	
30	% of dual track	100%	
31			
32	<b>Average area per unit length</b>	1,652 m <sup>2</sup> per route-km	
33			
34	<b>Contract values</b>		
35	% gross revenue for muni tax/fee	1%	
36	% gross revenue for air rights (RoW)	4%	
37	% gross revenue for RoW+tax+fee	5%	
38	Impediment Factor	5	





# Fair Fares

The average commute would be 13.3 times faster saving each commuter 195 hours per year.

At 0.61 IDR per km, a typical commute on Transit X is 56% less than public transit and 8.2 times less than a Taxi.

All prices in IDR	Trip Length		
	2 km	10 km	40 km
<b>Transit X</b>	<b>1.22</b> to 2.03 2 min., 3.2x faster	<b>6.02</b> to 10.09 8 min., 3.2x faster	<b>23.11</b> to 39.39 33 min., 2.8x faster
<b>Current Modes</b>	<b>4.65</b> 3.05 to 15.66	<b>15.64</b> 3.05 to 82.39	<b>41.22</b> 17.70 to 332.62
<b>Taxi</b>	<b>15.66</b> 2 to 8 minutes	<b>82.39</b> 8 to 40 minutes	<b>332.62</b> 30 to 160 minutes
<b>Uber/Lyft/TNC</b>	<b>12.71</b> 2 to 8 minutes	<b>65.61</b> 8 to 40 minutes	<b>263.96</b> 30 to 160 minutes
<b>Public Bus</b>	<b>3.05</b> 3 to 10 minutes	<b>3.05</b> 17 to 50 minutes	<b>17.70</b> 69 to 200 minutes
<b>Train</b>	<b>3.05</b> 3 to 4 minutes	<b>11.84</b> 15 to 20 minutes	<b>44.80</b> 60 to 80 minutes

Base fares are set for first 5 years, then adjusted by formula. A 20% discount on a shared pod and a 40% discount on a shared compartment. Trips are discounted proportional to their length reaching a maximum of a 40% discount on a 500 km trip. No congestion-based pricing. Fares are proportional to the median income of the area and inversely proportional to per capita use, so the more use of Transit X, the lower the base fare up a to 50% discount. The amount of market-rate fares must be equal or less than the amount of discounted fares. Transit X Fair Fare is a universal passenger fare formula that applies to all regions and all times.

Travel mode	Avg. Speed km/h	Low Speed km/h	High speed km/h	Base	Includes km	Over per-km	Min Dist km	Max Dist. km	Time cost per min	Mode share per distance		
										15% 2	70% 10	15% 40
Taxi	25	15	80	7.32	1	7.32	0.5	100	2.44	5%	4%	1%
Uber/Lyft/TNC	25	15	80	6.10	1	6.10	0.5	100	1.22	10%	10%	2%
Public Bus	17	12	35	3.05	20	0.73	0.5	50	0	50%	50%	40%
Train	40	30	40	3.05	2	1.10	2	100	0	35%	36%	57%
Transit X	72	72	72	0	0	0.61	0.1	50	0	-	-	-

	Formula Name	Value	Units	Description of the value or model input
1	GlobalIncome	137,000	IDR	Global median household income. Updated annually based on most recent standard published data.
2	AllTravel	23,000	km	Travel distance per household per year on any mode for trips under 1600 km. A global constant
3	PercentIncomeForTransport	20%		% of median household income for all transportation under 1600 km trips. A global constant.
4	GlobalRate	1.19	IDR/km	Global rate: <b>GlobalIncome * PercentIncomeForTransport / AllTravel</b>
5	MedianIncomeOrigin	27,400	IDR	Median household income at origin. External input. Based on reliable public data source updated annually.
6	MedianIncomeDest	27,400	IDR	Median household income at destination. External input. Based on reliable public data updated annually.
7	RegionalRate	0.24	IDR/km	Regional rate based on median income: <b>MedianIncomeOrigin * PercentIncomeForTransport / AllTravel</b>
8	UnderIncomeRate	0.95	IDR/km	Under global income adjustment: <b>if (RegionalRate &lt; GlobalRate, GlobalRate - RegionalRate, 0)</b>
9	NominalRate	1.19	IDR/km	Nominal rate: <b>RegionalRate + UnderIncomeRate</b>
10	RegionalFactor	1.00		Regional Fare Factor. Negotiated upfront to make network financially viable.
11	AdjustedRate	1.19	IDR/km	Regional adjusted rate: <b>NominalRate * RegionalFactor</b>
13	Population	8,319,229		Population in region. Updated annually based on trusted public data source.
12	UsageMaxDiscount	50%		Fare Discount when Transit X travel per household equals AllTravel. Global constant.
14	PassengerTravel	55,933,676,883	km	Total passenger distance traveled previous calendar year. Based on expected mode share for first 3 years. Based on actual passenger trips. Audited.
15	ModeShare	29%		Percent of Total Travel Per Capita on Transit X: <b>PassengerTravel / (Population x AllTravel)</b>
16	BaseRate	<b>1.02</b>	IDR/km	<b>Base rate for single-passenger pod (without discounts)</b> <b>(1 - UsageMaxDiscount x min(1, ModeShare)) x AdjustedRate</b>
17	SpecialRateFactor	2.20		Rate factor for water crossings or high-speed links. Global constant.
18	SpecialBaseRate	2.24	IDR/km	Base rate for high-speed travel or water crossings: <b>BaseRate * SpecialRateFactor</b>
19	DistanceDiscount	40%		Distance discount at max distance. Global constant.
20	MaxDistanceDiscount	500	km	Max distance discount. Global constant.
21	DistanceDiscountPerKm	0.000814	IDR/km	Discount amount per km: <b>BaseRate x DistanceDiscount / MaxDistanceDiscount</b>
22	SeniorDiscount	20%		Senior discount set according to local regulations
23	StudentDiscount	20%		Student discount set according to local regulations
	DisabilityDiscount	20%		Disability discount set according to local regulations
24	DiscountBaseRate	<b>0.81</b>	IDR/km	<b>Discounted base rate: BaseRate x (1 - SeniorDiscount)</b>
25	SharedPodDiscount	20%		Discount for a shared pod. Set by Transit X per year. 15% minimum and 30% maximum. Maximum yearly change is one percentage point.
26	SharedPodRate	<b>0.81</b>	IDR/km	<b>Rate for a shared pod: BaseRate x (1 - SharedPodDiscount)</b>
27	SharedCompartmentDiscount	40%		Discount for shared compartment. Set by Transit X per year. 25% minimum and 40% maximum. Maximum yearly change is one percentage point.
28	SharedCompartmentRate	<b>0.61</b>	IDR/km	<b>Rate for shared compartment</b> <b>BaseRate x (1 - SharedCompartmentDiscount)</b>
29		0.69	IDR/km	Rate for 500 km in single-passenger pod.
30	Senior + SharedCompartmentRate	<b>0.29</b>	IDR/km	<b>Rate for a Senior taking a 500 km trip in a shared compartment.</b> <b>BaseRate x (1 - SeniorDiscountAmount) x (1 - SharedCompartmentDiscount) x (1 - MaxDistanceDiscount)</b>
31	DistanceBase	41,390,920,893	km	Passenger distance under base fare. Audited value from operational data.
32	PercentBase	74%		Percent of passenger distance under base fare: <b>DistanceBase / PassengerTravel</b>
33	BaseRevenue	30,668,774,504	IDR	Annual revenue from all travel under base rate. Audited value from operational data.
34	AverageDiscount	27%		Average fare discount from Base Rate: <b>1 - (BaseRevenue / (DistanceBase x BaseRate))</b>
35	MarketFactor	1.0		Market rate factor. Negotiated value for setting ratio of AverageDiscount
36	MarketRateCap	27%		Cap on passenger travel distance at market rate: <b>AverageDiscount x MarketFactor</b>
37	MarketTravelCap	11,240,188,170	km	Cap on passenger travel distance at market rate: <b>DistanceBase x MarketRateCap</b>

**4% of gross revenue proportioned to air rights owners and a municipal fee/tax of 1% of gross revenue.** Both air rights and fee/tax have a minimum payment based on the Footprint and the Transit X Commercial Rate (TXCR).

## 1 Municipal rates

2	Total commercial land (estimated)	195,090,000 m <sup>2</sup>	
3	Total commercial muni revenue (US\$)	\$7,803,600	106,909,320 IDR
4	<b>TXCR (Transit X Commercial Rate)</b>	\$0.04 per m <sup>2</sup>	0.5 IDR

*TXCR is the yearly tax rate per land area.  
Calculation: total land area of commercial properties in the municipality, divided by all the municipal income generated by those properties.  
The TXCR is used to calculate the minimum tax/fee.*

## 6 Project Revenue

7	Length of Transit X route	1,135 km	
8	Estimated gross revenue per unit length	\$5,083,353 per km	69,641,942 IDR

9

## 10 Government Tax % of gross revenue with minimum.

11	<b>1% gross revenue</b>	\$50,834 per route-km	696,419 IDR
12	<b>Minimum per year</b>	\$66 per route-km	

## 13 Air Rights Leasing Fee % of gross revenue with minimum. Proportioned based on length.

14	% of route on municipal land	90%	
15	<b>4% gross revenue</b>	\$203,334 per route-km	2,785,678 IDR
16	<b>Minimum per year</b>	\$66 per route-km	

## 17 Taxes, Fees

18	<b>Paid to Municipality</b>	<b>\$265,333,402</b> per year	3,635,067,613 IDR
19	...with minimum	\$142,501	
20	<b>Paid to Private land owners</b>	<b>\$23,072,470</b> if 10% of RoW is over private property	
21	...with minimum	\$7,500	

# Project Summary

<b>Project Description</b>	Solar-powered automated transportation network infrastructure
<b>Project type</b>	Privately-funded Green Infrastructure
<b>Project cost</b>	\$7.84 billion
<b>Structure</b>	Equity and Debt
<b>Debt term</b>	10 years @ 5%
<b>Equity terms</b>	A waterfall profit distribution with: <ol style="list-style-type: none"> <li>1. 90/10 split until Return of Capital,</li> <li>2. then 50/50 until Target IRR met</li> <li>3. then 10/90 onwards</li> </ol>
<b>Benefits to society and environment</b>	Extremely high



## Financials

(US\$ in millions)

	<b>Year 1</b>	<b>Total Years 1-12</b>
<b>Gross Revenues</b>	<b>1,923</b>	<b>46,816</b>
<b>Taxes and fees</b>	<b>96</b>	<b>2,341</b>
<b>Debt service</b>	<b>\$711</b>	<b>\$7109</b>

## ESG (Environmental, Social, Governance) Benefits

<b>Clean energy</b>	yes	<b>Resiliency</b>	yes
<b>Energy security</b>	yes	<b>Sustainable</b>	yes
<b>Emissions-free</b>	yes	<b>Equitable</b>	yes
<b>GHG-free</b>	yes	<b>Recyclable mat.</b>	yes
<b>Lowers pollution</b>	yes	<b>Affordable housing</b>	yes
<b>Clean water</b>	yes	<b>Improved Health</b>	yes
<b>Improved Safety</b>	yes	<b>Economic Devel.</b>	yes
<b>Fixe Infrastructure</b>	yes	<b>Food security</b>	yes





Transit X, LLC presents a preliminary proposal for a privately-funded fleet of fully-autonomous shared electric vehicle network for

### Surabaya, Indonesia

**High capacity • High speed • Nonstop • 24/7  
Solar powered • Wait-free • Door-to-door • Resilient**

26-page companion Transit X Handbook is available at [transitx.com/transitxhandbook.pdf](http://transitx.com/transitxhandbook.pdf)



**1,135 km network with 135,255 pods**

**95% of population within a 10 min. walk**

**Nonstop 72 km/h service to 2,290 stops**

### About Transit X

Transit X designs, builds, and operates solar-electric shared mobility infrastructure to supplant buses, trains, cars, and trucks. Transit X offers its service to municipalities and commercial developers. First pilots will begin operations by 2019. Transit X is a privately held company founded in 2015, based in Boston, Mass, and intends to be certified as a public benefit company.

## Status

	<b>Now</b>	<b>Prior to close</b>
<b>Project financing</b>	Letter of Interest	Yes
<b>Demonstration system</b>	In development	Yes
<b>Rider-Revenue study</b>	Proposals	Yes
<b>Environmental study</b>		Yes
<b>Air rights</b>	Resolution	Ordinance
<b>Permits</b>	Known process	Yes
<b>Safety certification</b>	Guar. fixed price	Yes
<b>Installation</b>	Letter of intent	Guar. fixed price
<b>Operations &amp; Maint</b>	Letter of intent	Guar. fixed price
<b>Project Management</b>	Appointed	Yes
<b>EPC</b>	Appointed	Yes

General information available at [transitx.com](http://transitx.com). Detailed information and references can be provided under appropriate non-disclosure/non-compete/non-circumvent agreements. Contact: Mike Stanley, CEO, Transit X, [mike@transitx.com](mailto:mike@transitx.com), 508-596-7024



# 12-year Pro Forma

## Model Inputs and Assumptions

Route length (km)	1,135
Starting number of pods	45,085
Projected revenue growth	15%
Project Cost	\$7,841,734,460
% Debt financed	70%
Debt	\$5,489,214,122
Equity	\$2,352,520,338
Capital return per year	\$470,504,068
Debt payment (per year)	\$710,878,342

Travel per year per pod (km)	168,192
Revenue per vehicle-km (US\$)	0.25
OPEX as % of project cost	5%
Debt Interest rate	5%
Debt term (yrs)	10
Years to return equity capital	5
Profit share when below capital return	90%
Profit share when below Target IRR	50%
Profit share when above Target IRR	10%

## Pro Forma

Years	0	1	2	3	4	5	6	7	8	9	10	11	12
Revenue	0	1,922,705,814	2,211,111,687	2,542,778,440	2,924,195,205	3,362,824,486	3,867,248,159	4,447,335,383	5,114,435,691	5,881,601,044	6,763,841,201	7,778,417,381	8,945,179,988
5% RoW+tax+fee	0%	96,135,291	110,555,584	127,138,922	146,209,760	168,141,224	193,362,408	222,366,769	255,721,785	294,080,052	338,192,060	388,920,869	447,258,999
Debt service	0	\$710,878,342	\$710,878,342	\$710,878,342	\$710,878,342	\$710,878,342	\$710,878,342	\$710,878,342	\$710,878,342	\$710,878,342	\$710,878,342	0	0
Investor balance		-\$1,754,448,336	-\$1,131,960,500	-\$483,069,485	\$196,185,186	\$910,358,062	\$1,664,686,873	\$2,088,791,756	\$2,566,002,863	\$3,104,286,129	\$3,712,802,376	\$4,473,174,387	\$5,326,429,517

## Important Notices

The information contained in this document is not an offer to sell or a solicitation to buy any security. These materials and documents and information from which they are derived or which are referred to by or accessible from them may contain forward looking statements within the meaning of Section 27A of the Securities Act of 1933, Section 2E of the Securities Exchange Act of 1934 and the Private Securities Litigation Reform Act of 1995. All statements other than statements of historical fact are forward looking statements and are subject to risks and uncertainties. Forward looking statements generally can be identified by the use of forward looking terminology such as "may," "will," "expect," "intend," "estimate," "project," "anticipate," "believe" or "plan" or the negative thereof or variations thereon or similar terminology. Although Transit X believes that the expectations reflected in such forward looking statements are reasonable, it can give no assurance that such expectations will prove to be correct. All forward looking statements speak only as of the date made. Except as required by law, Transit X undertakes no obligation to update any forward looking statement to reflect events or circumstances after the date on which it is made or to reflect the occurrence of anticipated or unanticipated events or circumstances. These materials and documents and information from which they are derived or which are referred to by or accessible from them represent Transit X's best estimate as to the allocation of the funding proceeds based upon its present business plan and financial condition. The costs and expenses to be incurred in pursuing the Company's business plan cannot be predicted with certainty. There can be no assurance that unforeseen events will not occur or that the Company's business plan will be achieved or that it will not be changed, and it is possible that the funding proceeds may be applied in a manner other than that described herein.