



Transit X presents a preliminary proposal for privately-financed, solar-powered micro-rail network — a fleet of automated electric vehicles (pods) for passengers and freight on a local and regional podway providing public transportation for

# **Toronto, Ontario, Canada**

This proposal is downloadable at <a href="mailto:transit.com/proposals/Transit.com/propo

High capacity · High speed · Nonstop · 24/7 Solar powered · Zero Wait · Door-to-door · Resilient

A 24-page companion Transit X Handbook is available at transitx.com/transitxhandbook.pdf



# **Proposal Overview**



Transit X proposes to build and operate a green, privately-financed micro-rail podway to carry passengers and freight for Toronto that makes the Transit X service convenient to 95% of the population.

Transit X efficiently services both suburbs and cities and provides for a higher quality of life. See transitx.com for more details. This 3-minute video (transitx.com/video) describes our innovative solution.

#### **Major benefits**

- · Reduce congestion
- · Provide parking relief
- Reduce pollution
- Improve safety

The Transit X Handbook (<u>transitx.com/</u> <u>transitxhandbook.pdf</u>) answers many questions about our service, the company, our technology, and the way we address:



congestion, parking, road safety, pedestrian safety, ADA compliance, sustainability, fares, solar+storage, construction, aesthetics, operations, economic development, quality of service, security, station footprint, equitability, carbon footprint, transit integration, resiliency, reliability, rights-of-way, and open space.

## Congestion, parking, pollution, and safety

Most regions suffer from traffic congestion, limited parking, air pollution, and unsafe roads. Potential solutions are costly, but Transit X can solve these challenges without public funding. Transit X can integrate into the built environment, providing both short term relief and a long term solution.

### No public funding

Transit X does not require government funding because our revenue from fares, freight, and advertising is greater than our costs. We have reduced or eliminated many costs of transportation including the cost of materials, land, construction, fuel, debt service, and labor. Our projects are financed by investment banks and private equity firms.

### Proven technology

Our team and partners have built fully automated systems that are now in operation around the world. Transit X may look unique, but the underlying design is very similar to systems that have been operating for 40 years with an exemplary safety record. The rollout and maiden flight occurred on Oct 29, 2018 in Leominster, Massachusetts. The first Transit X system will be operating by the end of 2019. We partner with local civil engineering and construction firms for the installation.

## **Service Quality**

Transit X provides on-demand, last-mile service that is superior to cars or buses. An operating agreement will guarantee high levels of availability and reliability. Our use of small vehicles (pods) makes this possible. By reducing car use, Transit X creates walkable and bike-friendly neighborhoods.

## Less pollution: Air, Sound, Light, Visual, Water

Transit X offers a much higher quality of life by eliminating many forms of pollution. Pods are quiet and have no emissions. Pods offer less visual impact than the existing roads and vehicles, and utility lines can be hidden within the track. At night, there is no light pollution from headlights or taillights. Water pollution from road runoff is significantly reduced.

#### Sustainable

Transit X runs on 100% sustainable energy. The energy generated from solar panels on the track and stored within the poles is sufficient in most cases, but sustainable power contracts may used to buy and sell power to the grid. Transit X makes it possible to reduce the amount of impervious surfaces and increase green space by reducing the need for parking and roads. By replacing cars, Transit X has a negative carbon footprint.

#### **More Transit & Fewer Cars**

Transit X provides the convenience and privacy that people value in cars, yet without the negative impacts of personal cars. Transit X combines the best of mass transit and personal transportation modes which will lead to higher use of mass transit and less use of personal vehicles.

## **De-risking Projects**

Transit X is working with large, established firms to provide fixed-price contracts for the engineering, certification, construction, and operations of a Transit X system. Theses partnerships enable Transit X to de-risk all of the major elements of the project, and provide performance guarantees.

We would work with regional urban planning and construction firms who are familiar with permitting and applicable codes.

### **Jobs and Workforce Development**

Many jobs will be created to build a new transportation infrastructure, as well many new types of job will be created as transportation becomes more efficient. Transit X intends to build manufacturing and assembly plants around the world and locate them where Transit X is first deployed in a region. The vast majority of the construction jobs will be locally sourced. Preferential hiring would be given to those workers displaced by the transition to automated podways.

### **Revenue Generator**

Not only does Transit X not require public financing, but the government and private easement owners receive 4-5% of gross revenue, which would be US\$417 million per year average over the first 10 years. For specifics, please see the "Taxes and

Fees" section of this proposal. These fees and taxes paid by Transit X enables lower taxes or more spending on public services.

## **Short and Long Term Solution**

A project could be operational within 24 months from the start of a project. Transit X offers a rapidly-deployable solution that provides long term benefits. We would form a local company to build, operate, and maintain the network. At least 75% of the profits would be invested back into the region.

## **Moving Forward**

The diagram shows our general process for working with a government or commercial entity. We would refine a proposal that meets your needs, then ask for a letter stating you will create a legal framework for Transit X to build and operate a podway in your region. Example documents and a sample project schedule can be viewed at:

**Process Legal Framework** Proposal(s) Fixed infrastructure **Project Financing** Manufacturing Tracks and Poles MoU/LoI to create a Ridership-Revenue Legal Study & Financial Mod **Pods** framework Procurement, Manufacturing Environmental & Commissioning to build and operate Certification **Podwavs** Engineering Operational Expansion

transitx.com/process

#### **Evaluation**

Please review our preliminary proposal, and then ask us any questions. We would be happy to provide further information, address specific concerns, or meet with specific people or groups. Any routes or coverage areas shown on the map are only preliminary suggestions and actual routes would be determined based on needs, rights-of-ways, utility corridors, location of trees, and many other factors.

We expect this proposal to be reviewed by one or more committees or working groups. Familiar transportation options, such as buses, light rail, subways, and ridesharing services (including autonomous vehicles) may have already been considered. Very few options offer the convenience of cars with at least the capacity of buses, and most, if not all, require public funding and subsidies.

Private cars have a dominant mode share because people like the privacy and convenience of a car — despite the significant risks and negative impact associated with them. People won't give up their cars unless the alternative is both better and cheaper. That is what Transit X can provide.

We hope you agree that this proposal offers a way to address your challenges in both the short and long term, providing an option that is better and lower risk than any alternative — including continuing with the status quo.

Whatever process you use to evaluate this proposal, Transit X is open to working with you on refining this proposal to meet your needs. We hope you will conclude

that moving forward with Transit X is an excellent opportunity to meet your current and future challenges.

Once we agree to move forward, we need a memorandum of understanding (example at <a href="mailto:transitx.com/process/mou.html">transitx.com/process/mou.html</a>) stating that you intend to pass an ordinance that enables our use of air rights along with an operating agreement.

The buildout of the network would be rolled out in phases, where a first phase could be a 15 to 30 km pilot.

#### **Other Resources**

The links below provide general information about Transit X:

- 2 minute video overview (<u>transitx.com/video</u>)
- Transit X Handbook (transitx.com/transitxhandbook.pdf)
- Letters of Project Financing, Due Diligence, Contracts (transitx.com/letters.pdf)
- Memorandum of Understanding template (<u>transitx.com/process/mou.html</u>)
- Example Resolution (<u>transitx.com/process/resolution.html</u>)
- Operating Agreement (transitx.com/process/operating\_agreement.html)
- General Q & A (<u>transitx.com/QandA.html</u>)
- Other proposals (transitx.com/proposals)

#### **Addendum**

The remaining pages of this proposal provide project-specific details:

- Project Overview and Impact pages 6 and 7
- Taxes and Fees pages 8 and 9
- Fares page 10 and 11
- Financial Project Summary with Pro Forma pages 12 and 13

We look forward to working with you to improve the quality of life for Toronto through better transportation.

Sincerely,



Email: hello@transitx.com

Telephone: +1 508-596-7024 (WhatsApp connected)

Zoom e-room: https://zoom.us/j/8229009123

Website: transitx.com

Twitter: http://twitter.com/TransitXCorp

Mail: 1127 Commonwealth Ave #30, Boston, MA 02134 USA







	androx.			
1	Transit X network length	1,099	km	
2	People (resident-equivalent) in region	2,731,571	resident-equivalent p	oopulation
3	Route density ratio (route length to service area)	1.94		
4	Number of stops	7,400		
5	Triple-speed route length	0	km	
6	Water crossing route length	0	km	
7	Cost of fixed infrastructure	\$3,987,109,286		
8	per person	\$1,460		
9	Mode share of travel on Transit X (27% after first year)	83%	after 10 years	
10	Distance traveled by passengers on Transit X, per year	18,174,372,163	km	
11	per day	49,792,800	km	
12	Daily potential energy generation with standard panels on tracks	8,443	MWh	
13	Sustainable energy use per day	314	MWh	4% of max capacity
14	Energy storage capital cost for 1 day(s) of supply at \$100 per kWh	\$31,390,260		
15	Size (rated power) of solar installation	72,977	KW	
16	Cost to generate sustainable energy (at \$1,000 per kW)	\$72,977,357		
17	Cost of buying sustainable energy at \$0.15 per kWh	\$47,085	per day	7% of OPEX
18	Daily passengers riding Transit X	2,271,797		83% of the pop.
19	Distance per passenger per day		km	
20	Average distance per trip (assuming 3 trips per day)	7	km	
21	Single passenger fare for shared 7 km trip	\$1.63	2.12	CAD
22	Passenger distance traveled during peak hour	9,958,560		0,15
23	Breakeven			19% of expected and 17% to Transit X)
24	Boarding capacity		passengers per hour	
25	Number of pade for pools demond	70 574		
20	Number of boos for beak demand	/3.5/1	node at 83% m	ode share
	Number of pods for peak demand Number of customers per pod		pods at 83% me	
26	Number of customers per pod	30.9	and 37 people per	
26 27	Number of customers per pod Distance per pod per year	30.9 168,192	and 37 people per km	pod
26 27 28	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side-parking)	30.9 168,192 80,928	and 37 people per km m <sup>2</sup>	pod 0.2% of car parking
26 27	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side-parking) Cost of pods	30.9 168,192 80,928 \$478,211,500	and 37 people per km m <sup>2</sup> is \$135 per persor	pod 0.2% of car parking
26 27 28 29 30	Number of customers per pod  Distance per pod per year  Two-layer pod garage area (8% of route with side–parking)  Cost of pods  Capital cost of energy generation and storage	30.9 168,192 80,928 \$478,211,500	and 37 people per km m <sup>2</sup>	pod 0.2% of car parking
26 27 28 29 30	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances	30.9 168,192 80,928 \$478,211,500 \$135,677,902	and 37 people per km m² is \$135 per persor is \$50 per person	pod 0.2% of car parking
26 27 28 29 30 31 <b>P</b> I	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed)	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688	and 37 people per km m <sup>2</sup> is \$135 per person is \$50 per person 5,981,298,294	pod 0.2% of car parking
26 27 28 29 30 31 <b>P</b> I 32 33	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444	and 37 people per km m <sup>2</sup> is \$135 per person is \$50 per person 5,981,298,294 per km	pod 0.2% of car parking
26 27 28 29 30 31 <b>P</b> I 32 33 34	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost Equity	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444 \$1,380,299,606	and 37 people per km m <sup>2</sup> is \$135 per persor is \$50 per person 5,981,298,294 per km 1,794,389,488	o.2% of car parking  CAD
26 27 28 29 30 31 <b>Pi</b> 32 33 34 35	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444	and 37 people per km m <sup>2</sup> is \$135 per persor is \$50 per person 5,981,298,294 per km 1,794,389,488	o.2% of car parking  CAD
26 27 28 29 30 31 <b>P</b> I 32 33 34	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost Equity	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444 \$1,380,299,606	and 37 people per km m <sup>2</sup> is \$135 per persor is \$50 per person 5,981,298,294 per km 1,794,389,488	o.2% of car parking  CAD
26 27 28 29 30 31 <b>Pi</b> 32 33 34 35 36	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost Equity	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444 \$1,380,299,606	and 37 people per km m <sup>2</sup> is \$135 per persor is \$50 per person 5,981,298,294 per km 1,794,389,488	o.2% of car parking  CAD
26 27 28 29 30 31 <b>Pi</b> 32 33 34 35 36 37	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost Equity Private debt financing  Debt service (per year)	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444 \$1,380,299,606 \$3,220,699,082	and 37 people per km m <sup>2</sup> is \$135 per person is \$50 per person 5,981,298,294 per km 1,794,389,488 4,186,908,806	o.2% of car parking  CAD  CAD  CAD  CAD
26 27 28 29 30 31 <b>P!</b> 33 33 34 35 36 37 38 39 40	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost Equity Private debt financing	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444 \$1,380,299,606 \$3,220,699,082	and 37 people per km m <sup>2</sup> is \$135 per person is \$50 per person 5,981,298,294 per km 1,794,389,488 4,186,908,806	o.2% of car parking  CAD  CAD  CAD  CAD
26 27 28 29 30 31 <b>Pi</b> 32 33 34 35 36 37 38 39 40 41	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost Equity Private debt financing  Debt service (per year)	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444 \$1,380,299,606 \$3,220,699,082	and 37 people per km m <sup>2</sup> is \$135 per person is \$50 per person 5,981,298,294 per km 1,794,389,488 4,186,908,806	o.2% of car parking  CAD  CAD  CAD  CAD
26 27 28 29 30 31 <b>Pi</b> 32 33 34 35 36 37 38 39 40 41 42	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost Equity Private debt financing  Debt service (per year)	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444 \$1,380,299,606 \$3,220,699,082	and 37 people per km m <sup>2</sup> is \$135 per person is \$50 per person 5,981,298,294 per km 1,794,389,488 4,186,908,806	o.2% of car parking  CAD  CAD  CAD  CAD
26 27 28 29 30 31 <b>Pi</b> 32 33 34 35 36 37 38 39 40 41 42 43	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost Equity Private debt financing  Debt service (per year)  Yearly fees and taxes (US\$191 per capita)	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444 \$1,380,299,606 \$3,220,699,082 \$547,518,844 \$522,550,191	and 37 people per km m <sup>2</sup> is \$135 per person is \$50 per person 5,981,298,294 per km 1,794,389,488 4,186,908,806 711,774,497 679,315,248	CAD CAD CAD CAD CAD CAD CAD
26 27 28 29 30 31 <b>P1</b> 32 33 34 35 36 37 38 39 40 41 42 43 44	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost Equity Private debt financing  Debt service (per year) Yearly fees and taxes (US\$191 per capita)  OPEX + Debt service + Tax + Fees  Project costs — per person	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444 \$1,380,299,606 \$3,220,699,082 \$547,518,844 \$522,550,191	and 37 people per km m <sup>2</sup> is \$135 per person is \$50 per person 5,981,298,294 per km 1,794,389,488 4,186,908,806 711,774,497 679,315,248	CAD CAD CAD CAD CAD CAD CAD
26 27 28 29 30 31 <b>P1</b> 32 33 34 35 36 37 38 39 40 41 42 43 44 45	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost Equity Private debt financing  Debt service (per year) Yearly fees and taxes (US\$191 per capita)  OPEX + Debt service + Tax + Fees  Project costs — per person Number of motor vehicles displaced	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444 \$1,380,299,606 \$3,220,699,082 \$547,518,844 \$522,550,191 \$1,684 1,817,437	and 37 people per km m² is \$135 per person is \$50 per person 5,981,298,294 per km 1,794,389,488 4,186,908,806 711,774,497 679,315,248 2,190 motor vehicles	CAD CAD CAD CAD CAD CAD CAD CAD CAD
26 27 28 29 30 31 <b>P1</b> 32 33 34 35 36 37 38 39 40 41 42 43 44	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side—parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost Equity Private debt financing  Debt service (per year) Yearly fees and taxes (US\$191 per capita)  OPEX + Debt service + Tax + Fees  Project costs — per person Number of motor vehicles displaced Yearly cost of cars displaced — per person	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444 \$1,380,299,606 \$3,220,699,082 \$547,518,844 \$522,550,191 \$1,684 1,817,437 \$5,988	and 37 people per km m <sup>2</sup> is \$135 per person is \$50 per person 5,981,298,294 per km 1,794,389,488 4,186,908,806 711,774,497 679,315,248	CAD
26 27 28 29 30 31 <b>Pi</b> 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side_parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost Equity Private debt financing  Debt service (per year) Yearly fees and taxes (US\$191 per capita)  Project costs — per person Number of motor vehicles displaced Yearly cost of cars displaced — per person Operating costs per passenger-km	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444 \$1,380,299,606 \$3,220,699,082 \$547,518,844 \$522,550,191 \$1,684 1,817,437 \$5,988 \$0.01	and 37 people per km m² is \$135 per person is \$50 per person 5,981,298,294 per km 1,794,389,488 4,186,908,806 711,774,497 679,315,248 1000 motor vehicles 7,785	CAD
26 27 28 29 30 31 <b>P1</b> 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side–parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost Equity Private debt financing  Debt service (per year) Yearly fees and taxes (US\$191 per capita)  OPEXA Debt costs — per person Number of motor vehicles displaced Yearly cost of cars displaced — per person Operating costs per passenger-km Full costs per passenger-km	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444 \$1,380,299,606 \$3,220,699,082 \$547,518,844 \$522,550,191 \$1,684 1,817,437 \$5,988 \$0.01 \$0.07	and 37 people per km m² is \$135 per person is \$50 per person 5,981,298,294 per km 1,794,389,488 4,186,908,806 711,774,497 679,315,248 2,190 motor vehicles 7,785	CAD CAD CAD CAD CAD CAD CAD CAD CAD
26 27 28 29 30 31 <b>Pi</b> 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46	Number of customers per pod Distance per pod per year Two-layer pod garage area (8% of route with side_parking) Cost of pods Capital cost of energy generation and storage  roject Finances  Total Project Cost (privately financed) Project cost Equity Private debt financing  Debt service (per year) Yearly fees and taxes (US\$191 per capita)  Project costs — per person Number of motor vehicles displaced Yearly cost of cars displaced — per person Operating costs per passenger-km	30.9 168,192 80,928 \$478,211,500 \$135,677,902 \$4,600,998,688 \$4,185,444 \$1,380,299,606 \$3,220,699,082 \$547,518,844 \$522,550,191 \$1,684 1,817,437 \$5,988 \$0.01	and 37 people per km m² is \$135 per person is \$50 per person 5,981,298,294 per km 1,794,389,488 4,186,908,806 711,774,497 679,315,248 2,190 motor vehicles 7,785 km	CAD CAD CAD CAD CAD CAD CAD CAD CAD



# Impact of proposed network

1	Reduction in GHG emissions (metric tons CO2-eq)	1,794,719 MTCO2-eq annually
2	Estimated cost to maintain public roadways	\$194,747,143 annually
3	Reduced waste products	291,244 metric tons annually
4	Travel time saved (non-stop travel and congestion)	389 hrs/person annually
5	Cost savings from reduced car ownership	\$1,985 per person annually
6	Increase in household income (from time savings and car costs)	14%
7	Reported injuries avoided	11,268 annually
8	Lives saved (from safety)	113 annually
9	Land freed from parking (10,329 acres)	41,801,056 m <sup>2</sup>
12	Temperature reduction (from heat island effect & GHG reductions)	0.5 to 2 °C
11	Health care savings (from pollution, injuries)	High

## **Model Inputs**

	Model Inputs							
15	Ratio of road length to track length	4						
16	Walking speed	4.9	km/h					
17	Width of convenient swath along track	0.49	km					
18	Fixed cost per km (track & posts)	\$2,790,000	3,627,000	CAD				
19	Water crossing: additional cost per km	\$8,370,000						
20	Triple-speed: additional cost per km	\$5,580,000						
21	Rate factor for water crossings or high-speed links.	2.2						
22	Average distance traveled per person per year (for trips under 1600 km)	10,000	km					
23	Average distance per day per person	27	km					
24	Mode share % of people convenient to Transit X	85%	at 5 min walk.					
25	Percentage of daily demand during peak hour	20%						
26	Maximum capacity per track	25,380	pph					
27	Average dwell time during peak hour		seconds					
28	% of pods traveling on route with highest demand	18%						
29	Average speed of pod	72	km/h	45 mph				
30	Average # of trips for a daily customer	3	per day	·				
31	Average passengers per pod during peak hours		passengers					
32	Average passengers per pod		passengers					
	Average discount per passenger	19%						
33	Maximum passengers per pod	5	passengers					
34	Empty pods: Percentage non-revenue	25%	J					
35	Ex-Factory cost per pod	\$5,000	6,500	CAD				
36	Worldwide Median Income per Household (US\$)	10,000	13,000	CAD				
37	Average number of residents per household	2.3	,	CAD				
38	Base fare per km	\$0.37	0.5	CAD				
39	(per mile)	\$0.60	0.8	CAD				
40	O&M as % of project cost	5%						
41	Percentage debt financed	70%						
42	Length of loan/debt	10	years					
43	Interest rate for debt	7%	•					
44	kg CO2 emissions per liter of gasoline	2.37						
45	Monetary value of 1 hour personal time (USD)	\$12.50	16	CAD				
46	Eat. roadway maintenance per year per km	\$51,000	66,300	CAD				
47	Area of one parking lot space	23	m²					
48	Commercial income of land (annual)	\$1.00	per m <sup>2</sup>	CAD				
49	Distance from roadway that is convenient	0.15	km					
50	Stops per km	6.7						
51	Boarding capacity per stop	360	pph					
52	Solar panel area per meter of track	2.0						
53	Cost of sustainable energy and storage	\$0.15	per kWh					
54	Global Horizontal Irradiance (GHI)	3.8	kWh/m2/day					
55	Cost to generate sustainable energy	\$1,000						
56	Storage per column	40	kWh					
57	Typical span	23	m cols/km:	44				
58	Energy storage cost	\$100	per kWh					
59	Energy storage capacity	1	days					
60	Area of parked pod	2.20	m²					
61	Distance discount at max distance	40%						
62	Max distance discount	500	km					
63	Max usage discount at 10,000 km per capita	50%						
64	Shared Pod Discount	20%						
65	Shared Pod Compartment Discount	40%						
66	Mode share starting discount	67%						

## **Model Inputs (continued)**

	•	
68	Name of region or project	Toronto, Ontario, Can
69	Currency name	CAD
70	Equal to US\$1	1.3
71	Sustainable energy/electricity generation & storage as	CAPEX
72	Land area of region (sq. km)	630
73	Number of residents in region	2,731,571
74	% travel within region	80%
75	% of land area served by roads	90%
76	Coverage: % of pop. convenient (3 min walk) to Transit X	95%
77	Annual median household income (US\$)	\$50,000
78	Convenient walk time to stop (min)	3
79	Triple-speed route length (km)	0
80	Water crossing route length (km)	0.0
81	Visitors per year	0
82	Average length of visit (days)	2
83	Solar production ratio	1.57
84	Regional Fare Factor	1.0
85	EPC costs & contingency	30%
86	Triple-speed (km/h)	242
87	Daily Passengers Factor	1

## Pod & Car

		Pod	Car
87	Service life (years)	20	12
88	Full cost of vehicle per year	\$200	\$9,000
89	Public cost to maintain infrastructure (per km)	\$0	\$100,000
90	Energy consumption (MPGe)	3564	24
91	Energy consumption (liters/100km)	0.07	9.8
92	Energy consumption (Watt-hours/km)	9	1375
93	mass of CO2 per vehicle per km (kg)	0	0.09875
94	Vehicle mass (kg)	45	1950
95	Average speed of urban travel (km/h)	72	16
96	Typical travel time (in minutes) for 7 km trip	6	27
97	Fare/cost per km	\$0.37	\$0.62
98	Number of deaths per 100M passenger-km	0.00001	1
99	Number of injuries per 100M passenger-km	0.0006	62
100	Volume to park (cubic meters)	5.7	70.9



5% of gross revenue is paid to government easement owners for all fees and taxes. When on a private easement, 4% is paid to the private owner and 1% to the government. A minimum payment is based on the Footprint and the Transit X Commercial Rate (TXCR).

## **Government Fees and Tax rate**

(for calculating minimums)

2	Total commercial land (estimated)	56,700,000 m <sup>2</sup>	acres
3	Total commercial gov't revenue (US\$)	\$56,700,000	73,710,000 CAD
4	TXCR (Transit X Commercial Rate)	\$1.00 per m <sup>2</sup>	1.3 CAD
5	TXCR is the yearly tax rate per land area. Calculation: total land area of commercial properties in the governmental region, divided by all the governmental income generated by those properties. The TXCR is used to calculate the minimum tax/fee.		


6

## Private Easement Fees

8	4% of gross revenue	აუთ.07	oer route- neter		
9	Minimum per year	\$1.49 <sup>p</sup>	oer route- neter		
10	Government Fees a	nd Taxes			
11	% of route on government easements	98%			
12	5% on government easements	\$512,099,187		665,728,943 CAD	
13	1% on private easements	\$2,090,201			
14	Total gov't fees and taxes	<b>\$514,189,388</b> p	oer year	668,446,204 CAD	
16	per resident	\$188		245 CAD	
15	with a minimum of	<b>\$1,633,767</b> p	er year	2,123,897 CAD	

# Footprint calculations for minimum fee

# Yearly fees and taxes



2         Track width         0.30 m           3         Track height         0.60 m           4         Post diameter         0.3 m           5         Post cross section         0.07 m²           6         Stop landing area         3.75 m²           7        width         1.5 m           8        length         2.5 m           9         Ramp length         21 m           10         Typical Span         23 m           11         Windle Manager         23 m           12         Deat span         1021 m²           13         10         10           14         Single track         1022.1 m²           15        Area of Side Silhouette         313.1 m²	
Post diameter	
5 Post cross section         0.07 m²           6 Stop landing area         3.75 m²           7width         1.5 m           8length         2.5 m           9 Ramp length         21 m           10 Typical Span         23 m           11 Number of posts per unit length         43.5 poles per km           12 Post height         6 m           13         6 m           14 Single track         1022.1 m²           15Area of Side Silhouette         678.3 m²           16Area of Top Silhouette         313.1 m²           17Impediment Area (adjusted)         30.7 m²           18         Dual track         1322.1 m²           20Area of Side Silhouette         678.3 m²           21Area of Top Silhouette         613.1 m²           22Impediment Area (adjusted)         30.7 m²           24 Stop         82.1 m²           25Area of Side Silhouette         25.2 m²           26Area of Top Silhouette         19.4 m²           27Impediment Area (adjusted)         37.5 m²           28 Stops with dedicated landing areas         2 stops per km           30 % of dual track         100%           31         Average area per unit length         1,486 m² per r	
6 Stop landing area         3.75 m²           7width         1.5 m           8length         2.5 m           8 Ramp length         21 m           10 Typical Span         23 m           11 Number of posts per unit length         43.5 poles per km           Post height         6 m           14 Single track         1022.1 m²           15Area of Side Silhouette         678.3 m²           16Area of Top Silhouette         313.1 m²           17Impediment Area (adjusted)         30.7 m²           18        Area of Side Silhouette         678.3 m²           19 Dual track         1322.1 m²           20Area of Side Silhouette         678.3 m²           21Area of Top Silhouette         613.1 m²           22Impediment Area (adjusted)         30.7 m²           23         Stop         82.1 m²           24 Stop         82.1 m²           25Area of Side Silhouette         25.2 m²           26Area of Top Silhouette         19.4 m²           27Impediment Area (adjusted)         37.5 m²           28         Stops with dedicated landing areas         2 stops per km           30 % of dual track         100%           30         Average are	
7      width       1.5 m         8      length       2.5 m         9       Ramp length       21 m         10       Typical Span       23 m         11       Number of posts per unit length       43.5 poles per km         12       Post height       6 m         13       Single track       1022.1 m²         15      Area of Side Silhouette       678.3 m²         16      Area of Top Silhouette       313.1 m²         17      Impediment Area (adjusted)       30.7 m²         18       Dual track       1322.1 m²         20      Area of Side Silhouette       678.3 m²         21      Area of Top Silhouette       613.1 m²         22      Impediment Area (adjusted)       30.7 m²         24       Stop       82.1 m²         25      Area of Side Silhouette       25.2 m²         26      Area of Top Silhouette       19.4 m²         27      Impediment Area (adjusted)       37.5 m²         28       Stops with dedicated landing areas       2 stops per km         30       % of dual track       100%         31       Average area per unit length       1,486 m² per route-km	
8        length         2.5 m           9         Ramp length         21 m           10         Typical Span         23 m           11         Number of posts per unit length         43.5 poles per km           12         Post height         6 m           13         6 m         6 m           14         Single track         1022.1 m²           15        Area of Side Silhouette         678.3 m²           16        Area of Top Silhouette         313.1 m²           17        Impediment Area (adjusted)         30.7 m²           18         Dual track         1322.1 m²           20        Area of Side Silhouette         678.3 m²           21        Area of Top Silhouette         613.1 m²           22        Impediment Area (adjusted)         30.7 m²           25         2 m²           25         2 m²           26        Area of Side Silhouette         25.2 m²           27        Impediment Area (adjusted)         37.5 m²           28         Stops with dedicated landing areas         2 stops per km           30         % of dual track         100%           31         Average area per unit length	
9 Ramp length       21 m         10 Typical Span       23 m         11 Number of posts per unit length       43.5 poles per km         12 Post height       6 m         13       14 Single track       1022.1 m²         15Area of Side Silhouette       678.3 m²         16Area of Top Silhouette       313.1 m²         17Impediment Area (adjusted)       30.7 m²         18       1322.1 m²         20Area of Side Silhouette       678.3 m²         21Area of Top Silhouette       613.1 m²         22Impediment Area (adjusted)       30.7 m²         24 Stop       82.1 m²         25Area of Side Silhouette       25.2 m²         26Area of Top Silhouette       19.4 m²         27Impediment Area (adjusted)       37.5 m²         28       Stops with dedicated landing areas       2 stops per km         30 % of dual track       100%         31       1,486 m² per route-km	
10       Typical Span       23 m         Number of posts per unit length       43.5 poles per km         12       Post height       6 m         13       6 m         14       Single track       1022.1 m²         15      Area of Side Silhouette       678.3 m²         16      Area of Top Silhouette       313.1 m²         17      Impediment Area (adjusted)       30.7 m²         18       1322.1 m²         20      Area of Side Silhouette       678.3 m²         21      Area of Top Silhouette       613.1 m²         22      Impediment Area (adjusted)       30.7 m²         23       Stop       82.1 m²         25      Area of Side Silhouette       25.2 m²         26      Area of Top Silhouette       19.4 m²         27      Impediment Area (adjusted)       37.5 m²         28       Stops with dedicated landing areas       2 stops per km         30       % of dual track       100%         31       1,486 m² per route-km	
Number of posts per unit length Post height  Single track  1022.1 m² Area of Side Silhouette 678.3 m² Impediment Area (adjusted)  Stop  Atea of Top Silhouette 1322.1 m²  232.1Area of Side Silhouette 678.3 m²  1322.1 m²  24Impediment Area (adjusted)  Stop  82.1 m²  25Area of Side Silhouette 25.2 m²  26Area of Top Silhouette 19.4 m²  27Impediment Area (adjusted)  37.5 m²  Stops with dedicated landing areas  9 Stops with dedicated landing areas  2 stops per km  9 6 of dual track  100%  Average area per unit length  1,486 m² per route-km	
12   Post height   6 m	
13 Single track 1022.1 m² 15Area of Side Silhouette 678.3 m² 16Area of Top Silhouette 313.1 m² 17Impediment Area (adjusted) 30.7 m² 18 19 Dual track 1322.1 m² 20Area of Side Silhouette 678.3 m² 21Area of Top Silhouette 678.3 m² 22Impediment Area (adjusted) 30.7 m² 23 24 Stop 82.1 m² 25Area of Side Silhouette 25.2 m² 26Area of Top Silhouette 19.4 m² 27Impediment Area (adjusted) 37.5 m² 28 29 Stops with dedicated landing areas 2 stops per km 30 % of dual track 100% 31 32 Average area per unit length 1,486 m² per route-km	
14 Single track       1022.1 m²         15Area of Side Silhouette       678.3 m²         16Area of Top Silhouette       313.1 m²         17Impediment Area (adjusted)       30.7 m²         18       1322.1 m²         20Area of Side Silhouette       678.3 m²         21Area of Top Silhouette       613.1 m²         22Impediment Area (adjusted)       30.7 m²         24 Stop       82.1 m²         25Area of Side Silhouette       25.2 m²         26Area of Top Silhouette       19.4 m²         27Impediment Area (adjusted)       37.5 m²         28       Stops with dedicated landing areas       2 stops per km         30 % of dual track       100%         31       Average area per unit length       1,486 m² per route-km	
15Area of Side Silhouette 678.3 m² 16Area of Top Silhouette 313.1 m² 17Impediment Area (adjusted) 30.7 m² 18 19 Dual track 1322.1 m² 20Area of Side Silhouette 678.3 m² 21Area of Top Silhouette 613.1 m² 22Impediment Area (adjusted) 30.7 m² 23Area of Side Silhouette 25.2 m² 24 Stop 82.1 m² 25Area of Side Silhouette 19.4 m² 26Area of Top Silhouette 19.4 m² 27Impediment Area (adjusted) 37.5 m² 28 29 Stops with dedicated landing areas 2 stops per km 30 % of dual track 100% 31 32 Average area per unit length 1,486 m² per route-km	
15Area of Side Silhouette 678.3 m² 16Area of Top Silhouette 313.1 m² 17Impediment Area (adjusted) 30.7 m² 18 19 Dual track 1322.1 m² 20Area of Side Silhouette 678.3 m² 21Area of Top Silhouette 613.1 m² 22Impediment Area (adjusted) 30.7 m² 23 24 Stop 82.1 m² 25Area of Side Silhouette 25.2 m² 26Area of Top Silhouette 19.4 m² 27Impediment Area (adjusted) 37.5 m² 28 29 Stops with dedicated landing areas 2 stops per km 30 % of dual track 100% 30 30 30 30 31 32 Average area per unit length 1,486 m² per route-km	
16Area of Top Silhouette 313.1 m²Impediment Area (adjusted) 30.7 m²  18  19 Dual track 1322.1 m² 20Area of Side Silhouette 678.3 m² 21Area of Top Silhouette 613.1 m² 22Impediment Area (adjusted) 30.7 m²  23  24 Stop 82.1 m² 25Area of Side Silhouette 25.2 m² 26Area of Top Silhouette 19.4 m² 27Impediment Area (adjusted) 37.5 m²  28  29 Stops with dedicated landing areas 2 stops per km 30 % of dual track 100%  31  32 Average area per unit length 1,486 m² per route-km	
Dual track  1322.1 m² Area of Side Silhouette  1322.1 m² Area of Top Silhouette  1322.1 m² Impediment Area (adjusted)  23  24 Stop  25Area of Side Silhouette  25Area of Side Silhouette  25Area of Top Silhouette  25Area of Top Silhouette  26Area of Top Silhouette  27Impediment Area (adjusted)  28  29 Stops with dedicated landing areas  2 stops per km  30 % of dual track  31  32 Average area per unit length  1,486 m² per route-km	
Dual track  1322.1 m² Area of Side Silhouette  678.3 m²  1Area of Top Silhouette  613.1 m²  22Impediment Area (adjusted)  30.7 m²  23  Stop  82.1 m²  25Area of Side Silhouette  25.2 m²  26Area of Top Silhouette  19.4 m²  27Impediment Area (adjusted)  37.5 m²  28  Stops with dedicated landing areas  9 of dual track  100%  Average area per unit length  1,486 m² per route-km	
20Area of Side Silhouette 678.3 m² 21Area of Top Silhouette 613.1 m² 22Impediment Area (adjusted) 30.7 m²  24 Stop 82.1 m² 25Area of Side Silhouette 25.2 m² 26Area of Top Silhouette 19.4 m² 27Impediment Area (adjusted) 37.5 m²  28  29 Stops with dedicated landing areas 2 stops per km 30 % of dual track 100%  31  32 Average area per unit length 1,486 m² per route-km	
20Area of Side Silhouette 678.3 m² 21Area of Top Silhouette 613.1 m² 22Impediment Area (adjusted) 30.7 m²  24 Stop 82.1 m² 25Area of Side Silhouette 25.2 m² 26Area of Top Silhouette 19.4 m² 27Impediment Area (adjusted) 37.5 m²  28  29 Stops with dedicated landing areas 2 stops per km 30 % of dual track 100%  31  32 Average area per unit length 1,486 m² per route-km	
21Area of Top Silhouette 613.1 m² 22Impediment Area (adjusted) 30.7 m²  24 Stop 82.1 m² 25Area of Side Silhouette 25.2 m² 26Area of Top Silhouette 19.4 m² 27Impediment Area (adjusted) 37.5 m²  28  29 Stops with dedicated landing areas 2 stops per km 30 % of dual track 100%  31  32 Average area per unit length 1,486 m² per route-km	
22Impediment Area (adjusted)  23 30.7 m²  24 Stop  25Area of Side Silhouette  26Area of Top Silhouette  27Impediment Area (adjusted)  28 29 Stops with dedicated landing areas  29 Stops with dedicated landing areas  30 % of dual track  31 486 m² per route-km	
Stop  24 Stop  25Area of Side Silhouette  26Area of Top Silhouette  27Impediment Area (adjusted)  28  29 Stops with dedicated landing areas  30 % of dual track  31  Average area per unit length  1,486 m² per route-km	
25.2 m² 26Area of Side Silhouette 27Impediment Area (adjusted) 28 29 Stops with dedicated landing areas 30 % of dual track 31 32 Average area per unit length 32 33 25.2 m² 19.4 m² 27 28 29 Stops with dedicated landing areas 100% 11,486 m² per route-km	
25.2 m² 26Area of Side Silhouette 27Impediment Area (adjusted) 28 29 Stops with dedicated landing areas 20 stops per km 30 % of dual track 31 32 Average area per unit length 31 32 1,486 m² per route-km	
26Area of Top Silhouette 19.4 m² 27Impediment Area (adjusted) 37.5 m²  28 29 Stops with dedicated landing areas 2 stops per km 30 % of dual track 100%  31  32 Average area per unit length 1,486 m² per route-km	
27Impediment Area (adjusted) 28 29 Stops with dedicated landing areas 30 % of dual track 31 32 Average area per unit length 33 34 35 37.5 m² 2 stops per km 100% 100%	
28 29 Stops with dedicated landing areas 30 % of dual track 31 32 Average area per unit length 33 1,486 m² per route-km	
Stops with dedicated landing areas % of dual track 100%  Average area per unit length 1,486 m² per route-km	
30 % of dual track 31  32 Average area per unit length 33 1,486 m² per route-km	
<ul> <li>% of dual track</li> <li>100%</li> <li>Average area per unit length</li> <li>1,486 m² per route-km</li> </ul>	
32 Average area per unit length 1,486 m² per route-km	
33	
33	
35 % gross revenue for government on private prop. 1%	
% gross revenue for private easement 4%	
% gross revenue for private easement 4% gross revenue for government easement 5%	
38 Impediment Factor 10	
or impediment ractor	



Taxi

Train

Uber/Lyft

**Public Bus** 

Transit X

Personal car

# **Fair Fare Formula**

# Summary

The average commute would be 3.5 times faster saving each commuter 295 hours per year.\*

At 0.29 CAD per km, a typical commute on Transit X is 17% less than public transit and 74% less than a Taxi.\*

			Trip Length	
All prices in CAD		2 km	10 km	40 km
Transit X		<b>0.58</b> to 0.97 2 min., 3.6x faster	<b>2.86</b> to 4.80 8 min., 3.6x faster	<b>10.98 to 18.72</b> 33 min., 3.4x faster
P	ublic transit average	3.24	5.16	7.56
sepou	Taxi	<b>4.50</b> 2 to 6 minutes	<b>19.58</b> 8 to 30 minutes	<b>76.15</b> 30 to 120 minutes
ublic m	Uber/Lyft	<b>3.42</b> 2 to 6 minutes	<b>14.10</b> 8 to 30 minutes	<b>54.13</b> 30 to 120 minutes
Common public modes	Public Bus	<b>2.61</b> 3 to 12 minutes	<b>2.61</b> 15 to 60 minutes	<b>4.00</b> 60 to 240 minutes
Comr	Train	<b>3.92</b> 2 to 12 minutes	<b>4.61</b> 8 to 60 minutes	<b>7.22</b> 30 to 240 minutes
Р	ersonal car	<b>3.69</b> 2 to 6 minutes	<b>11.48</b> 8 to 30 minutes	<b>40.72</b> 30 to 120 minutes
Travel mo	Avg. Low High Speed Speed spee ode km/h km/h km/h	d Dist D	ax Time Mode share ist. cost 6% 70% 24% m per min 2 10 40	* All numbers on mode shares, speeds, and costare rough estimates

100

50

1.31 0.5 100

1.04 0.5 100

0.07 0.5 50

0.87 0.1 400

0.09 2

0.29 0.1

1.16

0.58

0

0

0

0.21

5% 4% 1%

10% 10% 2%

50% 50% 40%

35% 36% 57%

30

30

15

30

72

30

20

20

10

10

72

20

2.61

2.09

2.61

3.92

1.74

0

80

80

40

80

72

80

Base fares are set for first 5 years, then adjusted by formula. A 20% discount on a shared pod and a 40% discount on a shared compartment. Trips are discounted proportional to their length reaching a maximum of a 40% discount on a 500 km trip. No congestion–based pricing. Fares are proportional to the median income of the area and inversely proportional to per capita use, so the more use of Transit X, the lower the base fare up a to 50% discount. The amount of market–rate fares must be less than the amount of discounted fares. Transit X Fair Fare Formula and Fair Freight Formula is universal and applies to all regions and all times.



# **Fair Fare Formula**

# Fare rates are updated annually using this formula

	Formula Name	Value	Units	Description of the value or model input
1	GlobalIncome	13,000	CAD	Global median household income. Updated annually based on most recent standard published data.
2	AllTravel	23,000	km	Travel distance per household per year on any mode for trips under 1600 km. A global constant
3	PercentIncomeForTransport	20%		% of median household income for all transportation under 1600 km trips. A global constant.
4	GlobalRate	0.11	CAD/km	Global rate: GlobalIncome * PercentincomeForTransport / AllTravel
5	IncomeFirst	\$65,000	CAD	Median household income at first stop (per person per day). External input. Based on reliable public data source updated annually.
6	IncomeDest	\$97,500	CAD	Median household income at destination per trip. External input. Based on reliable public data updated annually.
7	RegionalRate	0.57	CAD/km	Regional rate based on median income:  MedianIncomeFirst * PercentIncomeForTransport / AllTravel
8	UnderIncomeRate	0.00	CAD/km	Under global income adjustment: if (RegionalRate < GlobalRate, GlobalRate - RegionalRate, 0)
9	NominalRate	0.57	CAD/km	Nominal rate: RegionalRate + UnderIncomeRate
10	RegionalFactor	1.00	0.45#	Regional Fare Factor. Negotiated upfront to make network financially viable.
11	AdjustedRate	0.57	CAD/km	Regional adjusted rate: NominalRate * RegionalFactor
13	Population	2,731,571		Population in region. Updated annually based on trusted public data source.
12	UsageMaxDiscount	50%		Fare Discount when Transit X travel per household equals AllTravel. Global constant.
14	PassengerTravel	18,174,372,163	km	Total passenger distance traveled previous calendar year. Based on expected mode share for first 3 years. Based on actual passenger trips. Audited.
15	ModeShare	29%		Percent of Total Travel Per Capita on Transit X:  PassengerTravel / (Population x AllTravel)
16	BaseRate	0.48	CAD/km	Base rate for single-passenger pod (without discounts) (1 - UsageMaxDiscount x min(1,ModeShare)) x AdjustedRate
17	SpecialRateFactor	2.20		Rate factor for water crossings or high-speed links. Global constant.
18	SpecialBaseRate	1.06	CAD/km	Base rate for high-speed travel or water crossings:  BaseRate * SpecialRateFactor
19	DistanceDiscount	40%		Distance discount at max distance. Global constant.
20	MaxDistanceDiscount	500	km	Max distance discount. Global constant.
21	DistanceDiscountPerKm	0.000387	CAD/km	Discount amount per km:  BaseRate x DistanceDiscount / MaxDistanceDiscount
22	SeniorDiscount	20%		Senior discount set according to local regulations
23	StudentDiscount	20%		Student discount set according to local regulations
	DisabilityDiscount	20%		Disability discount set according to local regulations
24	DiscountBaseRate	0.39	CAD/km	Discounted base rate: BaseRate x (1 - SeniorDiscount)
25	SharedPodDiscount	20%		Discount for a shared pod. Set by Transit X per year. 15% minimum and 30% maximum. Maximum yearly change is one percentage point.
26	SharedPodRate	0.39	CAD/km	Rate for a shared pod: BaseRate x (1 - SharedPodDiscount)
27	SharedCompartmentDiscount	40%		Discount for shared compartment. Set by Transit X per year. 25% minimum and 40% maximum. Maximum yearly change is one percentage point.
28	SharedCompartmentRate	0.29	CAD/km	Rate for shared compartment  BaseRate x (1 - SharedCompartmentDiscount)
29	SingleOccupancyMaxDistance	0.33	CAD/km	Rate for 500 km in single–passenger pod.
30	Senior + SharedCompartmentRate	0.14	CAD/km	Rate for a Senior taking a 500 km trip in a shared compartment.  BaseRate x (1 - SeniorDiscountAmount) x (1 - SharedCompartmentDiscount) x (1 - MaxDistanceDiscount)
31	50PctIncomeAtDest	25%		% Higher fare rate if Destination has 50% higher median income than First (IncomeDest / IncomeFirst - 1) / 2
32	DistanceBase	13,449,035,400	km	Passenger distance under base fare. Audited value from operational data.
33	PercentBase	74%		Percent of passenger distance under base fare:  DistanceBase / PassengerTravel
34	BaseRevenue	5,272,822,108	CAD	Annual revenue from all travel under base rate. Audited value from operational data.
35	AverageDiscount	19%		Average fare discount from Base Rate: 1 - (BaseRevenue / (DistanceDase x BaseRate))
36	MarketFactor	1.0		Market rate factor. Negotiated value for setting ratio of AverageDiscount
37	MarketRateCap	19%		Cap on passenger travel distance at market rate:  AverageDiscount x MarketFactor
38	MarketTravelCap	2,542,701,716	km	Cap on passenger travel distance at market rate:  DistanceBase x MarketRateCap

# **Project Summary**

**Project** A fully-automated, solar-powered, micro-**Description** rail network. A transportation utility.

Project type Privately-funded Public Transit

Design, Build, Finance, Own, Operate,

Maintain (DBFOOM)

Project cost US\$4.60 billion

Cost to Gov't \$0

Structure Privately financed equity and debt

Debt term 10 years @ 7%

**Equity terms** A waterfall profit distribution per year with:

1. 90% until capital payback,

2. then 50% until Target% is reached

3. then 10%

Taxes & Fees \$514,189,388 per year

Benefits to society and

society and Extremely high environment

## **Financials**

(US\$ in millions)

		Total
	Year 1	Years 1-12
Gross Revenues	3,449	100,020
Taxes and fees	172	5,001
Debt service	\$225	\$2,480

## ESG (Environmental, Social, Governance) Benefits

Clean energy	yes	Resiliency	yes
Energy security	yes	Sustainable	yes
Emissions-free	yes	Equitable	yes
GHG-free	yes	Recyclable materials	yes
Lowers pollution	yes	Affordable housing	yes
Clean water	yes	Improved Health	yes
Improved Safety	yes	Econ. Development	yes
New infrastructure	yes	Access to Food	yes
Equitable transport	yes	New job creation	yes





Transit X presents a preliminary proposal for privately-financed, solar-powered public transit network — a fleet of fully-autonomous, shared, electric, 4-passenger vehicles (pods) on a local and regional podway

## Toronto, Ontario, Canada

High capacity • High speed • Nonstop • 24/7
Solar powered • Zero Wait • Door-to-door • Resilient



#### **About Transit X**

Transit X finances, designs, builds, and operates solar-electric micro-rail public transit podways to supplant buses, trains, cars, and trucks. Transit X offers its service to governments and commercial developers. Maiden Flight was on Oct 29, 2018 and pilot projects started in 2018. First pilots will break ground in 2019 and begin operations in 2020. Transit X is a privately held company founded in 2015, based in Boston, Massachusetts.

#### Status

	Now	Prior to close
Project financing	Letter of intent	Yes
Outdoor test system	Dec, 2019	Yes
Rider-Revenue study	Preliminary	Yes
Environmental study	Per region	Yes
Air rights	Per project	Yes
Permitting	Per project	Yes
Safety certification	In process	Yes
Construction firm	Per project	Yes
Design and major subs	Per project	Yes
Operations & Maint	Yes	Yes
Utility relocation	Per project	Agreements

General information available at <u>transitx.com</u>. Detailed information and references can be provided under appropriate non-disclosure/non-compete/non-circumvent agreements. Contact: Mike Stanley, CEO, Transit X, <u>mike@transitx.com</u>, 508-596-7024



## **Model Inputs and Assumptions**

Route length (km) 1,099

Starting number of pods 24,278

Projected revenue growth 15%

Project Cost (Privately funded) \$4,600,998,688

% Debt financed 70%

Debt \$3,220,699,082

Equity \$1,380,299,606

Capital return per year \$248,453,929

**Debt payment (per year)** \$225,448,936

Travel per year per pod (km) 168,192

Revenue per vehicle-km (US\$) 0.84

OPEX as % of project cost 5%

Debt Interest rate 7%

Debt term (yrs) 10

Years to return equity capital 5

Profit share when below capital return 90%

Profit share when below Target IRR 50%

Profit share when above Target IRR 10%

#### Pro Forma

Revenue	0	3,448,770,178	3,966,085,704	4,560,998,560	5,245,148,344	6,031,920,595	6,936,708,685	7,977,214,987	9,173,797,236	10,549,866,821	12,132,346,844	13,952,198,871	16,045,028,701
5% RoW+tax+fee	0%	172,438,509	198,304,285	228,049,928	262,257,417	301,596,030	346,835,434	398,860,749	458,689,862	527,493,341	606,617,342	697,609,944	802,251,435
Debt service	0	\$225,448,936	\$225,448,936	\$225,448,936	\$225,448,936	\$225,448,936	\$225,448,936	\$225,448,936	\$225,448,936	\$225,448,936	\$225,448,936	\$225,448,936	\$225,448,936
tt	•	4 700 040 544	4/0 /25 700	FAT 000 000	F/0.24/ 704	(24.0/2.470	(0/ 700 000	770 507 777	074 (20 04)	004 000 444	4 400 005 355	4 054 407 007	4 400 070 000
Investor share	0	1,799,810,511	460,635,708	507,929,232	562,316,784	624,862,470	696,790,008	779,506,677	874,630,846	984,023,641	1,109,825,355	1,254,497,326	1,420,870,092
Investor share (%)		71%	16%	15%	14%	14%	13%	13%	12%	12%	12%	12%	11%
Share / Orig Capital	0%	130%	33%	37%	41%	45%	50%	56%	63%	71%	80%	91%	103%

#### **Important Notices**

The information contained in this document is not an offer to sell or a solicitation to buy any security. These materials and documents and information from which they are derived or which are referred to by or accessible from them may contain forward looking statements within the meaning of Section 27A of the Securities Act of 1933, Section 2E of the Securities Exchange Act of 1934 and the Private Securities Litigation Reform Act of 1995. All statements other than statements of historical fact are forward looking statements and are subject to risks and uncertainties. Forward looking statements generally can be identified by the use of forward looking terminology such as "may," "will," "expect," "intend," "estimate," "project," "anticipate," "believe" or "plan" or the negative thereof or variations thereon or similar terminology. Although Transit X believes that the expectations reflected in such forward looking statements are reasonable, it can give no assurance that such expectations will prove to be correct. All forward looking statements speak only as of the date made. Except as required by law, Transit X undertakes no obligation to update any forward looking statement to reflect events or circumstances after the date on which it is made or to reflect the occurrence of anticipated or unanticipated events or circumstances. These materials and documents and information from which they are derived or which are referred to by or accessible from them represent Transit X's best estimate as to the allocation of the funding proceeds based upon its present business plan and financial condition. The costs and expenses to be incurred in pursuing the Company's business plan cannot be predicted with certainty. There can be no assurance that unforeseen events will not occur or that the Company's business plan will be achieved or that it will not be changed, and it is possible that the funding proceeds may be applied in a manner other than that described herein.